



SUGGESTED FORMULA

Ascorbic Acid 20% / Hyaluronic Acid 0.5% / Estriol 0.5% / Vitamin E 1% Serum

Version number: 1.0

Volume or quantity: 100 gm

Ascorbic Acid, USP (AS105)	20gm
Hyaluronic Acid	0.05gm
Estriol, Miconized, USP (E1011)	0.05gm
Vitamin E (1mg=1.1IU)* USP (VI135)	1gm
Sepineo P600™ (S2019)	XmL
Purified Water, USP (W1014)	Q.S. 100gm

*Vitamin E 1mg= 1.1 IU so, 1gm=1,000 IU

SUGGESTED COMPOUNDING PROCEDURES

1. Calculate the required quantity of each ingredient for the total amount to be prepared
2. Accurately weigh and/or measure all ingredients
3. In a calibrated beaker add Estriol and Vitamin E and stir
4. Add Ascorbic Acid, Hyaluronic Acid and approximately 65mL of purified water to Step#3 and mix until homogenous
5. Start to add Sepineo P600™ in approx. 2mL increments, allowing time to thicken in between additions*, until desired consistency
6. Bring to volume with Purified Water if necessary
7. Package and Label
8. Suggested Quality assessments:
 - a. color
 - b. texture
 - c. container
 - d. Label - auxiliary labels, storage, BUD, compounded medication

* It is recommended adding Sepineo P600™ in increments to achieve your desired consistency. If consistency is too thick, add more Purified Water to thin it out taking caution not to go over total volume.

Keep away from eyes and other mucus membranes

Store in light resistant air-tight container, at Controlled room temperature

No claims are made as to the safety or efficacy of this preparation. This formulation is provided solely at the unsolicited request of the pharmacist.

Beyond-Use Dates of preparations are conservative estimates from reference books, peer-reviewed literature, and intended duration of therapy, formulation from commercially available products, organoleptic observations and current USP guidelines. Compounders may have stability studies performed by a reputable laboratory if they wish to extend the Beyond-Use Date. It is recommended that you follow USP <795> recommendations for potency testing.

Beyond-Use Date should be assigned based on the current issue of USP <795>

Precautions should be taken to prevent cross-contamination and exposure of ingredients to the compounder and contamination of the preparation by the compounder. Wear appropriate protective equipment. Use safety enclosures (hoods) when weighing and mixing.

Although much attention has been paid to ensure the accuracy of the formulation contained here, Spectrum Pharmacy Products accepts no liability for the loss or damage arising from reliance on the information. Compounding pharmacists using this formula take full responsibility for the formulations and hold Spectrum Pharmacy Products and Spectrum Chemical Mfg Corp. and its officers, directors and employees harmless for any claim arising from use of or reliance on information contained therein.

1/19 JD