

# **Understanding Calculus through Linear Maps: A Computational Approach**

Robert D. French



# Contents

A Note for Students	iv
Chapter 1. Functional Function Fun	1
1. What is a function?	1
2. Polynomials	1
3. Functions in Python	2
Appendix A. Projects	3
1. Solving the Heat Equation	3
Bibliography	4

## **A Note for Students**

Math is fun and exciting! However, many calculus texts are not. I hope this one will be.

## CHAPTER 1

# Functional Function Fun

Mathematicians are *really* fond of definitions. Often, mathematicians will spend large parts of their day worrying about the precise definition of some concept, whereas a scientist or an engineer may just take it on intuition. Sometimes in this book, we'll take the route of the engineer, and just go with what makes sense. However, if we want to get started on the right foot, we'll need to make sure that we know exactly what we mean by the word "function".

### 1. What is a function?

In pre-calculus, you may have discussed a function as an "input-output machine", meaning that it takes one number in, and puts one number out. A slightly better way to put it is to say that a function is a strict rule for associating an input number with an input number. By *strict*, we mean that it is totally unambiguous; there should be no room for guessing about the interpretation of a function. For example,

$$f(x) = \frac{x^2}{6}$$

is a strict rule. For any number  $x$  we can think of, it is absolutely clear how to calculate  $f(x)$ : we multiply  $x$  by itself, then divide that number by 6. On the other hand,

$$g(x) = \frac{x^2}{\text{Number of seconds since the author's last Peanut Butter sandwich}}$$

is quite ambiguous; do we count the seconds since the author finished his sandwich, or the number since he began? Further, suppose the author was interrupted from his sandwich by the sudden arrival of a countable gaggle of Canadian Geese, each requesting an equal-sized crumb. Clearly it would be quite impossible to interpret this expression without opening a hole for philosophers to crawl in and shout at us about the follies of swift and loose reasoning. No, better to wash our hands of it and stick to polynomials for the time being.

### 2. Polynomials

In this book, we shall limit our discussion of functions to polynomials of real numbers, such as  $x^2$ ,  $2x^3 + 5x^2$ , and even  $\pi x^3 + 0.001x + 6$ . We will not (at first) consider any exponential functions ( $e^x$ ), nor any trigonometric functions ( $\sin(x)$ ),

$\cos(x)$ , etc. . . ), nor any other form of high-brow transcendental lavishness ( $\sinh(x)$ ,  $B_\nu(x)$ , don't even get me started on wavelets. . . ). In general, polynomials look like this:

$$f(x) = a_0x^0 + a_1x^1 + a_2x^2 + \cdots + a_nx^n$$

Where each of the  $a_i$  are just whatever real numbers we choose. Every different choice of the  $a_i$ 's gives us a different polynomial. For example, let's pick two polynomials of degree<sup>1</sup> 1:

$$\begin{aligned} p_1(x) &= 5x^0 + 4x^1 \\ p_2(x) &= 3x^0 + 4x^1 \end{aligned}$$

These are different polynomials, which should be obvious enough. Given the same input, say  $x = 0$ , they will give different output values:  $p_1(0)$  will equal 5, whereas  $p_2(0)$  will equal 14<sup>2</sup>. If we plot these two functions, we will see that while they may overlap in some places, mostly they are different.

Fortunately, we do not have to check polynomials by hand or plot them to see if they are different: polynomials can be entirely characterized by their *coefficients* – that is, the specific values of  $a_0$ ,  $a_1$ , etc. That means we could represent  $p_1(x)$  as  $(5, 4)$  and  $p_2(x)$  as  $(3, 4)$ , which we can then treat as points in the plane.

In fact, it is a central idea in this book that there is a connection between points in the plane and polynomials of degree 1. The same connection also holds between polynomials of degree 2 (such as  $12x^2 - 100x^1 + 17x^0$ ) and points in a three-dimensional space, like  $(12, -100, 17)$ . This connection allows us to use a neat tool from geometry, namely *linear maps*, to study properties of polynomials having to do with rates of change. That's actually what Calculus is all about.

### 3. Functions in Python

The tutorials in this book use the IPython [1] package.

```
def foo:
    puts "wassuuuup"
```

<sup>1</sup>The *degree* of a polynomial is the highest number to which  $x$  is raised:  $x^5 + x^4$  is a fifth-degree polynomial,  $x^2 + x + 1$  is a second-degree polynomial. If we're being general, we say that  $x^n + x^{n-1} + \cdots + x^1$  is an  $n$ -th degree polynomial

<sup>2</sup>Are you working these by hand as we go along? Because  $p_2(0)$  is definitely not 14. . .

## APPENDIX A

### **Projects**

#### **1. Solving the Heat Equation**

##### **1.1. Finite Difference Methods.**

## Bibliography

- [1] Fernando Pérez and Brian E. Granger. IPython: a system for interactive scientific computing. *Computing in Science and Engineering*, 9(3):21–29, May 2007.