1 2D-neutronics

1.1 2D-unitcell-reflecB-action

• Input file: 2D-unitcell-reflecB-action.i

• Mesh: 2D-unitcell-reflecB.msh

• Transient problem.

Figure 1 displays the geometry. Figures 2 and 3 show the results.





Figure 1: 2D-unitcell-reflecB scaled down geometry.



(a) Fuel centerline between points (0.94,- (b) Coolant centerline between points (2.82,-160,0) and (0.94,913,0).

Figure 2: Group 1 and 2 axial fluxes in different locations of the unitcell at 10 msec.

1.2 2D-unitcell-reflec-action

 \bullet Input file: 2D-unit cell-reflec-action.i

 \bullet Mesh: 2D-unitcell-reflec.msh




Figure 3: Group 1 and 2 fluxes across the cell between points (0,400,0) and (5.64,400,0) at 10 msec.

• Transient problem.

Figure 4 displays the geometry. Figures 5 and 6 show the results.




Figure 4: 2D-unitcell-reflec scaled down geometry.

1.3 2D-fullcore-reflecB-action

• Input file: 2D-fullcore-reflecB-action.i


• Mesh: 2D-fullcore-reflecB.msh

• Transient problem.

The geometry is not displayed. Figure 8 displays a similar geometry. In 2D-fullcore-reflecB.msh, the coolant channels go through the reflectors. Figure 7 shows the results.

1.4 2D-fullcore-reflec-action

• Input file: 2D-fullcore-reflec-action.i



(a) Fuel centerline between points (0.94, -(b)) Coolant centerline between points (2.82, -160, 0) and (0.94, 913, 0).

Figure 5: Group 1 and 2 axial fluxes in different locations of the unitcell at 10 msec.




Figure 6: Group 1 and 2 fluxes across the cell between points (0,400,0) and (5.64,400,0) at 10 msec.




Figure 7: Group 1 and 2 fluxes at 1 msec.

 \bullet Mesh: 2D-fullcore-reflec.msh

• Transient problem.

Figure 8 displays the geometry. Figure 9 shows the results.




Figure 8: RZ-plane of 2D-fullcore-reflec-action geometry.

1.5 2D-fullcore-reflec-homo-action

• Input file: 2D-fullcore-reflec-homo-action.i




Figure 9: Group 1 and 2 fluxes at 1 msec.

 \bullet Mesh: 2D-full core-reflec.msh

• Transient problem.

Figure 10 displays the geometry. Figure 11 shows the results.




Figure 10: RZ-plane of 2D-fullcore-reflec-homo-action geometry.




Figure 11: Group 1 and 2 fluxes at 1 msec.