

| REPORT- PS-F Energy End-Use Summary for | | | | | | EML-Residential | | | WEATHER FILE- SEATTLE BOEING FI WA | | | | | |
|---|--------|----------------|---------------|------------------|------------------|-----------------|----------------|--------------|------------------------------------|--------------------|-------------------|--------------|---------|--|
| | LIGHTS | TASK LIGHTS | MISC EQUIP | SPACE HEATING | SPACE COOLING | HEAT REJECT | PUMPS & AUX | VENT FANS | REFRIG DISPLAY | HT PUMP SUPPLEM | DOMEST HOT WTR | EXT USAGE | TOTAL | |
| JAN | | | | | | | | | | | | | | |
| KWH | 3845. | 0. | 30718. | 36460. | 1. | 0. | 1947. | 2577. | 0. | 0. | 0. | 0. | 75548 | |
| MAX KW | 22.119 | 0.000 | 95.896 | 131.287 | 0.104 | 0.000 | 3.398 | 5.289 | 0.000 | 0.000 | 0.000 | 0.000 | 199.534 | |
| DAY/HR | 1/ 8 | 0/ 0 | 1/21 | 5/ 8 | 19/14 | 0/ 0 | 14/24 | 6/10 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 4/23 | |
| PEAK ENDUSE | 6.636 | 0.000 | 95.896 | 91.360 | 0.000 | 0.000 | 2.247 | 3.395 | 0.000 | 0.000 | 0.000 | 0.000 | | |
| PEAK PCT | 3.3 | 0.0 | 48.1 | 45.8 | 0.0 | 0.0 | 1.1 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| FEB | | | | | | | | | | | | | | |
| KWH | 3457. | 0. | 27746. | 25918. | 73. | 0. | 1779. | 2288. | 0. | 0. | 0. | 0. | 61260 | |
| MAX KW | 22.119 | 0.000 | 95.896 | 99.760 | 3.771 | 0.000 | 3.438 | 5.050 | 0.000 | 0.000 | 0.000 | 0.000 | 175.428 | |
| DAY/HR | 1/ 8 | 0/ 0 | 1/21 | 13/ 8 | 15/16 | 0/ 0 | 22/24 | 27/10 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 13/ 8 | |
| PEAK ENDUSE | 22.119 | 0.000 | 47.948 | 99.760 | 0.000 | 0.000 | 2.118 | 3.482 | 0.000 | 0.000 | 0.000 | 0.000 | | |
| PEAK PCT | 12.6 | 0.0 | 27.3 | 56.9 | 0.0 | 0.0 | 1.2 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| MAR | | | | | | | | | | | | | | |
| KWH | 3805. | 0. | 30718. | 20237. | 200. | 0. | 1568. | 2479. | 0. | 0. | 0. | 0. | 59006 | |
| MAX KW | 22.119 | 0.000 | 95.896 | 83.779 | 21.028 | 0.000 | 3.473 | 5.005 | 0.000 | 0.000 | 0.000 | 0.000 | 148.201 | |
| DAY/HR | 1/ 8 | 0/ 0 | 1/21 | 2/ 8 | 29/16 | 0/ 0 | 28/24 | 3/10 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 19/ 8 | |
| PEAK ENDUSE | 22.119 | 0.000 | 47.948 | 72.255 | 0.000 | 0.000 | 2.535 | 3.344 | 0.000 | 0.000 | 0.000 | 0.000 | | |
| PEAK PCT | 14.9 | 0.0 | 32.4 | 48.8 | 0.0 | 0.0 | 1.7 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| APR | | | | | | | | | | | | | | |
| KWH | 3716. | 0. | 29728. | 11890. | 409. | 0. | 1083. | 2343. | 0. | 0. | 0. | 0. | 49169 | |
| MAX KW | 22.119 | 0.000 | 95.896 | 64.639 | 12.539 | 0.000 | 3.492 | 4.932 | 0.000 | 0.000 | 0.000 | 0.000 | 140.636 | |
| DAY/HR | 1/ 8 | 0/ 0 | 1/21 | 24/ 8 | 20/16 | 0/ 0 | 21/24 | 6/10 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 24/ 8 | |
| PEAK ENDUSE | 22.119 | 0.000 | 47.948 | 64.639 | 0.000 | 0.000 | 2.643 | 3.287 | 0.000 | 0.000 | 0.000 | 0.000 | | |
| PEAK PCT | 15.7 | 0.0 | 34.1 | 46.0 | 0.0 | 0.0 | 1.9 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| MAY | | | | | | | | | | | | | | |
| KWH | 3846. | 0. | 30718. | 6523. | 1462. | 0. | 477. | 2386. | 0. | 0. | 0. | 0. | 45413 | |
| MAX KW | 22.119 | 0.000 | 95.896 | 49.971 | 30.994 | 0.000 | 3.504 | 4.955 | 0.000 | 0.000 | 0.000 | 0.000 | 129.586 | |
| DAY/HR | 1/ 8 | 0/ 0 | 1/21 | 10/ 8 | 16/16 | 0/ 0 | 25/ 3 | 16/13 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 9/23 | |
| PEAK ENDUSE | 6.636 | 0.000 | 95.896 | 20.804 | 0.003 | 0.000 | 3.253 | 2.995 | 0.000 | 0.000 | 0.000 | 0.000 | | |
| PEAK PCT | 5.1 | 0.0 | 74.0 | 16.1 | 0.0 | 0.0 | 2.5 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| JUN | | | | | | | | | | | | | | |
| KWH | 3674. | 0. | 29728. | 2814. | 2897. | 0. | 21. | 2296. | 0. | 0. | 0. | 0. | 41429 | |
| MAX KW | 22.119 | 0.000 | 95.896 | 24.484 | 36.500 | 0.000 | 3.482 | 5.177 | 0.000 | 0.000 | 0.000 | 0.000 | 129.132 | |
| DAY/HR | 3/ 8 | 0/ 0 | 1/21 | 12/ 8 | 20/11 | 0/ 0 | 12/ 2 | 20/11 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 20/23 | |
| PEAK ENDUSE | 6.636 | 0.000 | 95.896 | 0.146 | 23.359 | 0.000 | 0.000 | 3.096 | 0.000 | 0.000 | 0.000 | 0.000 | | |
| PEAK PCT | 5.1 | 0.0 | 74.3 | 0.1 | 18.1 | 0.0 | 0.0 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| JUL | | | | | | | | | | | | | | |
| KWH | 3845. | 0. | 30718. | 907. | 9266. | 0. | 0. | 2435. | 0. | 0. | 0. | 0. | 47171 | |
| MAX KW | 22.119 | 0.000 | 95.896 | 7.255 | 57.441 | 0.000 | 0.000 | 5.410 | 0.000 | 0.000 | 0.000 | 0.000 | 156.189 | |
| DAY/HR | 1/ 8 | 0/ 0 | 1/21 | 5/ 8 | 23/16 | 0/ 0 | 0/ 0 | 23/12 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 23/20 | |
| PEAK ENDUSE | 11.060 | 0.000 | 85.241 | 0.108 | 56.236 | 0.000 | 0.000 | 3.545 | 0.000 | 0.000 | 0.000 | 0.000 | | |
| PEAK PCT | 7.1 | 0.0 | 54.6 | 0.1 | 36.0 | 0.0 | 0.0 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| AUG | | | | | | | | | | | | | | |
| KWH | 3819. | 0. | 30718. | 840. | 8137. | 0. | 0. | 2416. | 0. | 0. | 0. | 0. | 45930 | |
| MAX KW | 22.119 | 0.000 | 95.896 | 8.679 | 55.766 | 0.000 | 0.000 | 5.438 | 0.000 | 0.000 | 0.000 | 0.000 | 138.409 | |
| DAY/HR | 1/ 8 | 0/ 0 | 1/21 | 24/ 8 | 10/16 | 0/ 0 | 0/ 0 | 10/11 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 9/20 | |
| PEAK ENDUSE | 11.060 | 0.000 | 85.241 | 0.195 | 38.629 | 0.000 | 0.000 | 3.285 | 0.000 | 0.000 | 0.000 | 0.000 | | |
| PEAK PCT | 8.0 | 0.0 | 61.6 | 0.1 | 27.9 | 0.0 | 0.0 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | | |

REPORT- PS-F Energy End-Use Summary for EMI-Residential

WEATHER FILE- SEATTLE BOEING FI WA

----- (CONTINUED) -----

SEP

| | | | | | | | | | | | | | |
|-------------|--------|-------|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|---------|
| KWH | 3701. | 0. | 29728. | 2493. | 4198. | 0. | 132. | 2306. | 0. | 0. | 0. | 0. | 42557. |
| MAX KW | 22.119 | 0.000 | 95.896 | 43.336 | 39.675 | 0.000 | 3.538 | 5.034 | 0.000 | 0.000 | 0.000 | 0.000 | 123.077 |
| DAY/HR | 2/ 8 | 0/ 0 | 1/21 | 28/ 8 | 19/16 | 0/ 0 | 1/ 6 | 22/13 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 13/21 |
| PEAK ENDUSE | 6.636 | 0.000 | 95.896 | 0.025 | 17.501 | 0.000 | 0.000 | 3.019 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 5.4 | 0.0 | 77.9 | 0.0 | 14.2 | 0.0 | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | |

OCT

| | | | | | | | | | | | | | |
|-------------|--------|-------|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|---------|
| KWH | 3845. | 0. | 30718. | 11695. | 347. | 0. | 763. | 2409. | 0. | 0. | 0. | 0. | 49777. |
| MAX KW | 22.119 | 0.000 | 95.896 | 68.366 | 19.647 | 0.000 | 3.521 | 4.898 | 0.000 | 0.000 | 0.000 | 0.000 | 144.334 |
| DAY/HR | 1/ 8 | 0/ 0 | 1/21 | 22/ 8 | 7/16 | 0/ 0 | 5/24 | 15/10 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 22/ 8 |
| PEAK ENDUSE | 22.119 | 0.000 | 47.948 | 68.366 | 0.000 | 0.000 | 2.590 | 3.310 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 15.3 | 0.0 | 33.2 | 47.4 | 0.0 | 0.0 | 1.8 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | |

NOV

| | | | | | | | | | | | | | |
|-------------|--------|-------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
| KWH | 3690. | 0. | 29728. | 22185. | 5. | 0. | 1624. | 2411. | 0. | 0. | 0. | 0. | 59643. |
| MAX KW | 22.119 | 0.000 | 95.896 | 76.540 | 0.628 | 0.000 | 3.475 | 4.974 | 0.000 | 0.000 | 0.000 | 0.000 | 152.431 |
| DAY/HR | 1/ 8 | 0/ 0 | 1/21 | 5/ 8 | 1/16 | 0/ 0 | 7/24 | 27/10 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 5/ 8 |
| PEAK ENDUSE | 22.119 | 0.000 | 47.948 | 76.540 | 0.000 | 0.000 | 2.462 | 3.362 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 14.5 | 0.0 | 31.5 | 50.2 | 0.0 | 0.0 | 1.6 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | |

DEC

| | | | | | | | | | | | | | |
|-------------|--------|-------|--------|---------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
| KWH | 3829. | 0. | 30718. | 33356. | 2. | 0. | 2018. | 2558. | 0. | 0. | 0. | 0. | 72482. |
| MAX KW | 22.119 | 0.000 | 95.896 | 100.746 | 0.558 | 0.000 | 3.421 | 5.119 | 0.000 | 0.000 | 0.000 | 0.000 | 180.409 |
| DAY/HR | 2/ 8 | 0/ 0 | 1/21 | 27/ 8 | 21/15 | 0/ 0 | 11/24 | 27/10 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 26/21 |
| PEAK ENDUSE | 6.636 | 0.000 | 95.896 | 72.021 | 0.000 | 0.000 | 2.587 | 3.269 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 3.7 | 0.0 | 53.2 | 39.9 | 0.0 | 0.0 | 1.4 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | |

=====

| | | | | | | | | | | | | | |
|-------------|--------|-------|---------|---------|--------|-------|--------|--------|-------|-------|-------|-------|---------|
| KWH | 45074. | 0. | 361685. | 175316. | 26996. | 0. | 11411. | 28902. | 0. | 0. | 0. | 0. | 649386. |
| MAX KW | 22.119 | 0.000 | 95.896 | 131.287 | 57.441 | 0.000 | 3.538 | 5.438 | 0.000 | 0.000 | 0.000 | 0.000 | 199.534 |
| MON/DY | 1/ 1 | 0/ 0 | 1/ 1 | 1/ 5 | 7/23 | 0/ 0 | 9/ 1 | 8/10 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 4 |
| PEAK ENDUSE | 6.636 | 0.000 | 95.896 | 91.360 | 0.000 | 0.000 | 2.247 | 3.395 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 3.3 | 0.0 | 48.1 | 45.8 | 0.0 | 0.0 | 1.1 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | |

YEARLY TRANSFORMER LOSSES = 0.0 KWH

REPORT- PS-F Energy End-Use Summary for EM2-Non-Residential

WEATHER FILE- SEATTLE BOEING FI WA

| | LIGHTS | TASK LIGHTS | MISC EQUIP | SPACE HEATING | SPACE COOLING | HEAT REJECT | PUMPS & AUX | VENT FANS | REFRIG DISPLAY | HT PUMP SUPPLEM | DOMEST HOT WTR | EXT USAGE | TOTAL |
|-------------|--------|----------------|---------------|------------------|------------------|----------------|----------------|--------------|-------------------|--------------------|-------------------|--------------|---------|
| JAN | | | | | | | | | | | | | |
| KWH | 10214. | 1121. | 2887. | 4489. | 0. | 0. | 10781. | 10116. | 1482. | 0. | 15743. | 868. | 57701. |
| MAX KW | 17.409 | 6.028 | 6.961 | 133.292 | 0.000 | 0.000 | 14.490 | 27.506 | 3.329 | 0.000 | 52.678 | 2.241 | 246.527 |
| DAY/HR | 2/18 | 1/ 8 | 2/10 | 5/ 8 | 0/ 0 | 0/ 0 | 1/ 1 | 5/10 | 2/19 | 0/ 0 | 13/ 9 | 1/18 | 5/ 8 |
| PEAK ENDUSE | 16.658 | 6.028 | 2.789 | 133.292 | 0.000 | 0.000 | 14.490 | 26.149 | 1.239 | 0.000 | 45.136 | 0.747 | |
| PEAK PCT | 6.8 | 2.4 | 1.1 | 54.1 | 0.0 | 0.0 | 5.9 | 10.6 | 0.5 | 0.0 | 18.3 | 0.3 | |
| FEB | | | | | | | | | | | | | |
| KWH | 9226. | 1013. | 2610. | 2642. | 0. | 0. | 9737. | 9145. | 1338. | 0. | 13939. | 610. | 50260. |
| MAX KW | 17.409 | 6.028 | 6.961 | 63.497 | 0.000 | 0.000 | 14.490 | 27.492 | 3.329 | 0.000 | 52.523 | 2.241 | 174.968 |
| DAY/HR | 1/18 | 1/ 8 | 1/10 | 27/ 7 | 0/ 0 | 0/ 0 | 1/ 1 | 9/10 | 1/19 | 0/ 0 | 18/ 9 | 1/20 | 13/ 8 |
| PEAK ENDUSE | 16.760 | 6.028 | 5.672 | 54.937 | 0.000 | 0.000 | 14.490 | 26.138 | 1.626 | 0.000 | 49.318 | 0.000 | |
| PEAK PCT | 9.6 | 3.4 | 3.2 | 31.4 | 0.0 | 0.0 | 8.3 | 14.9 | 0.9 | 0.0 | 28.2 | 0.0 | |
| MAR | | | | | | | | | | | | | |
| KWH | 10214. | 1121. | 2889. | 1168. | 0. | 0. | 10781. | 10132. | 1482. | 0. | 14427. | 675. | 52889. |
| MAX KW | 17.409 | 6.028 | 6.961 | 34.282 | 0.000 | 0.000 | 14.490 | 27.486 | 3.329 | 0.000 | 52.674 | 2.241 | 146.630 |
| DAY/HR | 1/18 | 1/ 8 | 1/10 | 2/ 7 | 0/ 0 | 0/ 0 | 1/ 1 | 2/10 | 1/19 | 0/ 0 | 16/ 9 | 1/20 | 2/ 8 |
| PEAK ENDUSE | 16.658 | 6.028 | 2.789 | 28.297 | 0.000 | 0.000 | 14.490 | 26.132 | 1.239 | 0.000 | 50.997 | 0.000 | |
| PEAK PCT | 11.4 | 4.1 | 1.9 | 19.3 | 0.0 | 0.0 | 9.9 | 17.8 | 0.8 | 0.0 | 34.8 | 0.0 | |
| APR | | | | | | | | | | | | | |
| KWH | 9886. | 1085. | 2867. | 608. | 0. | 0. | 10433. | 9830. | 1431. | 0. | 13036. | 654. | 49828. |
| MAX KW | 17.409 | 6.028 | 6.961 | 25.390 | 0.000 | 0.000 | 14.490 | 27.484 | 3.329 | 0.000 | 52.379 | 2.241 | 138.825 |
| DAY/HR | 1/18 | 1/ 8 | 1/10 | 24/ 7 | 0/ 0 | 0/ 0 | 1/ 2 | 8/10 | 1/19 | 0/ 0 | 6/ 9 | 1/20 | 24/ 8 |
| PEAK ENDUSE | 16.760 | 6.028 | 5.672 | 16.427 | 0.000 | 0.000 | 14.490 | 26.126 | 1.626 | 0.000 | 51.696 | 0.000 | |
| PEAK PCT | 12.1 | 4.3 | 4.1 | 11.8 | 0.0 | 0.0 | 10.4 | 18.8 | 1.2 | 0.0 | 37.2 | 0.0 | |
| MAY | | | | | | | | | | | | | |
| KWH | 10214. | 1121. | 2930. | 328. | 0. | 0. | 10781. | 10136. | 1480. | 0. | 12397. | 405. | 49793. |
| MAX KW | 17.409 | 6.028 | 6.961 | 0.897 | 0.000 | 0.000 | 14.490 | 27.481 | 3.329 | 0.000 | 32.343 | 1.992 | 103.090 |
| DAY/HR | 1/18 | 1/ 8 | 1/10 | 6/ 7 | 0/ 0 | 0/ 0 | 1/ 2 | 16/10 | 1/19 | 0/ 0 | 15/10 | 1/22 | 21/ 8 |
| PEAK ENDUSE | 16.760 | 6.028 | 5.672 | 0.253 | 0.000 | 0.000 | 14.490 | 26.110 | 1.626 | 0.000 | 32.151 | 0.000 | |
| PEAK PCT | 16.3 | 5.8 | 5.5 | 0.2 | 0.0 | 0.0 | 14.1 | 25.3 | 1.6 | 0.0 | 31.2 | 0.0 | |
| JUN | | | | | | | | | | | | | |
| KWH | 9885. | 1085. | 2782. | 151. | 0. | 0. | 10433. | 9798. | 1435. | 0. | 10982. | 392. | 46943. |
| MAX KW | 17.409 | 6.028 | 6.961 | 0.496 | 0.000 | 0.000 | 14.490 | 27.489 | 3.329 | 0.000 | 32.769 | 1.992 | 102.985 |
| DAY/HR | 3/18 | 1/ 8 | 3/10 | 12/ 7 | 0/ 0 | 0/ 0 | 1/ 2 | 20/10 | 3/19 | 0/ 0 | 20/10 | 1/22 | 19/ 8 |
| PEAK ENDUSE | 16.760 | 6.028 | 5.672 | 0.140 | 0.000 | 0.000 | 14.490 | 26.119 | 1.626 | 0.000 | 32.151 | 0.000 | |
| PEAK PCT | 16.3 | 5.9 | 5.5 | 0.1 | 0.0 | 0.0 | 14.1 | 25.4 | 1.6 | 0.0 | 31.2 | 0.0 | |
| JUL | | | | | | | | | | | | | |
| KWH | 10214. | 1121. | 2930. | 28. | 0. | 0. | 10781. | 10143. | 1480. | 0. | 10470. | 405. | 47573. |
| MAX KW | 17.409 | 6.028 | 6.961 | 0.217 | 0.000 | 0.000 | 14.490 | 27.520 | 3.329 | 0.000 | 32.934 | 1.992 | 102.913 |
| DAY/HR | 1/18 | 1/ 8 | 1/10 | 5/ 7 | 0/ 0 | 0/ 0 | 1/ 2 | 22/10 | 1/19 | 0/ 0 | 22/ 9 | 1/22 | 9/ 8 |
| PEAK ENDUSE | 16.760 | 6.028 | 5.672 | 0.068 | 0.000 | 0.000 | 14.490 | 26.118 | 1.626 | 0.000 | 32.151 | 0.000 | |
| PEAK PCT | 16.3 | 5.9 | 5.5 | 0.1 | 0.0 | 0.0 | 14.1 | 25.4 | 1.6 | 0.0 | 31.2 | 0.0 | |
| AUG | | | | | | | | | | | | | |
| KWH | 10215. | 1121. | 2932. | 6. | 0. | 0. | 10781. | 10158. | 1481. | 0. | 10357. | 726. | 47777. |
| MAX KW | 17.409 | 6.028 | 6.961 | 0.087 | 0.000 | 0.000 | 14.490 | 27.525 | 3.329 | 0.000 | 32.769 | 2.241 | 102.776 |
| DAY/HR | 1/18 | 1/ 8 | 1/10 | 1/ 7 | 0/ 0 | 0/ 0 | 1/ 2 | 10/10 | 1/19 | 0/ 0 | 9/ 9 | 1/19 | 26/ 8 |
| PEAK ENDUSE | 16.760 | 6.028 | 5.672 | 0.036 | 0.000 | 0.000 | 14.490 | 26.140 | 1.626 | 0.000 | 32.025 | 0.000 | |
| PEAK PCT | 16.3 | 5.9 | 5.5 | 0.0 | 0.0 | 0.0 | 14.1 | 25.4 | 1.6 | 0.0 | 31.2 | 0.0 | |

REPORT- PS-F Energy End-Use Summary for EM2-Non-Residential

WEATHER FILE- SEATTLE BOEING FI WA

----- (CONTINUED) -----

SEP

| | | | | | | | | | | | | | |
|-------------|--------|-------|-------|-------|-------|-------|--------|--------|-------|-------|--------|-------|---------|
| KWH | 9884. | 1085. | 2781. | 39. | 0. | 0. | 10433. | 9782. | 1434. | 0. | 10546. | 702. | 46685. |
| MAX KW | 17.409 | 6.028 | 6.961 | 0.573 | 0.000 | 0.000 | 14.490 | 27.514 | 3.329 | 0.000 | 32.476 | 2.241 | 102.758 |
| DAY/HR | 3/18 | 1/ 8 | 3/10 | 28/ 8 | 0/ 0 | 0/ 0 | 1/ 2 | 3/10 | 3/19 | 0/ 0 | 13/10 | 1/19 | 13/ 8 |
| PEAK ENDUSE | 16.760 | 6.028 | 5.672 | 0.024 | 0.000 | 0.000 | 14.490 | 26.108 | 1.626 | 0.000 | 32.051 | 0.000 | |
| PEAK PCT | 16.3 | 5.9 | 5.5 | 0.0 | 0.0 | 0.0 | 14.1 | 25.4 | 1.6 | 0.0 | 31.2 | 0.0 | |

OCT

| | | | | | | | | | | | | | |
|-------------|--------|-------|-------|-------|-------|-------|--------|--------|-------|-------|--------|-------|---------|
| KWH | 10214. | 1121. | 2930. | 241. | 0. | 0. | 10781. | 10133. | 1480. | 0. | 12124. | 726. | 49749. |
| MAX KW | 17.409 | 6.028 | 6.961 | 0.845 | 0.000 | 0.000 | 14.490 | 27.479 | 3.329 | 0.000 | 48.657 | 2.241 | 118.086 |
| DAY/HR | 1/18 | 1/ 8 | 1/10 | 22/ 7 | 0/ 0 | 0/ 0 | 1/ 2 | 7/10 | 1/19 | 0/ 0 | 24/ 9 | 1/19 | 24/ 9 |
| PEAK ENDUSE | 13.567 | 6.028 | 6.501 | 0.715 | 0.000 | 0.000 | 14.490 | 26.115 | 2.013 | 0.000 | 48.657 | 0.000 | |
| PEAK PCT | 11.5 | 5.1 | 5.5 | 0.6 | 0.0 | 0.0 | 12.3 | 22.1 | 1.7 | 0.0 | 41.2 | 0.0 | |

NOV

| | | | | | | | | | | | | | |
|-------------|--------|-------|-------|-------|-------|-------|--------|--------|-------|-------|--------|-------|---------|
| KWH | 9884. | 1085. | 2739. | 462. | 0. | 0. | 10433. | 9774. | 1438. | 0. | 12983. | 840. | 49637. |
| MAX KW | 17.409 | 6.028 | 6.961 | 7.496 | 0.000 | 0.000 | 14.490 | 27.481 | 3.329 | 0.000 | 51.752 | 2.241 | 128.584 |
| DAY/HR | 1/18 | 1/ 8 | 1/10 | 5/ 7 | 0/ 0 | 0/ 0 | 1/ 2 | 23/10 | 1/19 | 0/ 0 | 18/ 9 | 1/18 | 5/ 8 |
| PEAK ENDUSE | 16.760 | 6.028 | 5.672 | 5.895 | 0.000 | 0.000 | 14.490 | 26.126 | 1.626 | 0.000 | 51.240 | 0.747 | |
| PEAK PCT | 13.0 | 4.7 | 4.4 | 4.6 | 0.0 | 0.0 | 11.3 | 20.3 | 1.3 | 0.0 | 39.8 | 0.6 | |

DEC

| | | | | | | | | | | | | | |
|-------------|--------|-------|-------|--------|-------|-------|--------|--------|-------|-------|--------|-------|---------|
| KWH | 10214. | 1121. | 2887. | 1722. | 0. | 0. | 10781. | 10115. | 1482. | 0. | 14809. | 868. | 53997. |
| MAX KW | 17.409 | 6.028 | 6.961 | 30.982 | 0.000 | 0.000 | 14.490 | 27.495 | 3.329 | 0.000 | 52.115 | 2.241 | 151.051 |
| DAY/HR | 2/18 | 1/ 8 | 2/10 | 26/21 | 0/ 0 | 0/ 0 | 1/ 1 | 28/10 | 2/19 | 0/ 0 | 30/ 9 | 1/18 | 27/ 8 |
| PEAK ENDUSE | 16.760 | 6.028 | 5.672 | 29.607 | 0.000 | 0.000 | 14.490 | 26.137 | 1.626 | 0.000 | 49.984 | 0.747 | |
| PEAK PCT | 11.1 | 4.0 | 3.8 | 19.6 | 0.0 | 0.0 | 9.6 | 17.3 | 1.1 | 0.0 | 33.1 | 0.5 | |
| | ===== | ===== | ===== | ===== | ===== | ===== | ===== | ===== | ===== | ===== | ===== | ===== | ===== |

| | | | | | | | | | | | | | |
|-------------|---------|--------|--------|---------|-------|-------|---------|---------|--------|-------|---------|-------|---------|
| KWH | 120264. | 13200. | 34166. | 11882. | 0. | 0. | 126934. | 119262. | 17441. | 0. | 151813. | 7872. | 602833. |
| MAX KW | 17.409 | 6.028 | 6.961 | 133.292 | 0.000 | 0.000 | 14.490 | 27.525 | 3.329 | 0.000 | 52.678 | 2.241 | 246.527 |
| MON/DY | 1/ 2 | 1/ 1 | 1/ 2 | 1/ 5 | 0/ 0 | 0/ 0 | 1/ 1 | 8/10 | 1/ 2 | 0/ 0 | 1/13 | 1/ 1 | 1/ 5 |
| PEAK ENDUSE | 16.658 | 6.028 | 2.789 | 133.292 | 0.000 | 0.000 | 14.490 | 26.149 | 1.239 | 0.000 | 45.136 | 0.747 | |
| PEAK PCT | 6.8 | 2.4 | 1.1 | 54.1 | 0.0 | 0.0 | 5.9 | 10.6 | 0.5 | 0.0 | 18.3 | 0.3 | |

YEARLY TRANSFORMER LOSSES = 0.0 KWH

REPORT- PS-F Energy End-Use Summary for Garage Exhaust Fans

WEATHER FILE- SEATTLE BOEING FI WA

| | LIGHTS | TASK LIGHTS | MISC EQUIP | SPACE HEATING | SPACE COOLING | HEAT REJECT | PUMPS & AUX | VENT FANS | REFRIG DISPLAY | HT PUMP SUPPLEM | DOMEST HOT WTR | EXT USAGE | TOTAL |
|-------------|--------|----------------|---------------|------------------|------------------|----------------|----------------|--------------|-------------------|--------------------|-------------------|--------------|--------|
| JAN | | | | | | | | | | | | | |
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4820. | 0. | 0. | 0. | 0. | 4820. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| FEB | | | | | | | | | | | | | |
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4354. | 0. | 0. | 0. | 0. | 4354. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| MAR | | | | | | | | | | | | | |
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4820. | 0. | 0. | 0. | 0. | 4820. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| APR | | | | | | | | | | | | | |
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4665. | 0. | 0. | 0. | 0. | 4665. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| MAY | | | | | | | | | | | | | |
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4820. | 0. | 0. | 0. | 0. | 4820. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| JUN | | | | | | | | | | | | | |
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4665. | 0. | 0. | 0. | 0. | 4665. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| JUL | | | | | | | | | | | | | |
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4820. | 0. | 0. | 0. | 0. | 4820. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| AUG | | | | | | | | | | | | | |
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4820. | 0. | 0. | 0. | 0. | 4820. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |

REPORT- PS-F Energy End-Use Summary for Garage Exhaust Fans

WEATHER FILE- SEATTLE BOEING FI WA

----- (CONTINUED) -----

SEP

| | | | | | | | | | | | | | |
|-------------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|--------|
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4665. | 0. | 0. | 0. | 0. | 4665. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |

OCT

| | | | | | | | | | | | | | |
|-------------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|--------|
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4820. | 0. | 0. | 0. | 0. | 4820. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |

NOV

| | | | | | | | | | | | | | |
|-------------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|--------|
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4665. | 0. | 0. | 0. | 0. | 4665. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |

DEC

| | | | | | | | | | | | | | |
|-------------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|--------|
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 4820. | 0. | 0. | 0. | 0. | 4820. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| DAY/HR | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 7 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |

=====

| | | | | | | | | | | | | | |
|-------------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|--------|
| KWH | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 56752. | 0. | 0. | 0. | 0. | 56752. |
| MAX KW | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 |
| MON/DY | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 1 | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 | 1/ 1 |
| PEAK ENDUSE | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 18.510 | 0.000 | 0.000 | 0.000 | 0.000 | |
| PEAK PCT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | |

YEARLY TRANSFORMER LOSSES = 0.0 KWH

| REPORT- PS-F Energy End-Use Summary for | | | | | EM3-Retail Non-Res | | | | | WEATHER FILE- SEATTLE BOEING FI WA | | | |
|---|--------|----------------|---------------|------------------|--------------------|----------------|----------------|--------------|-------------------|------------------------------------|-------------------|--------------|--------|
| | LIGHTS | TASK LIGHTS | MISC EQUIP | SPACE HEATING | SPACE COOLING | HEAT REJECT | PUMPS & AUX | VENT FANS | REFRIG DISPLAY | HT PUMP SUPPLEM | DOMEST HOT WTR | EXT USAGE | TOTAL |
| JAN | | | | | | | | | | | | | |
| KWH | 835. | 0. | 4687. | 9409. | 0. | 0. | 81. | 981. | 0. | 0. | 1345. | 0. | 17337. |
| MAX KW | 1.760 | 0.000 | 9.650 | 75.563 | 0.000 | 0.000 | 0.131 | 6.457 | 0.000 | 0.000 | 2.677 | 0.000 | 93.438 |
| DAY/HR | 2/11 | 0/ 0 | 1/10 | 5/20 | 0/ 0 | 0/ 0 | 1/ 1 | 5/20 | 0/ 0 | 0/ 0 | 4/ 8 | 0/ 0 | 5/20 |
| PEAK ENDUSE | 1.760 | 0.000 | 7.077 | 75.563 | 0.000 | 0.000 | 0.051 | 6.457 | 0.000 | 0.000 | 2.529 | 0.000 | |
| PEAK PCT | 1.9 | 0.0 | 7.6 | 80.9 | 0.0 | 0.0 | 0.1 | 6.9 | 0.0 | 0.0 | 2.7 | 0.0 | |
| FEB | | | | | | | | | | | | | |
| KWH | 757. | 0. | 4233. | 6907. | 8. | 0. | 73. | 891. | 0. | 0. | 1222. | 0. | 14091. |
| MAX KW | 1.760 | 0.000 | 9.650 | 46.188 | 0.889 | 0.000 | 0.131 | 6.448 | 0.000 | 0.000 | 2.693 | 0.000 | 63.873 |
| DAY/HR | 1/11 | 0/ 0 | 1/10 | 28/21 | 24/10 | 0/ 0 | 1/ 1 | 9/20 | 0/ 0 | 0/ 0 | 13/ 8 | 0/ 0 | 23/20 |
| PEAK ENDUSE | 1.760 | 0.000 | 7.077 | 45.972 | 0.000 | 0.000 | 0.090 | 6.437 | 0.000 | 0.000 | 2.537 | 0.000 | |
| PEAK PCT | 2.8 | 0.0 | 11.1 | 72.0 | 0.0 | 0.0 | 0.1 | 10.1 | 0.0 | 0.0 | 4.0 | 0.0 | |
| MAR | | | | | | | | | | | | | |
| KWH | 840. | 0. | 4687. | 5138. | 30. | 0. | 63. | 995. | 0. | 0. | 1344. | 0. | 13097. |
| MAX KW | 1.760 | 0.000 | 9.650 | 38.105 | 3.342 | 0.000 | 0.131 | 6.448 | 0.000 | 0.000 | 2.664 | 0.000 | 53.268 |
| DAY/HR | 1/11 | 0/ 0 | 1/10 | 5/21 | 29/14 | 0/ 0 | 1/ 1 | 16/20 | 0/ 0 | 0/ 0 | 13/ 8 | 0/ 0 | 5/21 |
| PEAK ENDUSE | 1.760 | 0.000 | 5.790 | 38.105 | 0.000 | 0.000 | 0.076 | 5.165 | 0.000 | 0.000 | 2.371 | 0.000 | |
| PEAK PCT | 3.3 | 0.0 | 10.9 | 71.5 | 0.0 | 0.0 | 0.1 | 9.7 | 0.0 | 0.0 | 4.5 | 0.0 | |
| APR | | | | | | | | | | | | | |
| KWH | 820. | 0. | 4536. | 3075. | 29. | 0. | 42. | 981. | 0. | 0. | 1289. | 0. | 10772. |
| MAX KW | 1.760 | 0.000 | 9.650 | 33.616 | 1.453 | 0.000 | 0.131 | 6.446 | 0.000 | 0.000 | 2.624 | 0.000 | 50.065 |
| DAY/HR | 1/11 | 0/ 0 | 1/10 | 23/21 | 21/10 | 0/ 0 | 1/ 2 | 6/20 | 0/ 0 | 0/ 0 | 24/ 8 | 0/ 0 | 23/20 |
| PEAK ENDUSE | 1.760 | 0.000 | 7.077 | 33.362 | 0.000 | 0.000 | 0.088 | 5.158 | 0.000 | 0.000 | 2.620 | 0.000 | |
| PEAK PCT | 3.5 | 0.0 | 14.1 | 66.6 | 0.0 | 0.0 | 0.2 | 10.3 | 0.0 | 0.0 | 5.2 | 0.0 | |
| MAY | | | | | | | | | | | | | |
| KWH | 842. | 0. | 4687. | 1686. | 100. | 0. | 18. | 999. | 0. | 0. | 1302. | 0. | 9634. |
| MAX KW | 1.760 | 0.000 | 9.650 | 25.276 | 3.065 | 0.000 | 0.131 | 6.441 | 0.000 | 0.000 | 2.557 | 0.000 | 43.054 |
| DAY/HR | 1/11 | 0/ 0 | 1/10 | 4/20 | 15/19 | 0/ 0 | 1/ 5 | 4/20 | 0/ 0 | 0/ 0 | 10/ 8 | 0/ 0 | 4/20 |
| PEAK ENDUSE | 1.760 | 0.000 | 7.077 | 25.276 | 0.000 | 0.000 | 0.083 | 6.441 | 0.000 | 0.000 | 2.418 | 0.000 | |
| PEAK PCT | 4.1 | 0.0 | 16.4 | 58.7 | 0.0 | 0.0 | 0.2 | 15.0 | 0.0 | 0.0 | 5.6 | 0.0 | |
| JUN | | | | | | | | | | | | | |
| KWH | 812. | 0. | 4536. | 476. | 228. | 0. | 1. | 961. | 0. | 0. | 1232. | 0. | 8245. |
| MAX KW | 1.760 | 0.000 | 9.650 | 10.430 | 3.802 | 0.000 | 0.131 | 6.473 | 0.000 | 0.000 | 2.490 | 0.000 | 26.703 |
| DAY/HR | 1/18 | 0/ 0 | 1/10 | 11/21 | 20/14 | 0/ 0 | 12/ 2 | 29/20 | 0/ 0 | 0/ 0 | 12/ 8 | 0/ 0 | 11/20 |
| PEAK ENDUSE | 1.760 | 0.000 | 7.077 | 10.225 | 0.000 | 0.000 | 0.000 | 5.152 | 0.000 | 0.000 | 2.489 | 0.000 | |
| PEAK PCT | 6.6 | 0.0 | 26.5 | 38.3 | 0.0 | 0.0 | 0.0 | 19.3 | 0.0 | 0.0 | 9.3 | 0.0 | |
| JUL | | | | | | | | | | | | | |
| KWH | 842. | 0. | 4687. | 53. | 867. | 0. | 0. | 1012. | 0. | 0. | 1257. | 0. | 8717. |
| MAX KW | 1.760 | 0.000 | 9.650 | 3.763 | 7.957 | 0.000 | 0.000 | 6.485 | 0.000 | 0.000 | 2.448 | 0.000 | 25.867 |
| DAY/HR | 1/11 | 0/ 0 | 1/10 | 3/21 | 23/18 | 0/ 0 | 0/ 0 | 13/20 | 0/ 0 | 0/ 0 | 5/ 8 | 0/ 0 | 23/19 |
| PEAK ENDUSE | 1.760 | 0.000 | 8.364 | 0.000 | 7.908 | 0.000 | 0.000 | 5.545 | 0.000 | 0.000 | 2.289 | 0.000 | |
| PEAK PCT | 6.8 | 0.0 | 32.3 | 0.0 | 30.6 | 0.0 | 0.0 | 21.4 | 0.0 | 0.0 | 8.8 | 0.0 | |
| AUG | | | | | | | | | | | | | |
| KWH | 847. | 0. | 4687. | 34. | 790. | 0. | 0. | 1027. | 0. | 0. | 1252. | 0. | 8636. |
| MAX KW | 1.760 | 0.000 | 9.650 | 2.397 | 7.760 | 0.000 | 0.000 | 6.559 | 0.000 | 0.000 | 2.427 | 0.000 | 25.089 |
| DAY/HR | 1/11 | 0/ 0 | 1/10 | 23/22 | 10/19 | 0/ 0 | 0/ 0 | 10/20 | 0/ 0 | 0/ 0 | 1/ 8 | 0/ 0 | 10/20 |
| PEAK ENDUSE | 1.760 | 0.000 | 7.077 | 0.000 | 7.419 | 0.000 | 0.000 | 6.559 | 0.000 | 0.000 | 2.274 | 0.000 | |
| PEAK PCT | 7.0 | 0.0 | 28.2 | 0.0 | 29.6 | 0.0 | 0.0 | 26.1 | 0.0 | 0.0 | 9.1 | 0.0 | |

REPORT- PS-F Energy End-Use Summary for EM3-Retail Non-Res

WEATHER FILE- SEATTLE BOEING FI WA

----- (CONTINUED) -----

SEP

| | | | | | | | | | | | | | |
|-------------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| KWH | 807. | 0. | 4536. | 535. | 472. | 0. | 5. | 950. | 0. | 0. | 1206. | 0. | 8510. |
| MAX KW | 1.760 | 0.000 | 9.650 | 10.315 | 5.870 | 0.000 | 0.131 | 6.473 | 0.000 | 0.000 | 2.435 | 0.000 | 25.872 |
| DAY/HR | 3/11 | 0/ 0 | 1/10 | 30/21 | 19/14 | 0/ 0 | 1/ 6 | 21/20 | 0/ 0 | 0/ 0 | 27/ 8 | 0/ 0 | 30/13 |
| PEAK ENDUSE | 1.760 | 0.000 | 9.007 | 8.036 | 0.000 | 0.000 | 0.000 | 5.150 | 0.000 | 0.000 | 1.919 | 0.000 | |
| PEAK PCT | 6.8 | 0.0 | 34.8 | 31.1 | 0.0 | 0.0 | 0.0 | 19.9 | 0.0 | 0.0 | 7.4 | 0.0 | |

OCT

| | | | | | | | | | | | | | |
|-------------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| KWH | 842. | 0. | 4687. | 2677. | 63. | 0. | 30. | 998. | 0. | 0. | 1272. | 0. | 10569. |
| MAX KW | 1.760 | 0.000 | 9.650 | 23.097 | 2.918 | 0.000 | 0.131 | 6.445 | 0.000 | 0.000 | 2.482 | 0.000 | 41.065 |
| DAY/HR | 1/11 | 0/ 0 | 1/10 | 30/13 | 6/16 | 0/ 0 | 2/ 4 | 19/20 | 0/ 0 | 0/ 0 | 22/ 8 | 0/ 0 | 30/13 |
| PEAK ENDUSE | 1.760 | 0.000 | 9.007 | 23.097 | 0.000 | 0.000 | 0.090 | 5.159 | 0.000 | 0.000 | 1.952 | 0.000 | |
| PEAK PCT | 4.3 | 0.0 | 21.9 | 56.2 | 0.0 | 0.0 | 0.2 | 12.6 | 0.0 | 0.0 | 4.8 | 0.0 | |

NOV

| | | | | | | | | | | | | | |
|-------------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| KWH | 805. | 0. | 4536. | 5682. | 1. | 0. | 64. | 940. | 0. | 0. | 1250. | 0. | 13278. |
| MAX KW | 1.760 | 0.000 | 9.650 | 38.239 | 0.954 | 0.000 | 0.131 | 6.449 | 0.000 | 0.000 | 2.544 | 0.000 | 54.666 |
| DAY/HR | 1/11 | 0/ 0 | 1/10 | 26/21 | 10/10 | 0/ 0 | 1/ 2 | 23/20 | 0/ 0 | 0/ 0 | 5/ 8 | 0/ 0 | 26/20 |
| PEAK ENDUSE | 1.760 | 0.000 | 7.077 | 38.051 | 0.000 | 0.000 | 0.072 | 5.165 | 0.000 | 0.000 | 2.541 | 0.000 | |
| PEAK PCT | 3.2 | 0.0 | 12.9 | 69.6 | 0.0 | 0.0 | 0.1 | 9.4 | 0.0 | 0.0 | 4.6 | 0.0 | |

DEC

| | | | | | | | | | | | | | |
|-------------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| KWH | 835. | 0. | 4687. | 8794. | 0. | 0. | 82. | 980. | 0. | 0. | 1320. | 0. | 16698. |
| MAX KW | 1.760 | 0.000 | 9.650 | 56.946 | 0.000 | 0.000 | 0.131 | 6.452 | 0.000 | 0.000 | 2.609 | 0.000 | 74.179 |
| DAY/HR | 2/11 | 0/ 0 | 1/10 | 26/21 | 0/ 0 | 0/ 0 | 1/ 1 | 14/20 | 0/ 0 | 0/ 0 | 26/20 | 0/ 0 | 26/19 |
| PEAK ENDUSE | 1.760 | 0.000 | 8.364 | 56.348 | 0.000 | 0.000 | 0.078 | 5.160 | 0.000 | 0.000 | 2.469 | 0.000 | |
| PEAK PCT | 2.4 | 0.0 | 11.3 | 76.0 | 0.0 | 0.0 | 0.1 | 7.0 | 0.0 | 0.0 | 3.3 | 0.0 | |

=====

| | | | | | | | | | | | | | |
|-------------|-------|-------|--------|--------|-------|-------|-------|--------|-------|-------|--------|-------|---------|
| KWH | 9883. | 0. | 55183. | 44466. | 2588. | 0. | 460. | 11714. | 0. | 0. | 15291. | 0. | 139585. |
| MAX KW | 1.760 | 0.000 | 9.650 | 75.563 | 7.957 | 0.000 | 0.131 | 6.559 | 0.000 | 0.000 | 2.693 | 0.000 | 93.438 |
| MON/DY | 1/ 2 | 0/ 0 | 1/ 1 | 1/ 5 | 7/23 | 0/ 0 | 1/ 1 | 8/10 | 0/ 0 | 0/ 0 | 2/13 | 0/ 0 | 1/ 5 |
| PEAK ENDUSE | 1.760 | 0.000 | 7.077 | 75.563 | 0.000 | 0.000 | 0.051 | 6.457 | 0.000 | 0.000 | 2.529 | 0.000 | |
| PEAK PCT | 1.9 | 0.0 | 7.6 | 80.9 | 0.0 | 0.0 | 0.1 | 6.9 | 0.0 | 0.0 | 2.7 | 0.0 | |

YEARLY TRANSFORMER LOSSES = 0.0 KWH

REPORT- PS-F Energy End-Use Summary for FM1

WEATHER FILE- SEATTLE BOEING FI WA

[illegible]

REPORT- PS-F Energy End-Use Summary for FM1

WEATHER FILE- SEATTLE BOEING FI WA

-- (CONTINUED) -----

[illegible]