

Student Seminar: Exploiting Two Factor Authentication of Android and IOS

Robin Solignac 235020

February 23, 2017

Abstract

Applications which can be used in different platforms now use two factor authentication (2FA) to allow users to conveniently switch from one platform to another. For example, when a user tries to login his gmail, it is not enough to enter correct password (first factor), it is also necessary to enter a PIN which is received by an SMS (second factor). The aim of this project explaining the attacks against 2FA in IOS and Android devices and what it can be the solution.

1 Introduction: The current 2 Factors Authentication

Two factor authentication (2FA) is a combinaison of 2 acces control requirement in order to make it more robust to attacker. to authenticate yourself to an online service you both need to provide something you know (your password) and something you have. A large majority of people in todays world has phone and a large share of them are smart, one of the most most used “something you have” is a phone or a smartphone

More than that, it’s the fact that the service can through this phone send you a message who will not transit on your (maybe compromised) PC who is used. your smartphone is an out of band channel.

the current 2FA scheme is the flowing: after a succesful password authentication it send a One- Time Passwords (OTP) to the smartphone of the user most of the time via SMS but also sometime via a dedicated app.

2 Key concepts

2.1 Syncornisation

Our use of informatic is mostly divided between our personal computers and smartphones. for this reason software manufacturer have sometime decided to implement synchronisation processes between the 2 devices in order to make transition and general use of the 2 smoother, blurring the line between the two.

3 exemple of such synchronisation who will be used in our attack are the following:

Google play remote install it's possible from a PC via the google play website to remotly install an application on our phone if both are logged on the same google account. the only thing appering on the phone afterward is the application incon in the app tray and an notification saying "<app_name> as been succesfully installed"

Apple Continuity On recent version of Ios and macOS you can enable this setting to synchronise in clear, read and send your SMS from your mac.

Browser synchronisation Allmost all of today's most popular internet browser propose syncornization between theire mobile and desktop version logged under same user account. it will sync history, boommark and sometime currently open tabs

2.2 MitB: Man in the browser attack

MitB is a type of attack who assume that the attacker has an entier control and view on the PC browser of the victim. Like a man in the middle attack, the attaker can see all data exchanged by the browser and server and can modify them (on the fly). it also can send and receive data in the name of the user. But unlike the former it has acces to these data before they encrypted (or after they are decryted) And has also modify browser related setting like bookmark and current open tabs URLs. In short powerfull man in the browser attack can remotelly perform the same actions has someone getting physical acces to the browser

there are different way to do a MitB attack, using malware infecting the whole system, by API hooking or via malicious plugin. TO COMPLETE ?

3 2FA Attack on

3.1 Android

3.2 Ios

4 Discussions

5 conclusion

References