


smacc2_sm_reference
_library/sm_dance_bot
_strikes_back/include
/sm_dance_bot_strikes_back
/states/st_navigate_reverse_4.hpp



```
graph BT; A["smacc2_sm_reference_library/sm_dance_bot_strikes_back/src/sm_dance_bot_strikes_back/sm_dance_bot_strikes_back.cpp"] --> B["smacc2_sm_reference_library/sm_dance_bot_strikes_back/include/sm_dance_bot_strikes_back/sm_dance_bot_strikes_back.hpp"]; B --> C["smacc2_sm_reference_library/sm_dance_bot_strikes_back/include/sm_dance_bot_strikes_back/states/st_navigate_reverse_4.hpp"];
```

The diagram illustrates the compilation path of a C++ source file. It consists of three rectangular boxes arranged vertically, connected by blue arrows pointing upwards. The bottom box contains the source file path: `smacc2_sm_reference_library/sm_dance_bot_strikes_back/src/sm_dance_bot_strikes_back/sm_dance_bot_strikes_back.cpp`. An arrow points from this box to the middle box, which contains the header file path: `smacc2_sm_reference_library/sm_dance_bot_strikes_back/include/sm_dance_bot_strikes_back/sm_dance_bot_strikes_back.hpp`. Another arrow points from the middle box to the top box, which contains the header file path: `smacc2_sm_reference_library/sm_dance_bot_strikes_back/include/sm_dance_bot_strikes_back/states/st_navigate_reverse_4.hpp`. The top box has a light gray background, while the middle and bottom boxes have white backgrounds.

smacc2_sm_reference
_library/sm_dance_bot
_strikes_back/include
/sm_dance_bot_strikes_back
/sm_dance_bot_strikes_back.hpp

smacc2_sm_reference
_library/sm_dance_bot
_strikes_back/src/sm_dance
_bot_strikes_back/sm_dance
_bot_strikes_back.cpp