


smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_strikes\_back/include  
/sm\_dance\_bot\_strikes\_back  
/states/st\_rotate\_degrees\_2.hpp



```
graph BT; A["smacc2_sm_reference_library/sm_dance_bot_strikes_back/src/sm_dance_bot_strikes_back/sm_dance_bot_strikes_back.cpp"] --> B["smacc2_sm_reference_library/sm_dance_bot_strikes_back/include/sm_dance_bot_strikes_back/sm_dance_bot_strikes_back.hpp"]; B --> C["smacc2_sm_reference_library/sm_dance_bot_strikes_back/include/sm_dance_bot_strikes_back/states/st_rotate_degrees_2.hpp"];
```

The diagram illustrates a sequence of file dependencies. At the bottom is a source file (smacc2\_sm\_reference\_library/sm\_dance\_bot\_strikes\_back/src/sm\_dance\_bot\_strikes\_back/sm\_dance\_bot\_strikes\_back.cpp). An upward-pointing blue arrow connects it to a middle header file (smacc2\_sm\_reference\_library/sm\_dance\_bot\_strikes\_back/include/sm\_dance\_bot\_strikes\_back/sm\_dance\_bot\_strikes\_back.hpp). Another upward-pointing blue arrow connects the middle header file to a top header file (smacc2\_sm\_reference\_library/sm\_dance\_bot\_strikes\_back/include/sm\_dance\_bot\_strikes\_back/states/st\_rotate\_degrees\_2.hpp). The top header file box has a gray background, while the others are white.

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_strikes\_back/include  
/sm\_dance\_bot\_strikes\_back  
/sm\_dance\_bot\_strikes\_back.hpp

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_strikes\_back/src/sm\_dance  
\_bot\_strikes\_back/sm\_dance  
\_bot\_strikes\_back.cpp