

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_2/include/sm  
\_dance\_bot\_warehouse\_2/superstates  
/ss\_radial\_pattern\_2.hpp



```
graph BT; A["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/src/sm_dance_bot_warehouse_2/sm_dance_bot_warehouse_2.cpp"] --> B["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/sm_dance_bot_warehouse_2.hpp"]; B --> C["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/superstates/ss_radial_pattern_2.hpp"];
```

The diagram illustrates the compilation path of a C++ source file. It consists of three rectangular boxes arranged vertically, connected by blue arrows pointing upwards. The bottom box contains the source file path. The middle box contains the header file path. The top box contains the header file path with an additional directory, 'superstates', indicating a further level of include resolution.

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_2/include/sm  
\_dance\_bot\_warehouse\_2/sm  
\_dance\_bot\_warehouse\_2.hpp

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_2/src/sm\_dance  
\_bot\_warehouse\_2/sm\_dance  
\_bot\_warehouse\_2.cpp