

PROPOSED GUY WIRE EASEMENT #1
SOUTHERNLINC
ROUND LAKE
F8147

Together with a proposed 50-foot wide guy wire easement lying and being in the Northwest $\frac{1}{4}$ of the Northwest $\frac{1}{4}$ of Section 24, Township 3 North, Range 12 West, Jackson County, Florida and being described by the following centerline data:

To find the point of beginning, COMMENCE at a $\frac{1}{2}$ -inch rebar with a cap bearing the certification LB7476 found at the southwest corner of the northwest $\frac{1}{4}$ of the northwest $\frac{1}{4}$ of Section 24, thence run along a tie line, North $39^{\circ}37'43''$ East, 147.44 feet to a point and the true POINT OF BEGINNING; Thence running, North $56^{\circ}10'26''$ East, 156.39 feet to the ENDING at a point.

As shown in a survey prepared for SOUTHERNLINC by POINT TO POINT LAND SURVEYORS, INC. dated March 21, 2017 and last revised March 14, 2018.

PROPOSED LEASE AREA
SOUTHERNLINC
ROUND LAKE
F8147

All that tract or parcel of land, lying and being in the Northwest $\frac{1}{4}$ of the Northwest $\frac{1}{4}$ of Section 24, Township 3 North, Range 12 West, Jackson County, Florida and being more particularly described as follows:

To find the point of beginning, COMMENCE at a $\frac{1}{2}$ -inch rebar with a cap bearing the certification LB7476 found at the southwest corner of the northwest $\frac{1}{4}$ of the northwest $\frac{1}{4}$ of Section 24, thence run along a tie line, North $39^{\circ}37'43''$ East, 147.44 feet to a point; thence, North $56^{\circ}10'26''$ East, 156.39 feet to a point; thence, North $54^{\circ}58'16''$ West, 30.66 feet to a point and the true POINT OF BEGINNING; Thence running, North $35^{\circ}01'44''$ East, 100.00 feet to a point; Thence, South $54^{\circ}58'16''$ East, 100.00 feet to a point; Thence, South $35^{\circ}01'44''$ West, 100.00 feet to a point; Thence, North $54^{\circ}58'16''$ West, 100.00 feet to a point and the true POINT OF BEGINNING.

Said tract contains 0.2296 acres (10,000 square feet), more or less, as shown in a survey prepared for SOUTHERNLINC by POINT TO POINT LAND SURVEYORS, INC. dated February 6, 2017 and last revised March 14, 2018.

PROPOSED GUY WIRE EASEMENT #2
SOUTHERNLINC
ROUND LAKE
F8147

Together with a proposed 50-foot wide guy wire easement lying and being in the Northwest $\frac{1}{4}$ of the Northwest $\frac{1}{4}$ of Section 24, Township 3 North, Range 12 West, Jackson County, Florida and being described by the following centerline data:

To find the point of beginning, COMMENCE at a $\frac{1}{2}$ -inch rebar with a cap bearing the certification LB7476 found at the southwest corner of the northwest $\frac{1}{4}$ of the northwest $\frac{1}{4}$ of Section 24, thence run along a tie line, North $39^{\circ}37'43''$ East, 147.44 feet to a point; thence, North $56^{\circ}10'26''$ East, 156.39 feet to a point; thence, North $54^{\circ}58'16''$ West, 30.66 feet to a point; thence running, North $35^{\circ}01'44''$ East, 100.00 feet to a point; thence, South $54^{\circ}58'16''$ East, 9.72 feet to a point and the true POINT OF BEGINNING; Thence running, North $03^{\circ}49'34''$ West, 145.79 feet to the ENDING at a point.

As shown in a survey prepared for SOUTHERNLINC by POINT TO POINT LAND SURVEYORS, INC. dated March 21, 2017 and last revised March 14, 2018.

PROPOSED 40' ACCESS & UTILITY EASEMENT
(OPTION A)
SOUTHERNLINC
ROUND LAKE
F8147

Together with a proposed 40-foot wide access and utility easement lying and being in the Northwest $\frac{1}{2}$ of the Northwest $\frac{1}{4}$ of Section 24 and the Southeast $\frac{1}{4}$ of the Southwest $\frac{1}{4}$ of Section 13, Township 3 North, Range 12 West, Jackson County, Florida and being described by the following centerline data:

To find the point of beginning, COMMENCE at a $\frac{1}{2}$ -inch rebar with a cap bearing the certification LB7476 found at the southwest corner of the northwest $\frac{1}{4}$ of the northwest $\frac{1}{4}$ of Section 24, thence run along a tie line, North $39^{\circ}37'43''$ East, 147.44 feet to a point; thence, North $56^{\circ}10'26''$ East, 156.39 feet to a point; thence, North $54^{\circ}58'16''$ West, 30.66 feet to a point; thence running, North $35^{\circ}01'44''$ East, 100.00 feet to a point; thence, South $54^{\circ}58'16''$ East, 40.28 feet to a point and the true POINT OF BEGINNING; Thence, North $19^{\circ}22'59''$ East, 116.70 feet to a point; Thence, North $02^{\circ}23'53''$ West, 180.19 feet to a point; Thence, North $84^{\circ}49'08''$ East, 238.60 feet to a point; Thence, North $43^{\circ}47'01''$ East, 101.42 feet to a point; Thence, North $38^{\circ}48'54''$ East, 155.05 feet to a point; Thence, North $68^{\circ}54'09''$ East, 168.34 feet to a point; Thence, North $53^{\circ}23'13''$ East, 71.79 feet to a point; Thence, South $85^{\circ}54'50''$ East, 87.75 feet to a point; Thence, North $84^{\circ}03'11''$ East, 94.26 feet to a point; Thence, North $35^{\circ}17'29''$ East, 357.36 feet to a point; Thence, North $36^{\circ}34'06''$ East, 239.32 feet to the ENDING at a point along the southerly right-of-way of Reedy Creek Road (having an apparent 60 foot right-of-way).

As shown in a survey prepared for SOUTHERNLINC by POINT TO POINT LAND SURVEYORS, INC. dated March 21, 2017 and last revised March 14, 2018.

PROPOSED GUY WIRE EASEMENT #3
SOUTHERNLINC
ROUND LAKE
F8147

Together with a proposed 50-foot wide guy wire easement lying and being in the Northwest $\frac{1}{4}$ of the Northwest $\frac{1}{4}$ of Section 24, Township 3 North, Range 12 West, Jackson County, Florida and being described by the following centerline data:

To find the point of beginning, COMMENCE at a $\frac{1}{2}$ -inch rebar with a cap bearing the certification LB7476 found at the southwest corner of the northwest $\frac{1}{4}$ of the northwest $\frac{1}{4}$ of Section 24, thence run along a tie line, North $39^{\circ}37'43''$ East, 147.44 feet to a point; thence, North $56^{\circ}10'26''$ East, 156.39 feet to a point; thence, North $54^{\circ}58'16''$ West, 30.66 feet to a point; thence running, North $35^{\circ}01'44''$ East, 100.00 feet to a point; thence, South $54^{\circ}58'16''$ East, 100.00 feet to a point; thence, South $35^{\circ}01'44''$ West, 42.21 feet to a point and the true POINT OF BEGINNING; Thence running, South $63^{\circ}49'34''$ East, 114.40 feet to the ENDING at a point.

As shown in a survey prepared for SOUTHERNLINC by POINT TO POINT LAND SURVEYORS, INC. dated March 21, 2017 and last revised March 14, 2018.

PROPOSED 17' ACCESS & UTILITY EASEMENT
SOUTHERNLINC
ROUND LAKE
F8147



Together with a proposed 17-foot wide access and utility easement lying and being in the Northwest 1/2 of the Northwest 1/4 of Section 24 and the Southeast 1/4 of the Southwest 1/4 of Section 13, Township 3 North, Range 12 West, Jackson County, Florida and being described by the following centerline data:

To find the point of beginning, COMMENCE at a 1/2-inch rebar with a cap bearing the certification LB7476 found at the southwest corner of the northwest 1/4 of the northwest 1/4 of Section 24, thence run along a tie line, North 39°37'43"East, 147.44 feet to a point; thence, North 56°10'26" East, 156.39 feet to a point; thence, North 54°58'16" West, 30.66 feet to a point; thence running, North 35°01'44" East, 100.00 feet to a point; thence, South 54°58'16" East, 40.28 feet to a point; thence, North 19°22'59" East, 116.70 feet to a point; thence, North 02°23'53" West, 180.19 feet to a point; thence, North 84°49'08" East, 238.60 feet to a point; thence, North 43°47'01" East, 101.42 feet to a point; thence, North 38°48'54" East, 155.05 feet to a point; thence, North 68°54'09" East, 168.34 feet to a point; thence, North 53°23'13" East, 71.79 feet to a point and the true POINT OF BEGINNING; Thence running, North 34°30'56" East, 154.82 feet to a point; Thence, North 43°59'03" East, 168.94 feet to a point; Thence, North 24°06'10" East, 62.42 feet to a point; Thence, North 03°51'38" East, 51.50 feet to a point; Thence, North 03°56'28" West, 37.83 feet to a point; Thence, North 19°09'35" West, 45.77 feet to a point; Thence, North 49°49'28" West, 38.32 feet to a point; Thence, North 60°56'49" West, 51.72 feet to a point; Thence, North 57°50'33" West, 52.04 feet to a point; Thence, North 27°44'10" West, 47.48 feet to a point; Thence, North 09°49'49" East, 47.60 feet to the ENDING at a point along the southerly right-of-way of Reedy Creek Road (having an apparent 60 foot right-of-way).

As shown in a survey prepared for SOUTHERNLINC by POINT TO POINT LAND SURVEYORS, INC. dated March 21, 2017 and last revised March 14, 2018.

SUBJECT PROPERTY

OWNER: EDWARD J & JUDITH CAMBRE (PER TAX ASSESSOR)
SITE ADDRESS: 2441 REEDY CREED ROAD, ALFORD FL 32420
PARCEL ID: 24-3N-12-0000-0200-0000
AREA: 28 ACRES (PER TAX ASSESSOR)
ZONED: NO ZONING IN UNINCORPORATED JACKSON COUNTY
ALL ZONING INFORMATION SHOULD BE VERIFIED WITH THE PROPER
ZONING OFFICIALS
REFERENCE: DEED BOOK 818 PAGE 906



VICINITY MAP

GENERAL NOTES

- THIS SPECIFIC PURPOSE SURVEY IS FOR THE LEASED PREMISES AND EASEMENTS ONLY. THIS SPECIFIC PURPOSE SURVEY WAS PREPARED FOR THE EXCLUSIVE USE OF SOUTHERNLINING AND EXCLUSIVELY FOR THE TRANSFERRAL OF THE PROPOSED LEASED PREMISES AND THE RIGHTS OF EASEMENT SHOWN HEREON AND SHALL NOT BE USED AS AN EXHIBIT OR EVIDENCE IN THE FEE SIMPLE TRANSFERRAL OF THE PARENT PARCEL NOR ANY PORTION OR PORTIONS THEREOF. BOUNDARY INFORMATION SHOWN HEREON HAS BEEN COMPILED FROM TAX MAPS AND DEED DESCRIPTIONS ONLY. NO BOUNDARY SURVEY OF THE PARENT PARCEL WAS PERFORMED.

THIS DRAWING DOES NOT REPRESENT A BOUNDARY SURVEY.

THIS SPECIFIC PURPOSE SURVEY WAS PREPARED WITHOUT BENEFIT OF A TITLE REPORT WHICH MAY REVEAL ADDITIONAL CONVEYANCES, EASEMENTS, OR RIGHTS-OF-WAY NOT SHOWN HEREON.

THE FIELD DATA UPON WHICH THIS SPECIFIC PURPOSE SURVEY IS BASED HAS A CLOSURE PRECISION OF ONE FOOT IN 20,000+ FEET AND AN ANGULAR ERROR OF 5.0" PER ANGLE POINT AND WAS ADJUSTED USING LEAST SQUARES.

EQUIPMENT USED FOR ANGULAR & LINEAR MEASUREMENTS: LEICA TPS 1200 ROBOTIC & GEOMAX ZENITH 35. [DATE OF LAST FIELD VISIT: 2-27-18]

THE 1' CONTOURS AND SPOT ELEVATIONS SHOWN ON THIS SPECIFIC PURPOSE SURVEY ARE ADJUSTED TO NAVD 88 DATUM (COMPUTED USING GEOID 12B) AND HAVE A VERTICAL ACCURACY OF \pm 0.5'. CONTOURS OUTSIDE THE IMMEDIATE SITE AREA ARE APPROXIMATE.

BEARINGS SHOWN ON THIS SPECIFIC PURPOSE SURVEY ARE BASED ON GRID NORTH (FL NORTH NAD 83).

BENCHMARKS USED: DH7111, DM2682, DM2684

A PORTION OF THIS PROPERTY IS LOCATED IN A SPECIAL FLOOD AREA AS PER F.I.R.M. COMMUNITY PANEL NO. 12063C0395D DATED DECEMBER 17, 2010 (ZONE 'A' - NO BASE FLOOD ELEVATION DETERMINED).

NO WETLAND AREAS HAVE BEEN INVESTIGATED BY THIS SPECIFIC PURPOSE SURVEY.


ALL ZONING INFORMATION SHOULD BE VERIFIED WITH THE PROPER ZONING OFFICIALS.

ANY UNDERGROUND UTILITIES SHOWN HAVE BEEN LOCATED FROM ABOVE GROUND

FIELD SURVEY INFORMATION. THE SURVEYOR MAKES NO GUARANTEES THAT ANY UNDERGROUND UTILITIES SHOWN COMPRIZE ALL SUCH UTILITIES IN THE AREA, EITHER IN-SERVICE OR ABANDONED. THE SURVEYOR FURTHER DOES NOT WARRANT THAT ANY UNDERGROUND UTILITIES SHOWN ARE IN THE EXACT LOCATION INDICATED ALTHOUGH THEY ARE LOCATED AS ACCURATELY AS POSSIBLE FROM INFORMATION AVAILABLE. THE SURVEYOR HAS NOT PHYSICALLY LOCATED ANY UNDERGROUND UTILITIES.

ADDITIONS OR DELETIONS TO THIS SURVEY MAP BY OTHER THAN THE SIGNING PARTY IS PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY.

ORIGINAL SURVEY IS KEPT ON FILE IN THE SURVEYOR'S OFFICE.



LEGEND	
POB	POINT OF BEGINNING
POC	POINT OF COMMENCEMENT
IPS	IRON PIN SET
IPF	IRON PIN FOUND
CMF	CONCRETE MONUMENT FOUND
RB	REBAR
UP	UTILITY POLE
EP	EDGE OF PAVEMENT
BC	BACK OF CURB
OU	OVERHEAD UTILITY
CMP	CORRUGATED METAL PIPE
GW	GY WIRE ANCHOR
TR	TRANSFORMER
CLF	CHAIN LINK FENCE
N/F	NOT ON OR FORMERLY
TYP	TYPICAL
CP	CONCRETE PAD
ROW	RIGHT-OF-WAY

N/F
ANDERSON COLUMBIA CO., INC.
PARCEL # 23-3N-12-0000-0030-0000
ORB 1026 PG 801

N/F	PARCEL #	ADDRESS
1. TII/T/STATE OF FLORIDA MURPHY ACT LAND	24-3N-12-023-004-0010	3900 COMMONWEALTH BLVD, TALLAHASSEE, FL 32399
2. TII/T/STATE OF FLORIDA MURPHY ACT LAND	24-3N-12-023-003-0010	3900 COMMONWEAL TH BLVD, TALLAHASSEE, FL 32399

G. DARRELL TAYLOR, FLORIDA REGISTERED LAND SURVEYOR #LS6904
1010 PENNSYLVANIA AVENUE
MCDONOUGH, GA 30253
PHONE #: (678) 565-4440

DRAWN
CHECKED
APPROVED
DATE: 11/11/11
P2P JOB

BY: GSH D BY: JKL ED: C. INER MARCH 21, 2017 B #: G170045	SHEET: 1 OF 4
---	----------------------------

4601 SOUTHLAKE PARKWAY BIN SP-0800
HOOVER, AL 35244

SITE NO.: F8147
SECTIONS 13 & 24
TOWNSHIP 3 NORTH, RANGE 12 WEST,
JACKSON COUNTY, FLORIDA


DRAWN BY: GSH	SHEET:
CHECKED BY: JKL	
APPROVED: C. INER	
DATE: MARCH 21, 2017	
P2P JOB #: G170045	OF 4

SITE INFORMATION

PROPOSED LEASE AREA = 10,000 SQUARE FEET (0.2296 ACRES)

LATITUDE = 30°39'01.56" (NAD 83)
LONGITUDE = -85°23'58.29" (NAD 83)
AT CENTER PROPOSED LEASE AREA

ELEVATION AT CENTER OF PROPOSED LEASE AREA = 247.3' A.M.S.L.




PROPOSED LEASE AREA

ALL THAT TRACT OR PARCEL OF LAND, LYING AND BEING IN THE NORTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 24, TOWNSHIP 3 NORTH, RANGE 12 WEST, JACKSON COUNTY, FLORIDA AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

TO FIND THE POINT OF BEGINNING, COMMENCE AT A 1/2-INCH REBAR WITH A CAP BEARING THE CERTIFICATION LB7476 FOUND AT THE SOUTHWEST CORNER OF THE NORTHWEST 1/4 OF THE NORTHWEST 1/4 OF SECTION 24, THENCE RUN ALONG A TIE LINE, NORTH 39°37'43"EAST, 147.44 FEET TO A POINT; THENCE, NORTH 56°10'26"EAST, 156.39 FEET TO A POINT; THENCE, NORTH 54°58'16" WEST, 30.66 FEET TO A POINT AND THE TRUE POINT OF BEGINNING; THENCE RUNNING, NORTH 35°01'44" EAST, 100.00 FEET TO A POINT; THENCE, SOUTH 54°58'16" EAST, 100.00 FEET TO A POINT; THENCE, SOUTH 35°01'44" WEST, 100.00 FEET TO A POINT; THENCE, NORTH 54°58'16" WEST, 100.00 FEET TO A POINT AND THE TRUE POINT OF BEGINNING.


SAID TRACT CONTAINS 0.2296 ACRES (10,000 SQUARE FEET), MORE OR LESS.

SURVEY NOT VALID WITHOUT SHEETS 1, 3 & 4



NO.	DATE	REVISION
4	06/07/2017	OPTION B ACCESS - NRW
5	08/21/2017	REDUCE GUY EASE #3 - CLO
6	02/09/2018	EASEMENT AGREEMENT - NRW
7	03/14/2018	17' ACCESS - GSH

SPECIFIC PURPOSE SURVEY PREPARED BY:
POINT TO POINT LAND SURVEYORS
1010 Pennsylvania Avenue
McDonough, GA 30253
(p) 678.565.4440 (f) 678.565.4497
(w) pointtopointsurvey.com




SPECIFIC PURPOSE SURVEY PREPARED FOR:
Southern Linc
SOUTHERN COMMUNICATIONS SERVICES, INC.
D/B/A SOUTHERN LINC
4601 SOUTHLAKE PARKWAY BIN SP-0800
HOOVER, AL 35244


"ROUND LAKE"

SITE NO.: F8147

SECTIONS 13 & 24
TOWNSHIP 3 NORTH, RANGE 12 WEST,
JACKSON COUNTY, FLORIDA

DRAWN BY: GSH
CHECKED BY: JKJ
APPROVED: C. INER
DATE: MARCH 21, 2017
P2P JOB #: G170045
OF 4





PROPOSED GUY WIRE EASEMENT #1

TOGETHER WITH A PROPOSED 50-FOOT WIDE GUY WIRE EASEMENT LYING AND BEING IN THE NORTHWEST ¼ OF THE NORTHWEST ¼ OF SECTION 24, TOWNSHIP 3 NORTH, RANGE 12 WEST, JACKSON COUNTY, FLORIDA AND BEING DESCRIBED BY THE FOLLOWING CENTERLINE DATA:

TO FIND THE POINT OF BEGINNING, COMMENCE AT A ½-INCH REBAR WITH A CAP BEARING THE CERTIFICATION LB7476 FOUND AT THE SOUTHWEST CORNER OF THE NORTHWEST ¼ OF THE NORTHWEST ¼ OF SECTION 24, THENCE RUN ALONG A TIE LINE, NORTH 39°37'43"EAST, 147.44 FEET TO A POINT AND THE TRUE POINT OF BEGINNING; THENCE RUNNING, NORTH 56°10'26" EAST, 156.39 FEET TO THE ENDING AT A POINT.

PROPOSED GUY WIRE EASEMENT #2

TOGETHER WITH A PROPOSED 50-FOOT WIDE GUY WIRE EASEMENT LYING AND BEING IN THE NORTHWEST ¼ OF THE NORTHWEST ¼ OF SECTION 24, TOWNSHIP 3 NORTH, RANGE 12 WEST, JACKSON COUNTY, FLORIDA AND BEING DESCRIBED BY THE FOLLOWING CENTERLINE DATA:

TO FIND THE POINT OF BEGINNING, COMMENCE AT A ½-INCH REBAR WITH A CAP BEARING THE CERTIFICATION LB7476 FOUND AT THE SOUTHWEST CORNER OF THE NORTHWEST ¼ OF THE NORTHWEST ¼ OF SECTION 24, THENCE RUN ALONG A TIE LINE, NORTH 39°37'43"EAST, 147.44 FEET TO A POINT; THENCE, NORTH 56°10'26" EAST, 156.39 FEET TO A POINT; THENCE, NORTH 54°58'16" WEST, 30.66 FEET TO A POINT; THENCE RUNNING, NORTH 35°01'44" EAST, 100.00 FEET TO A POINT; THENCE, SOUTH 54°58'16" EAST, 9.72 FEET TO A POINT AND THE TRUE POINT OF BEGINNING; THENCE RUNNING, NORTH 03°49'34" WEST, 145.79 FEET TO THE ENDING AT A POINT.

PROPOSED GUY WIRE EASEMENT #3

TOGETHER WITH A PROPOSED 50-FOOT WIDE GUY WIRE EASEMENT LYING AND BEING IN THE NORTHWEST ¼ OF THE NORTHWEST ¼ OF SECTION 24, TOWNSHIP 3 NORTH, RANGE 12 WEST, JACKSON COUNTY, FLORIDA AND BEING DESCRIBED BY THE FOLLOWING CENTERLINE DATA:

TO FIND THE POINT OF BEGINNING, COMMENCE AT A ½-INCH REBAR WITH A CAP BEARING THE CERTIFICATION LB7476 FOUND AT THE SOUTHWEST CORNER OF THE NORTHWEST ¼ OF THE NORTHWEST ¼ OF SECTION 24, THENCE RUN ALONG A TIE LINE, NORTH 39°37'43"EAST, 147.44 FEET TO A POINT; THENCE, NORTH 56°10'26" EAST, 156.39 FEET TO A POINT; THENCE, NORTH 54°58'16" WEST, 30.66 FEET TO A POINT; THENCE RUNNING, NORTH 35°01'44" EAST, 100.00 FEET TO A POINT; THENCE, SOUTH 35°01'44" WEST, 42.21 FEET TO A POINT AND THE TRUE POINT OF BEGINNING; THENCE RUNNING, SOUTH 63°49'34" EAST, 114.40 FEET TO THE ENDING AT A POINT.

NO.	DATE	REVISION
4	06/07/2017	OPTION B ACCESS - NRW
5	08/21/2017	REDUCE GUY EASE #3 - CLO
6	02/09/2018	EASEMENT AGREEMENT - NRW
7	03/14/2018	17' ACCESS - GSH

POINT TO POINT LAND SURVEYORS

SPECIFIC PURPOSE SURVEY PREPARED BY:
1010 Pennsylvania Avenue
McDonough, GA 30253
(p) 678.565.4440 (f) 678.565.4497
(w) pointtopointsurvey.com



SPECIFIC PURPOSE SURVEY PREPARED FOR:



SOUTHERN COMMUNICATIONS SERVICES, INC.
D/B/A SOUTHERN LINC
4601 SOUTHLAKE PARKWAY BIN SP-0800
HOOVER, AL 35244

"ROUND LAKE"

SITE NO.: F8147

SECTIONS 13 & 24
TOWNSHIP 3 NORTH, RANGE 12 WEST,
JACKSON COUNTY, FLORIDA

DRAWN BY: GSH
CHECKED BY: JKL
APPROVED: C. INER
DATE: MARCH 21, 2017
P2P JOB #: G170045

4
OF 4