## Graph.java

```
1
    package com.hongchuan.app;
    // Java program to print DFS traversal from a given given graph
2
    import java.io.*;
3
    import java.util.*;
4
5
6
   // This class represents a directed graph using adjacency list
    // representation
7
    public class Graph
8
9
10
        private int V; // No. of vertices
11
12
        // Array of lists for Adjacency List Representation
13
        private LinkedList<Integer> adj[];
14
15
        ArrayList <Integer> trace = new ArrayList<Integer>(0);
16
        // Constructor
17
        public Graph(int v)
18
        {
19
            V = V;
20
            adj = new LinkedList[v];
            for (int i=0; i<v; ++i)
21 3
22
                adj[i] = new LinkedList();
23
        }
24
25
        public ArrayList<Integer> getTrace(){
26 <u>1</u>
            return trace;
27
        }
28
        //Function to add an edge into the graph
        public void addEdge(int v, int w)
29
30
        {
31
            adj[v].add(w); // Add w to v's list.
32
        }
33
34
        // A function used by DFS
        public void DFSUtil(int v,boolean visited[])
35
36
        {
37
            // Mark the current node as visited and print it
            visited[v] = true;
38
39
            trace.add(v);
            // System.out.print(v+" ");
40
41
42
            // Recur for all the vertices adjacent to this vertex
43
            Iterator<Integer> i = adj[v].listIterator();
            while (i.hasNext())
44 1
```

```
45
            {
46
                 int n = i.next();
47 <u>1</u>
                 if (!visited[n])
48 1
                     DFSUtil(n, visited);
49
            }
50
        }
51
52
        // The function to do DFS traversal. It uses recursive DFSUtil()
53
        public void DFS(int v)
54
        {
55
            // Mark all the vertices as not visited(set as
56
            // false by default in java)
57
            boolean visited[] = new boolean[V];
58
59
            // Call the recursive helper function to print DFS traversal
60 <u>1</u>
            DFSUtil(v, visited);
61
        }
62
63
        // public static void main(String args[])
        // {
64
65
        //
                Graph g = new Graph(4);
66
67
        //
                g.addEdge(0, 1);
68
        //
                g.addEdge(0, 2);
69
        //
                g.addEdge(1, 2);
70
        //
                g.addEdge(2, 0);
71
        //
                q.addEdge(2, 3);
72
        //
                g.addEdge(3, 3);
73
                System.out.println("Following is Depth First Traversal "+
74
        //
                                     "(starting from vertex 2)");
75
        //
76
77
        //
                q.DFS(0);
78
        //
                System.out.println(g.getTrace());
79
        // }
80
81
    // This code is contributed by Aakash Hasija
    Mutations
```

```
    changed conditional boundary → KILLED

<u>21</u>
    2. Changed increment from 1 to -1 \rightarrow KILLED

 negated conditional → KILLED

    1. mutated return of Object value for
    com/hongchuan/app/Graph::getTrace to ( if (x != null) null else throw
<u> 26</u>
    new RuntimeException ) → KILLED
    1. negated conditional → KILLED
<u>44</u>
    1. negated conditional → KILLED
47

    removed call to com/hongchuan/app/Graph::DFSUtil → KILLED

48
```

1. removed call to com/hongchuan/app/Graph::DFSUtil → KILLED <u>60</u>

## **Active mutators**

- INCREMENTS\_MUTATOR
- VOID\_METHOD\_CALL\_MUTATORRETURN\_VALS\_MUTATOR
- MATH\_MUTATOR
- NEGATE\_CONDITIONALS\_MUTATOR
- INVERT\_NEGS\_MUTATOR
- CONDITIONALS\_BOUNDARY\_MUTATOR

## **Tests examined**

• com.hongchuan.app.GraphTest.testCase1(com.hongchuan.app.GraphTest) (7 ms)

Report generated by PIT 1.4.3