Getting the Photran 4.0 Sources from CVS

Last Updated 4/4/07

BEFORE YOU BEGIN: Make sure you are running Eclipse 3.3 and a Java 5 or later JVM.

Part I. Check out the CDT 4.0 sources from CVS

If you already have CDT 4.0 installed and do not need to edit the CDT source code, Part I can be skipped.

- 1. In Eclipse, switch to the CVS Repository Exploring perspective.
- 2. Right-click the CVS Repositories view; choose New, Repository Location
- 3. In the dialog box, enter the following information, then click Finish:

Host name: dev.eclipse.org
Repository path: /cvsroot/tools
Username: anonymous
Password: (no password)
Connection type: pserver

- V 1 1
- 4. Right-click on :pserver:anonymous@dev.eclipse.org:/cvsroot/tools, and choose Refresh Branches...
- 5. In the dialog box, scroll down, check the box next to org.eclipse.cdt, and click Finish. When prompted, click on Search Deeply. You may have to wait for a few minutes for processing to complete and the dialog to disappear.
- 6. Now, in the CVS Repositories view
 - Expand ":pserver:anonymous@dev.eclipse.org:/cvsroot/tools"
 - Then expand "Versions"
 - Then expand "org.eclipse.cdt CDT_4_0_0"
 - Then expand "all"

- 7. Click on the first entry under "all" (it should be org.eclipse.cdt), then shift-click on the last entry under "all" (it should be org.eclipse.cdt-feature). All of the intervening plug-ins should now be selected. Right-click on any of the selected plug-ins, and select Check Out from the pop-up menu. (Check out will take several minutes.)
- 8. You now have the CDT source code. Make sure it compiles successfully (lots of warnings, but no errors).

Part II. Check out the Photran sources from CVS

- 9. In Eclipse, switch to the CVS Repository Exploring perspective.
- 10. Right-click the CVS Repositories view; choose New, Repository Location
- 11. Enter the following information, then click Finish:

If you are a Photran committer:

Host name: dev.eclipse.org
Repository path: /cvsroot/technology

Username/passwd: (your eclipse.org committer username and password)

Connection type: extssh

Otherwise:

Host name: dev.eclipse.org
Repository path: /cvsroot/technology

Username: anonymous
Password: (no password)
Connection type: pserver

- 12. Expand the node for dev.eclipse.org:/home/technology, then expand HEAD (in the CVS Repositories view), then expand org.eclipse.photran
- 13. Check out the following projects under org.eclipse.photran:
 - org.eclipse.photran.core
 - org.eclipse.photran.core.vpg
 - org.eclipse.photran.core.vpg.tests
 - org.eclipse.photran.errorparsers.xlf
 - ullet org.eclipse.photran.intel-feature
 - org.eclipse.photran.managedbuilder.core
 - org.eclipse.photran.managedbuilder.gnu.ui
 - org.eclipse.photran.managedbuilder.intel.ui
 - org.eclipse.photran.managedbuilder.ui
 - org.eclipse.photran.managedbuilder.xlf.ui

- org.eclipse.photran.ui
- \bullet org.eclipse.photran.ui.vpc
- org.eclipse.photran-dev-docs
- org.eclipse.photran-feature

(The debug and launch plug-ins are not part of Photran 4.0 and will not compile. The analysis and refactoring plug-ins have been deprecated; they do not contain any files, since that functionality is in the VPG plug-ins.)

The sources should all compile (albeit with lots of warnings).

Note. Some JUnit tests for the parser and refactoring engine require closed-source code that is not available in CVS. A warning will appear in the JUnit runner if this code is not available.