Deviation of the CNOT gate matrix elements.  $\operatorname{Im}(\ket{10}\bra{00})$  $\operatorname{Re}(|00\rangle\langle00|)$ - Re( $|10\rangle\langle00|$ )  $\operatorname{Im}(|00\rangle\langle00|)$  $\operatorname{Re}(|00\rangle\langle01|)$ - Re( $|10\rangle\langle01|$ )  $\operatorname{Im}(|00\rangle\langle01|)$ -- Im( $|10\rangle\langle01|$ )  $\operatorname{Re}(|00\rangle\langle10|)$  $-\operatorname{Re}(|10\rangle\langle10|)$  $-\operatorname{Im}(|00\rangle\langle10|)$ -- Im( $|10\rangle\langle 10|$ ) 0.6 $\operatorname{Re}(|00\rangle\langle11|)$ -  $\operatorname{Re}(|10\rangle\langle 11|)$ -  $\operatorname{Im}(|00\rangle\langle 11|)$ -  $\operatorname{Im}(|10\rangle\langle 11|)$  $\operatorname{Re}(|01\rangle\langle 00|)$  $\operatorname{Re}(|11\rangle\langle 00|)$  $= \operatorname{Im}(|01\rangle\langle 00|)$ --- Im( $|11\rangle\langle00|$ )  $\operatorname{Re}(|01\rangle\langle 01|)$ Re( $|11\rangle\langle01|$ ) --- Im( $|01\rangle\langle 01|$ )  $\operatorname{Im}(\left|11\right\rangle\left\langle01\right|)$  $\operatorname{Re}(|01\rangle\langle 10|)$  $\operatorname{Re}(|11\rangle\langle 10|)$ --- Im( $|01\rangle\langle 10|$ )  $\operatorname{Im}(|11\rangle\langle 10|)$ 0.4 $\operatorname{Re}(|01\rangle\langle 11|)$ - Re( $|11\rangle\langle 11|$ ) -  $\operatorname{Im}(|01\rangle\langle 11|)$ — Im(|11⟩ ⟨11|) Deviation from noiseless case [1] 0.20.0-0.2-0.4-0.60.2 0.6 0.8 1.0 0.00.4Gaussian location parameter [1]