

# Strand 1: Statistics and Probability

## – Ordinary level and Higher level

Students learn about	Students working at OL should be able to	In addition, students working at HL should be able to
<b>1.1 Counting</b>	<ul style="list-style-type: none"> <li>– count the arrangements of <math>n</math> distinct objects (<math>n!</math>)</li> <li>– count the number of ways of arranging <math>r</math> objects from <math>n</math> distinct objects</li> </ul>	<ul style="list-style-type: none"> <li>– count the number of ways of selecting <math>r</math> objects from <math>n</math> distinct objects</li> <li>– compute binomial coefficients</li> </ul>
<b>1.2 Concepts of probability</b>	<ul style="list-style-type: none"> <li>– use set theory to discuss experiments, outcomes, sample spaces</li> <li>– discuss basic rules of probability (AND/OR, mutually exclusive) through the use of Venn diagrams</li> <li>– calculate expected value and understand that this does not need to be one of the outcomes</li> <li>– recognise the role of expected value in decision making and explore the issue of fair games</li> </ul>	<ul style="list-style-type: none"> <li>– extend their understanding of the basic rules of probability (AND/OR, mutually exclusive) through the use of formulae</li> <li>– Addition Rule:  <math display="block">P(A \cup B) = P(A) + P(B) - P(A \cap B)</math></li> <li>– Multiplication Rule (Independent Events):  <math display="block">P(A \cap B) = P(A) \times P(B)</math></li> <li>– Multiplication Rule (General Case):  <math display="block">P(A \cap B) = P(A) \times P(B   A)</math></li> <li>– solve problems involving sampling, with or without replacement</li> <li>– appreciate that in general  <math display="block">P(A   B) \neq P(B   A)</math></li> <li>– examine the implications of  <math display="block">P(A   B) \neq P(B   A)</math> in context</li> </ul>
<b>1.3 Outcomes of random processes</b>	<ul style="list-style-type: none"> <li>– find the probability that two independent events both occur</li> <li>– apply an understanding of Bernoulli trials*</li> <li>– solve problems involving up to 3 Bernoulli trials</li> <li>– calculate the probability that the 1<sup>st</sup> success occurs on the <math>n^{\text{th}}</math> Bernoulli trial where <math>n</math> is specified</li> </ul>	<ul style="list-style-type: none"> <li>– solve problems involving calculating the probability of <math>k</math> successes in <math>n</math> repeated Bernoulli trials (normal approximation not required)</li> <li>– calculate the probability that the <math>k^{\text{th}}</math> success occurs on the <math>n^{\text{th}}</math> Bernoulli trial</li> <li>– use simulations to explore the variability of sample statistics from a known population, to construct sampling distributions and to draw conclusions about the sampling distribution of the mean</li> <li>– solve problems involving reading probabilities from the normal distribution tables</li> </ul>
<b>1.4 Statistical reasoning with an aim to becoming a statistically aware consumer</b>	<ul style="list-style-type: none"> <li>– discuss populations and samples</li> <li>– decide to what extent conclusions can be generalised</li> <li>– work with different types of bivariate data</li> </ul>	

\* A Bernoulli trial is an experiment whose outcome is random and can be either of two possibilities: “success” or “failure”.

# Strand 1: Statistics and Probability

## – Ordinary level and Higher level

Students learn about	Students working at OL should be able to	In addition, students working at HL should be able to
<b>1.5 Finding, collecting and organising data</b>	<ul style="list-style-type: none"> <li>– select a sample (Simple Random Sample)</li> <li>– recognise the importance of representativeness so as to avoid biased samples</li> <li>– discuss different types of studies: sample surveys, observational studies and designed experiments</li> <li>– design a plan and collect data on the basis of above knowledge</li> </ul>	<ul style="list-style-type: none"> <li>– recognise the importance of randomisation and the role of the control group in studies</li> <li>– recognise biases, limitations and ethical issues of each type of study</li> <li>– select a sample (stratified, cluster, quota – no formulae required, just definitions of these)</li> <li>– design a plan and collect data on the basis of above knowledge</li> </ul>
<b>1.6 Representing data graphically and numerically</b>	<p><b>Graphical</b></p> <ul style="list-style-type: none"> <li>– describe the sample (both univariate and bivariate data) by selecting appropriate graphical or numerical methods</li> <li>– explore the distribution of data, including concepts of symmetry and skewness</li> <li>– compare data sets using appropriate displays including back-to-back stem and leaf plots</li> <li>– determine the relationship between variables using scatterplots</li> <li>– recognise that correlation is a value from -1 to +1 and that it measures the extent of the linear relationship between two variables</li> <li>– match correlation coefficient values to appropriate scatterplots</li> <li>– understand that correlation does not imply causality</li> </ul> <p><b>Numerical</b></p> <ul style="list-style-type: none"> <li>– recognise standard deviation and interquartile range as measures of variability</li> <li>– use a calculator to calculate standard deviation</li> <li>– find quartiles and the interquartile range</li> <li>– use the interquartile range appropriately when analysing data</li> <li>– recognise the existence of outliers</li> </ul>	<p><b>Graphical</b></p> <ul style="list-style-type: none"> <li>– analyse plots of the data to explain differences in measures of centre and spread</li> <li>– draw the line of best fit by eye</li> <li>– make predictions based on the line of best fit</li> <li>– calculate the correlation coefficient by calculator</li> </ul> <p><b>Numerical</b></p> <ul style="list-style-type: none"> <li>– recognise the effect of outliers</li> <li>– use percentiles to assign relative standing</li> </ul>

# Strand 1: Statistics and Probability

## – Ordinary level and Higher level

Students learn about	Students working at OL should be able to	In addition, students working at HL should be able to
<b>1.7 Analysing, interpreting and drawing inferences from data</b>	<ul style="list-style-type: none"> <li>– recognise how sampling variability influences the use of sample information to make statements about the population</li> <li>– use appropriate tools to describe variability drawing inferences about the population from the sample</li> <li>– interpret the analysis and relate the interpretation to the original question</li> <li>– interpret a histogram in terms of distribution of data</li> <li>– make decisions based on the empirical rule</li> <li>– recognise the concept of a hypothesis test</li> <li>– calculate the margin of error (<math>\frac{1}{\sqrt{n}}</math>) for a population proportion*</li> <li>– conduct a hypothesis test on a population proportion using the margin of error</li> </ul>	<ul style="list-style-type: none"> <li>– build on the concept of margin of error and understand that increased confidence level implies wider intervals</li> <li>– construct 95% confidence intervals for the population mean from a large sample and for the population proportion, in both cases using z tables</li> <li>– use sampling distributions as the basis for informal inference</li> <li>– perform univariate large sample tests of the population mean (two-tailed z-test only)</li> <li>– use and interpret p-values</li> </ul>

\* The margin of error referred to here is the maximum value of the radius of the 95% confidence interval.

## Strand 2: Geometry and Trigonometry

### – Foundation level

Topic	Description of topic <i>Students learn about</i>	Learning outcomes <i>Students should be able to</i>
<b>2.1 Synthetic geometry</b>	<p>Constructions and how to apply these in real-life situations.</p> <p>Dynamic geometry software.</p> <p>The instruments that are used to perform constructions with precision.</p>	<ul style="list-style-type: none"> <li>– revisit constructions 4,5,10,13 and 15 in real-life contexts</li> <li>– draw a circle of given radius</li> <li>– use the instruments: straight edge, compass, ruler, protractor and set square appropriately when drawing geometric diagrams</li> </ul>
<b>2.2 Co-ordinate geometry</b>	<p>Co-ordinating the plane.</p> <p>Linear relationships in real-life contexts and representing these relationships in tabular and graphical form.</p> <p>Equivalence of the slope of the graph and the rate of change of the relationship.</p> <p>Comparing linear relationships in real-life contexts, paying particular attention to the significance of the start value and the rate of change.</p> <p>The significance of the point of intersection of two linear relationships.</p>	<ul style="list-style-type: none"> <li>– select and use suitable strategies (graphic, numeric, mental) for finding solutions to real-life problems involving up to two linear relationships</li> </ul>
<b>2.3 Trigonometry</b>	<p>Right-angled triangles.</p> <p>Trigonometric ratios.</p>	<ul style="list-style-type: none"> <li>– apply the result of the theorem of Pythagoras to solve right-angled triangle problems of a simple nature involving heights and distances</li> <li>– use trigonometric ratios to solve real world problems involving angles</li> </ul>
<b>2.4 Transformation geometry, enlargements</b>	<p>Translations, central symmetry, axial symmetry and rotations.</p> <p>Enlargements.</p>	<ul style="list-style-type: none"> <li>– locate axes of symmetry in simple shapes</li> <li>– recognise images of points and objects under translation, central symmetry, axial symmetry and rotation</li> <li>– investigate enlargements and their effect on area, paying attention to <ul style="list-style-type: none"> <li>• centre of enlargement</li> <li>• scale factor <math>k</math></li> <li>where <math>0 &lt; k &lt; 1</math>, <math>k &gt; 1</math> <math>k \in \mathbb{Q}</math></li> </ul> </li> <li>– solve problems involving enlargements</li> </ul>

## Strand 2: Geometry and Trigonometry

### – Ordinary level and Higher level

Students learn about	Students working at OL should be able to	In addition, students working at HL should be able to
<b>2.1 Synthetic geometry</b>	<ul style="list-style-type: none"> <li>– perform constructions <b>16-21</b> (see <i>Geometry for Post-primary School Mathematics</i>)</li> <li>– use the following terms related to logic and deductive reasoning: theorem, proof, axiom, corollary, converse, implies</li> <li>– investigate theorems 7, 8, 11, 12, 13, 16, 17, 18, 20, 21 and corollary 6 (see <i>Geometry for Post-primary School Mathematics</i>) and use them to solve problems</li> </ul>	<ul style="list-style-type: none"> <li>– perform construction <b>22</b> (see <i>Geometry for Post-primary School Mathematics</i>)</li> <li>– use the following terms related to logic and deductive reasoning: is equivalent to, if and only if, proof by contradiction</li> <li>– prove theorems 11, 12, 13, concerning ratios (see <i>Geometry for Post-primary School Mathematics</i>), which lay the proper foundation for the proof of the theorem of Pythagoras studied at junior cycle</li> </ul>
<b>2.2 Co-ordinate geometry</b>	<ul style="list-style-type: none"> <li>– use slopes to show that two lines are <ul style="list-style-type: none"> <li>• parallel</li> <li>• perpendicular</li> </ul> </li> <li>– recognise the fact that the relationship <math>ax + by + c = 0</math> is linear</li> <li>– solve problems involving slopes of lines</li> <li>– calculate the area of a triangle</li> <li>– recognise that <math>(x-h)^2 + (y-k)^2 = r^2</math> represents the relationship between the <math>x</math> and <math>y</math> co-ordinates of points on a circle with centre <math>(h, k)</math> and radius <math>r</math></li> <li>– solve problems involving a line and a circle with centre <math>(0, 0)</math></li> </ul>	<ul style="list-style-type: none"> <li>– solve problems involving <ul style="list-style-type: none"> <li>• the perpendicular distance from a point to a line</li> <li>• the angle between two lines</li> </ul> </li> <li>– divide a line segment internally in a given ratio <math>m:n</math></li> <li>– recognise that <math>x^2+y^2+2gx+2fy+c=0</math> represents the relationship between the <math>x</math> and <math>y</math> co-ordinates of points on a circle with centre <math>(-g, -f)</math> and radius <math>r</math> where <math>r = \sqrt{g^2+f^2-c}</math></li> <li>– solve problems involving a line and a circle</li> </ul>
<b>2.3 Trigonometry</b>	<ul style="list-style-type: none"> <li>– use of the theorem of Pythagoras to solve problems (2D only)</li> <li>– use trigonometry to calculate the area of a triangle</li> <li>– solve problems using the sine and cosine rules (2D)</li> <li>– define <math>\sin \theta</math> and <math>\cos \theta</math> for all values of <math>\theta</math></li> <li>– define <math>\tan \theta</math></li> <li>– solve problems involving the area of a sector of a circle and the length of an arc</li> <li>– work with trigonometric ratios in surd form</li> </ul>	<ul style="list-style-type: none"> <li>– use trigonometry to solve problems in 3D</li> <li>– graph the trigonometric functions sine, cosine, tangent</li> <li>– graph trigonometric functions of type <ul style="list-style-type: none"> <li>• <math>f(\theta) = a+b\sin c\theta</math></li> <li>• <math>g(\theta) = a+b\cos c\theta</math></li> </ul> for <math>a,b,c \in \mathbb{R}</math></li> <li>– solve trigonometric equations such as <math>\sin n\theta=0</math> and <math>\cos n\theta=\frac{1}{2}</math> giving all solutions</li> <li>– use the radian measure of angles</li> <li>– derive the trigonometric formulae 1, 2, 3, 4, 5, 6, 7, 9 (see appendix)</li> <li>– apply the trigonometric formulae 1-24 (see appendix)</li> </ul>
<b>2.4 Transformation geometry, enlargements</b>	<ul style="list-style-type: none"> <li>– investigate enlargements and their effect on area, paying attention to <ul style="list-style-type: none"> <li>• centre of enlargement</li> <li>• scale factor <math>k</math> where <math>0 &lt; k &lt; 1</math>, <math>k &gt; 1</math> <math>k \in \mathbb{Q}</math></li> </ul> </li> <li>– solve problems involving enlargements</li> </ul>	

## Strand 3: Number – Ordinary level and Higher level

Students learn about	Students working at OL should be able to	In addition, students working at HL should be able to
<b>3.1 Number systems</b>	<ul style="list-style-type: none"> <li>– recognise irrational numbers and appreciate that <math>\mathbf{R} \neq \mathbf{Q}</math></li> <li>– work with irrational numbers</li> <li>– revisit the operations of addition, multiplication, subtraction and division in the following domains:           <ul style="list-style-type: none"> <li>• <b>N</b> of natural numbers</li> <li>• <b>Z</b> of integers</li> <li>• <b>Q</b> of rational numbers</li> <li>• <b>R</b> of real numbers</li> </ul>           and represent these numbers on a number line         </li> <li>– investigate the operations of addition, multiplication, subtraction and division with complex numbers <b>C</b> in rectangular form <math>a+ib</math></li> <li>– illustrate complex numbers on an Argand diagram</li> <li>– interpret the modulus as distance from the origin on an Argand diagram and calculate the complex conjugate</li> <li>– develop decimals as special equivalent fractions strengthening the connection between these numbers and fraction and place-value understanding</li> <li>– consolidate their understanding of factors, multiples, prime numbers in <b>N</b></li> <li>– express numbers in terms of their prime factors</li> <li>– appreciate the order of operations, including brackets</li> <li>– express non-zero positive rational numbers in the form <math>a \times 10^n</math>, where <math>n \in \mathbf{Z}</math> and <math>1 \leq a &lt; 10</math> and perform arithmetic operations on numbers in this form</li> </ul>	<ul style="list-style-type: none"> <li>– geometrically construct <math>\sqrt{2}</math> and <math>\sqrt{3}</math></li> <li>– prove that <math>\sqrt{2}</math> is not rational</li> <li>– calculate conjugates of sums and products of complex numbers</li> <li>– verify and justify formulae from number patterns</li> <li>– investigate geometric sequences and series</li> <li>– prove by induction           <ul style="list-style-type: none"> <li>• simple identities such as the sum of the first <math>n</math> natural numbers and the sum of a finite geometric series</li> <li>• simple inequalities such as <math>n! &gt; 2^n</math>, <math>2^n \geq n^2</math> (<math>n \geq 4</math>)</li> <li>(<math>1+x</math>)<math>^n \geq 1+nx</math> (<math>x &gt; -1</math>)</li> <li>• factorisation results such as 3 is a factor of <math>4^n - 1</math></li> </ul> </li> <li>– apply the rules for sums, products, quotients of limits</li> <li>– find by inspection the limits of sequences such as <math>\lim_{n \rightarrow \infty} \frac{n}{n+1}</math>; <math>\lim_{n \rightarrow \infty} r^n</math>, <math> r  &lt; 1</math></li> <li>– solve problems involving finite and infinite geometric series including applications such as recurring decimals and financial applications, e.g. deriving the formula for a mortgage repayment</li> <li>– derive the formula for the sum to infinity of geometric series by considering the limit of a sequence of partial sums</li> </ul>

## Strand 3: Number – Foundation level

Topic	Description of topic <i>Students learn about</i>	Learning outcomes <i>Students should be able to</i>
<b>3.1 Number systems (continued)</b>		<ul style="list-style-type: none"> <li>– consolidate the idea that equality is a relationship in which two mathematical expressions hold the same value</li> <li>– analyse solution strategies to problems</li> <li>– calculate percentages</li> <li>– use the equivalence of fractions, decimals and percentages to compare proportions</li> <li>– consolidate their understanding and their learning of factors, multiples and prime numbers in <math>\mathbf{N}</math> and the relationship between ratio and proportion</li> <li>– check a result by considering whether it is of the right order of magnitude and by working the problem backwards; round off a result</li> <li>– make and justify estimates and approximations of calculations</li> <li>– present numerical answers to the degree of accuracy specified</li> <li>– express non-zero positive rational numbers in the form <math>a \times 10^n</math>, where <math>n \in \mathbf{Z}</math> and <math>1 \leq a &lt; 10</math></li> </ul>
<b>3.2 Indices</b>	Representing numbers as squares, cubes, square roots, and reciprocals	<ul style="list-style-type: none"> <li>– solve contextual problems involving numbers represented in the following ways: <math>\sqrt{a}</math>, <math>a^{\frac{1}{2}}</math>, <math>a^2</math>, <math>a^3</math>, <math>\frac{1}{a}</math></li> </ul>

## Strand 3: Number – Ordinary level and Higher level

Students learn about	Students working at OL should be able to	In addition, students working at HL should be able to
<b>3.1 Number systems (continued)</b>	<ul style="list-style-type: none"> <li>– appreciate that processes can generate sequences of numbers or objects</li> <li>– investigate patterns among these sequences</li> <li>– use patterns to continue the sequence</li> <li>– generalise and explain patterns and relationships in algebraic form</li> <li>– recognise whether a sequence is arithmetic, geometric or neither</li> <li>– find the sum to <math>n</math> terms of an arithmetic series</li> </ul>	
<b>3.2 Indices</b>	<ul style="list-style-type: none"> <li>– solve problems using the rules for indices (where <math>a, b \in \mathbb{R}; p, q \in \mathbb{Q}; a^p, a^q \in \mathbb{Q}; a, b \neq 0</math>):</li> <li>• <math>a^p a^q = a^{p+q}</math></li> <li>• <math>\frac{a^p}{a^q} = a^{p-q}</math></li> <li>• <math>a^0 = 1</math></li> <li>• <math>(a^p)^q = a^{pq}</math></li> <li>• <math>a^{\frac{1}{q}} = \sqrt[q]{a} \quad q \in \mathbb{Z}, q \neq 0, a &gt; 0</math></li> <li>• <math>a^{\frac{p}{q}} = \sqrt[q]{a^p} = (\sqrt[q]{a})^p \quad p, q \in \mathbb{Z}, q \neq 0, a &gt; 0</math></li> <li>• <math>a^{-p} = \frac{1}{a^p}</math></li> <li>• <math>(ab)^p = a^p b^p</math></li> <li>• <math>(\frac{a}{b})^p = \frac{a^p}{b^p}</math></li> </ul>	<ul style="list-style-type: none"> <li>– solve problems using the rules of logarithms <ul style="list-style-type: none"> <li>• <math>\log_a(xy) = \log_a x + \log_a y</math></li> <li>• <math>\log_a(\frac{x}{y}) = \log_a x - \log_a y</math></li> <li>• <math>\log_a x^q = q \log_a x</math></li> <li>• <math>\log_a a = 1</math> and <math>\log_a 1 = 0</math></li> <li>• <math>\log_a x = \frac{\log_b x}{\log_b a}</math></li> </ul> </li> </ul>

## Strand 3: Number – Ordinary level and Higher level

Students learn about	Students working at OL should be able to	In addition, students working at HL should be able to
<b>3.3 Arithmetic</b>	<ul style="list-style-type: none"> <li>– check a result by considering whether it is of the right order of magnitude and by working the problem backwards; round off a result</li> <li>– accumulate error (by addition or subtraction only)</li> <li>– make and justify estimates and approximations of calculations; calculate percentage error and tolerance</li> <li>– calculate average rates of change (with respect to time)</li> <li>– solve problems that involve           <ul style="list-style-type: none"> <li>• calculating cost price, selling price, loss, discount, mark up (profit as a % of cost price), margin (profit as a % of selling price)</li> <li>• compound interest, depreciation (reducing balance method), income tax and net pay (including other deductions)</li> <li>• costing: materials, labour and wastage</li> <li>• metric system; change of units; everyday imperial units (conversion factors provided for imperial units)</li> </ul> </li> <li>– make estimates of measures in the physical world around them</li> </ul>	<ul style="list-style-type: none"> <li>– use <i>present value</i> when solving problems involving loan repayments and investments</li> </ul>
<b>3.4 Length, area and volume</b>	<ul style="list-style-type: none"> <li>– investigate the nets of prisms, cylinders and cones</li> <li>– solve problems involving the length of the perimeter and the area of plane figures: disc, triangle, rectangle, square, parallelogram, trapezium, sectors of discs, and figures made from combinations of these</li> <li>– solve problems involving surface area and volume of the following solid figures: rectangular block, cylinder, right cone, triangular-based prism (right angle, isosceles and equilateral), sphere, hemisphere, and solids made from combinations of these</li> <li>– use the trapezoidal rule to approximate area</li> </ul>	

## Strand 4: Algebra – Ordinary level and Higher level

Students learn about	Students working at OL should be able to	In addition, students working at HL should be able to
<b>4.1 Expressions</b>	<ul style="list-style-type: none"> <li>– evaluate expressions given the value of the variables</li> <li>– expand and re-group expressions</li> <li>– factorise expressions of order 2</li> <li>– add and subtract expressions of the form           <ul style="list-style-type: none"> <li>• <math>(ax+by+c) \pm \dots \pm (dx+ey+f)</math></li> <li>• <math>(ax^2+bx+c) \pm \dots \pm (dx^2+ex+f)</math> where <math>a,b,c,d,e,f \in \mathbf{Z}</math></li> <li>• <math>\frac{a}{bx+c} \pm \frac{p}{qx+r}</math> where <math>a,b,c,p,q,r \in \mathbf{Z}</math></li> </ul> </li> <li>– use the associative and distributive properties to simplify expressions of the form           <ul style="list-style-type: none"> <li>• <math>a(bx \pm cy \pm d) \pm \dots \pm e(fx \pm gy \pm h)</math> where <math>a, b, c, d, e, f, g, h \in \mathbf{Z}</math></li> <li>• <math>(x \pm y)(w \pm z)</math></li> </ul> </li> <li>– rearrange formulae</li> </ul>	<ul style="list-style-type: none"> <li>– perform the arithmetic operations of addition, subtraction, multiplication and division on polynomials and rational algebraic expressions paying attention to the use of brackets and surds</li> <li>– apply the binomial theorem</li> </ul>

## Strand 4: Algebra – Ordinary level and Higher level

Students learn about	Students working at OL should be able to	In addition, students working at HL should be able to
<b>4.2 Solving equations</b>	<ul style="list-style-type: none"> <li>– select and use suitable strategies (graphic, numeric, algebraic, mental) for finding solutions to equations of the form:           <ul style="list-style-type: none"> <li>• <math>f(x) = g(x)</math>, with <math>f(x) = ax+b</math>, <math>g(x) = cx+d</math> where <math>a, b, c, d \in \mathbb{Q}</math></li> <li>• <math>f(x) = g(x)</math> with <math>f(x) = \frac{a}{bx+c} \pm \frac{p}{qx+r}</math>; <math>g(x) = \frac{e}{f}</math> where <math>a, b, c, e, f, p, q, r \in \mathbb{Z}</math></li> <li>• <math>f(x) = k</math> with <math>f(x) = ax^2 + bx + c</math> (and not necessarily factorisable) where <math>a, b, c \in \mathbb{Q}</math> and interpret the results</li> </ul> </li> <li>– select and use suitable strategies (graphic, numeric, algebraic, mental) for finding solutions to           <ul style="list-style-type: none"> <li>• simultaneous linear equations with two unknowns and interpret the results</li> <li>• one linear equation and one equation of order 2 with two unknowns (restricted to the case where either the coefficient of <math>x</math> or the coefficient of <math>y</math> is <math>\pm 1</math> in the linear equation) and interpret the results</li> </ul> </li> <li>– form quadratic equations given whole number roots</li> </ul>	<ul style="list-style-type: none"> <li>– select and use suitable strategies (graphic, numeric, algebraic, mental) for finding solutions to equations of the form:           <math display="block">f(x) = g(x)</math> <math display="block">\text{with } f(x) = \frac{ax+b}{ex+f} \pm \frac{cx+d}{qx+r}; g(x) = k</math>           where <math>a, b, c, d, e, f, q, r \in \mathbb{Z}</math></li> <li>– use the Factor Theorem for polynomials</li> <li>– select and use suitable strategies (graphic, numeric, algebraic and mental) for finding solutions to           <ul style="list-style-type: none"> <li>• cubic equations with at least one integer root</li> <li>• simultaneous linear equations with three unknowns</li> <li>• one linear equation and one equation of order 2 with two unknowns</li> </ul>           and interpret the results</li> </ul>
<b>4.3 Inequalities</b>	<ul style="list-style-type: none"> <li>– select and use suitable strategies (graphic, numeric, algebraic, mental) for finding solutions to inequalities of the form:           <ul style="list-style-type: none"> <li>• <math>g(x) \leq k</math>, <math>g(x) \geq k</math>,</li> <li>• <math>g(x) &lt; k</math>, <math>g(x) &gt; k</math>,</li> </ul>           where <math>g(x) = ax + b</math> and <math>a, b, k \in \mathbb{Q}</math></li> </ul>	<ul style="list-style-type: none"> <li>– use notation <math> x </math></li> <li>– select and use suitable strategies (graphic, numeric, algebraic, mental) for finding solutions to inequalities of the form:           <ul style="list-style-type: none"> <li>• <math>g(x) \leq k</math>, <math>g(x) \geq k</math>;</li> <li>• <math>g(x) &lt; k</math>, <math>g(x) &gt; k</math>,</li> </ul>           with <math>g(x) = ax^2 + bx + c</math> or <math>g(x) = \frac{ax+b}{cx+d}</math> and <math>a, b, c, d, k \in \mathbb{Q}</math>, <math>x \in \mathbb{R}</math></li> <li>– <math> x - a  &lt; b</math>, <math> x - a  &gt; b</math> and combinations of these, with <math>a, b \in \mathbb{Q}</math>, <math>x \in \mathbb{R}</math></li> </ul>
<b>4.4 Complex Numbers</b>	See strand 3, section 3.1	<ul style="list-style-type: none"> <li>– use the Conjugate Root Theorem to find the roots of polynomials</li> <li>– work with complex numbers in rectangular and polar form to solve quadratic and other equations including those in the form <math>z^n = a</math>, where <math>n \in \mathbb{Z}</math> and <math>z = r(\cos \theta + i \sin \theta)</math></li> <li>– use De Moivre's Theorem</li> <li>– prove De Moivre's Theorem by induction for <math>n \in \mathbb{N}</math></li> <li>– use applications such as <math>n^{\text{th}}</math> roots of unity, <math>n \in \mathbb{N}</math>, and identities such as <math>\cos 3\theta = 4 \cos^3 \theta - 3 \cos \theta</math></li> </ul>

## Strand 5: Functions – Ordinary level and Higher level

Students learn about	Students working at OL should be able to	In addition, students working at HL should be able to
<b>5.1 Functions</b>	<ul style="list-style-type: none"> <li>– recognise that a function assigns a unique output to a given input</li> <li>– form composite functions</li> <li>– graph functions of the form           <ul style="list-style-type: none"> <li>• <math>ax+b</math> where <math>a,b \in \mathbb{Q}, x \in \mathbb{R}</math></li> <li>• <math>ax^2+bx+c</math> where <math>a, b, c \in \mathbb{Z}, x \in \mathbb{R}</math></li> <li>• <math>ax^3+bx^2+cx+d</math> where <math>a,b,c,d \in \mathbb{Z}, x \in \mathbb{R}</math></li> <li>• <math>ab^x</math> where <math>a \in \mathbb{N}, b, x \in \mathbb{R}</math></li> </ul> </li> <li>– interpret equations of the form <math>f(x) = g(x)</math> as a comparison of the above functions</li> <li>– use graphical methods to find approximate solutions to           <ul style="list-style-type: none"> <li>• <math>f(x) = 0</math></li> <li>• <math>f(x) = k</math></li> <li>• <math>f(x) = g(x)</math></li> </ul>           where <math>f(x)</math> and <math>g(x)</math> are of the above form, or where graphs of <math>f(x)</math> and <math>g(x)</math> are provided</li> <li>– investigate the concept of the limit of a function</li> </ul>	<ul style="list-style-type: none"> <li>– recognise surjective, injective and bijective functions</li> <li>– find the inverse of a bijective function</li> <li>– given a graph of a function sketch the graph of its inverse</li> <li>– express quadratic functions in complete square form</li> <li>– use the complete square form of a quadratic function to           <ul style="list-style-type: none"> <li>• find the roots and turning points</li> <li>• sketch the function</li> </ul> </li> <li>– graph functions of the form           <ul style="list-style-type: none"> <li>• <math>ax^2+bx+c</math> where <math>a,b,c \in \mathbb{Q}, x \in \mathbb{R}</math></li> <li>• <math>ab^x</math> where <math>a, b \in \mathbb{R}</math></li> <li>• logarithmic</li> <li>• exponential</li> <li>• trigonometric</li> </ul> </li> <li>– interpret equations of the form <math>f(x) = g(x)</math> as a comparison of the above functions</li> <li>– informally explore limits and continuity of functions</li> </ul>
<b>5.2 Calculus</b>	<ul style="list-style-type: none"> <li>– find first and second derivatives of linear, quadratic and cubic functions by rule</li> <li>– associate derivatives with slopes and tangent lines</li> <li>– apply differentiation to           <ul style="list-style-type: none"> <li>• rates of change</li> <li>• maxima and minima</li> <li>• curve sketching</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>– differentiate linear and quadratic functions from first principles</li> <li>– differentiate the following functions           <ul style="list-style-type: none"> <li>• polynomial</li> <li>• exponential</li> <li>• trigonometric</li> <li>• rational powers</li> <li>• inverse functions</li> <li>• logarithms</li> </ul> </li> <li>– find the derivatives of sums, differences, products, quotients and compositions of functions of the above form</li> <li>– apply the differentiation of above functions to solve problems</li> <li>– use differentiation to find the slope of a tangent to a circle</li> <li>– recognise integration as the reverse process of differentiation</li> <li>– use integration to find the average value of a function over an interval</li> <li>– integrate sums, differences and constant multiples of functions of the form           <ul style="list-style-type: none"> <li>• <math>x^a</math> where <math>a \in \mathbb{Q}</math></li> <li>• <math>a^x</math> where <math>a \in \mathbb{R}, a &gt; 0</math></li> <li>• <math>\sin ax</math> where <math>a \in \mathbb{R}</math></li> <li>• <math>\cos ax</math> where <math>a \in \mathbb{R}</math></li> </ul> </li> <li>– determine areas of plane regions bounded by polynomial and exponential curves</li> </ul>