

Application for Consent/ Authorisation

I/We hereby apply for*

- 1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
- 2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
- 3. Authorization/renewal of authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, in connection with my/our/existing/proposed/altered/ additional manufacturing/processing activity from the premises as per the details given below.

Consent Information

UAN No: Application Date: Industry Name:

MPCB-CONSENT-0000086790 Jan 13, 2020 Eaton Industrial Systems Pvt. Ltd. (Valve Plant)

Industry Information

Consent To: IIN No.: Submit to: Gross Capital in lakhs

Renewal (Normal) SRO - Nashik 6774.00

Type of institution: **Industry Type:** Category: Scale:

Industry Orange L.S.I

EC Reqd. EC Obtained EC Ref. No.

No No

Whether construction-buildup area is more than 20,000

sq.mtr.(Existing Expansion Unit)

No

General Information

1. Name, designation, office address with Telephone/Fax numbers, e-mail of the Applicant Occupier/Industry/Institution / Local Body.

Address

Mr. Ramnath Shirsat A-11, MIDC Ambad

Taluka Designation Assistant Manager-EHS & Maintenance Nashik Area **District** MIDC Area, Ambad Nashik

Fax Telephone

9545778214 02536637544 Email Pan Number AABCE4955C RamnathShirsat@eaton.com

2. (a) Name and location of the industrial unit/premises for which the application is made (Give revenue Survey Number/Plot number name of Taluka and District, also telephone and fax number)

Industry name

Eaton Industrial Systems Pvt. Ltd. (Valve Plant)

Location of Unit Survey number/Plot Number

MIDC Ambad A-11

District Taluka Nashik Nashik

(b) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority.

Planning permission

Planning Authority

MIDC Ambad

MIDC Ambad

MIDC Ambad

Name of the local body under whose jurisdiction the unit is located and Name of the licence issuing authority

Name of Local Body

Name of the licence issuing authority

MIDC Ambad

3. Names, addresses with Telephone and Fax Number of Managing Director / Managing Partner and officer responsible for matters connected with pollution control and/or Hazardous waste disposal.

Name of Managing Director

Mr. Varadharajan Balachandran

Fax number

02536637544

4. (a.) Are you registered Industrial unit?

Registration number

2850/SIA/IMO/2000

Telephone number

02536637544

Officer responsible for day to day business

Mr. Ramnath Shirsath

Yes

Date of registration

Sep 2, 2000

5. Gross capital investment of the unit without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by an affidavit/undertaking on Rs.20/- stamp paper, annual report or certificate from a Chartered Accountant for proposed unit(s), give estimated figure)

Gross capital (in Lakh)

6774.00

* **Verified**CA Certificate

* Terms

* Consent Fee

1

200000.00

6. If the site is located near sea-shore/river bank/other water bodies/Highway, Indicate the crow fly distance and the name of the water body, if any.

Distance From SH/NH	Distance(Km) 0.50	* Name Mumbai-Agra National Highway
River	10.00	Godavri
Human Habitation	0.00	NA
Religious Place	0.00	NA
Historical Place	0.00	NA
Creek/Sea	0.00	NA

7. Does the location satisfy the Requirements Under relevant Central/State Govt. Notification such as Coastal Regulation Zone. Notification on Ecologically Fragile Area, Industrial Location policy, etc. If so, give details.

No

No

Location	Approved Industry Area	Sensitive Area	If Yes, Name Of Area	Industry Location with Reference to CRZ
	Yes	No	NA	A2

8. If the site is situated in notified industrial estate,

(a) Whether effluent collection, treatment and disposal system has been provided by the authority.

(b) Will the applicant utilize the

system, if provided.

(c) If not provided, details of proposed arrangement.

Details

NA

0

(b) Built up area and (in squear meter)

(c) Area available for the use of treated sewage/ trade effluent for gardening/irrigation. (in squear meter)

42042 5614

(a) Total plot area (in squear meter)

10. Month and year of commissioning of the Unit.

01-Aug-2008

11. Number of workers and office staff

WorkersstaffHrs. of shiftWeekly off300508Saturday

12.

(a) Do you have a residential No colony Within the premises in respect of Which the present application is Made

NA

(b) If yes, please state population staying

Number of person staying Water consumption Sewage generation Whether is STP provided?

O No

(c) Indicate its location and distance with reference to plant site.

Number of person staying Water consumption

NA 0

13. List of products and by-products Manufactured in tonnes/month, Kl/month or numbers/month with their types i.e.Dyes, drugs etc. (Give figures corresponding to maximum installed production capacity

Products Name and Quantity

Product Name	UOM	Product Name	Existing	Consented	Proposed Revision	Total	Remarks
OTHERS	MT/M	Engine Valves	65	65	0	65	NA

Products Name and Quantity

Product Name	UOM	Quantity	Remarks
NA	NA	0	NA

14. List of raw materials and process chemicals with annual consumption corresponding to above stated production figures, in tonnes/month or kl/month or numbers/month.

Name of Raw Material	ИОМ	Quantity	Hazardous Waste	Hazardous Chemicals	Remarks
NA	NA	0	No	No	List of Raw Materiel enclosed herewith

15. Description of process of manufacture for each of the products showing input, output, quality and quantity of solid, liquid and gaseous wastes, if any from each unit process.

Part B: Waste Water aspects

Purpose	Consumption	Effluent Generation	Treatment	Remarks	Disposal	Remarks
Domestic Pourpose	20	15	STP	NA	On Land for Gardening	NA
Water gets Polluted & Pollutants are Biodegradable	10	8.0	Primary + Secondary + Tertiary		On Land for Gardening	NA
Water gets Polluted,Pollutants are not Biodegradable & Toxic	0	0	NA		NA	
Industrial Cooling,spraying in mine pits or boiler feed	15	0	NA		NA	
Others	For Gardening : 3	0				

Others For Gardening : 30

17. Source of water supply, Name of authority granting permission if applicable and quantity permitted.

Source of water supplyName of authority granting permissionQauntity permittedMIDC Ambad75

18. Quantity of waste water (effluent) generated (m3/day)

Domastic	Boiler Blowdown	Industrial	Cooling water blowdown
15	0	0	0
Process	DM Plants/Softening	Washing	Tail race discharge from

^{* 19.} Water budget calculations accounting for difference between water consumption and effluent generated.

Water budget calculation is enclosed herewith

20. Present treatment of sewage/canteen effluent (Give sizes/capacities of treatment units).

Capacity of STP (m3/day)

25

Treatment unit	Size (mxm)	Retention time (hr)
Sewage treatment plant having a capacity 25 CMD has been provided	0	0
Collection Tank	2 X 3 X 3	8
Sludge Drying Beds	1.2 X 1.2 X 1.2	8
Aeration Tank	2.3 X 1.7 X 2.4	8
Primary Settling Tank	2.3 X 1.7 X 2.4	8
Lamella Clarifier	1.25 X 1.0 X 0.9	8

21. Present treatment of trade effluent (Give sizes/capacities of treatment units) (A schematic diagram of the treatment scheme with inlet/outlet characteristics of each unit operation/process is to be provided. Include details of residue Management system (ETP sludges)

Capacity of ETP (m3/day)

30

Treatment unit Size (mxm) Retention time (hr)

Effluent treatment plant having a capacity 30 CMD on 3 shift working basis has been provided	0	0
Collection Tank	2 X 2 X 2	8
Reaction Tank	2 X 2 X 2	8
Partially Treated Water Tank	2 X 2 X 2	8
Aeration Tank	2 X 2 X 2	8
Settling Tank	5000 Lit	8
Intermediate Tank	6 M3	8
Sludge Drying Bed	10 M3	8

22.

treatment.

(i) Are sewage and trade effluents mixed together?

No

If yes, state at which stage-Whether before, intermittently or after treatment.

23. Capacity of treated effluent sump, Guard Pond if any.

Capacity of treated effluent sump (m3) NA

If yes, state at which stage-Whether before, intermittently or after

No

NA

treatment. If yes, state at which stage-Whether

before, intermittently or after

No

NA

24. Mode of disposal of treated effluent With respective quantity, m3/day

(i) into stream/river (name of 0 (ii) into creek/estuary (name river) of Creek/estuary) (iii) into sea (iv) into drain/sewer (owner 0 0 of sewer) (v) On land for irrigation on (vi) Quantity of treated 0 owned land/ase land. Specify effluent reused/ recycled, cropped area. m3/day Provide a location map of disposal arrangement indicating the outler(s) for sampling. Treated effluent reused /

25. (a) Quality of untreated/treated effluents (Specify pH and concentration of SS, BOD,COD and specific pollutants relevant to the industry. TDS to be reported for disposal on land or into stream/river.

recycled (m3/day)

Untreated Effluent

рН	7.96			
SS (mg/l)	285			
BOD (mg/l)	829			
COD (mg/l)	2366.18			
TDS (mg/l)	2148			
Specific pollutant if	Name	Va	alue	
any 1	Oil & Grease	12	29.0	

Treated Effluent

рH	7.56	
SS (mg/l)	58	
BOD (mg/l)	29	
COD (mg/l)	98.50	
TDS (mg/l)	233.0	
Specific pollutant if any	Name	Value
1	Oil & Grease	<2.0

(b) Enclose a copy of the latest report of analysis from the laboratory approved by State Board/ Committee/Central Board/Central Government in the Ministry of Environment expected characteristics of the untreated/treated effluent

26. Fuel consumption			
Fuel Type	иом	Fuel Consumption TPD/LKD	Calorific value
HSD	Ltr/Hr	48	0
Ash content	Sulphur content	Quantity	Other (specify)
0	0	1	0
27. (a) Details of stack (process	& fuel stacks: D. G.)		
(a) Stack number(s)	(b) Stack attached to	(c) Capacity	(d) Fuel Type
S-1	DG Set-I (62.5 KVA)	NA	HSD
(e) Fuel quantiy (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
14	MS	Round	3.5 (Above the roof level)
(i) Diameter/Size, in meters 0.15	(j) Gas quantity, Nm3/hr. 78.68	(k) Gas temperature °C 137	(I) Exit gas velocity, m/sec. 6.81
(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as CI2, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
0	TPM,Sox,Nox	NA	62.5
(a) Stack number(s)	(b) Stack attached to	(c) Capacity	(d) Fuel Type
S-2	Exhaust at extrusion forging	NA	NA
(e) Fuel quantiy (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
0	MS	Round	10
(i) Diameter/Size, in meters 0.5	(j) Gas quantity, Nm3/hr. 48.7417	(k) Gas temperature °C 38	(I) Exit gas velocity, m/sec.
(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as CI2, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
0	TPM,SOx,NOx	Dust Collector	NA
(a) Stack number(s) S-3	(b) Stack attached to Fire Engine 160 BHP	(c) Capacity NA	(d) Fuel Type Diesel
(e) Fuel quantiy (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
34	MS	Round	5.2
(i) Diameter/Size, in meters 0.17	(j) Gas quantity, Nm3/hr. 362.62	(k) Gas temperature °C 272	(I) Exit gas velocity, m/sec. 8.12

(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as CI2, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
0	TPM,SOx,NOx	NA	NA
(a) Stack number(s) S-4	(b) Stack attached to Flame SR Machine	(c) Capacity NA	(d) Fuel Type NA
(e) Fuel quantiy (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
0	MS	Round	11
(i) Diameter/Size, in meters 0.15	(j) Gas quantity, Nm3/hr. 0	(k) Gas temperature °C 37	(I) Exit gas velocity, m/sec. 4.80
(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as CI2, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
0	TPM,SOx,NOx	NA	NA

27. (B) Whether any release of odoriferous compounds such as Mercaptans, Phorate etc. Are coming out from any storages or process house.

NA

28. Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder\etc. As per Central Board Publication "Emission regulations Part-III" (December, 1985)

Poart holeYesDetailsNAPlatformYesDetailsNALadderYesDetailsNA

29. Quality of treated flue gas emissions and process emissions. Quantity of treated flue gas emissions and process emissions.

Sr. No	Stack attached to	Parameter	Concentration mg/Nm3	flow (Nm3/hr)
1	DG Set 62.5 KVA	PM	45.79	78.68
2	DG Set 62.5 KVA	SOx	0.008	78.68
3	Exhaust at extrusion forging	PM	57.97	4874.17
4	Exhaust at extrusion forging	SOx	0.342	4874.17

(Specify concentration of criteria pollutants and industry/process-specific pollutants stack-wise. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Government in the Ministry of Environment & Forests. For proposed unit furnish expected characteristics of the emissions..

Part - D: Hazardous Waste aspect

30. Information about Hazardous Waste Management as defined in Hazardous Waste (Management & Handling) Rules, 1989 as amended in Jan., 2000. Type/Category of Waste as per

Waste (Annually) Schedule I Cat No	Туре	Qty	Min
5.1	5.1 Used /spent oil	7.42 KL/A (Used/ Spent /Cutting/Coolant Oil)	

Max Method of collection Method of reception Method of storage

	Manual	Drum	Environmentally sound onsite storage area
Method of transport Special Vehicle	Method of treatment NA	Method of disposal Sale to authorized recycler	иом
Cat No	Туре	Qty	Min
5.2	5.2 Wastes/residue containing oil	42 MT/A (Waste/Residue containing Oil/ Oil Soaked Cotton Waste)	
Max	Method of collection Manual	Method of reception Bag	Method of storage Environmentally sound onsite storage area
Method of transport Special Vehicle	Method of treatment NA	Method of disposal Through CHWTSDF	иом
Cat No	Туре	Qty	Min
33.3	33.3 Discarded containers / barrels / liner	400 Nos/A (Discarded Container/ Barrels)	
Max	Method of collection Manual	Method of reception In a lot	Method of storage Environmentally sound onsite storage area
Method of transport Special Vehicle	Method of treatment NA	Method of disposal Sale to authorized recycler/ Through CHWTSDF	ИОМ
Cat No	Туре	Qty	Min
34.3	34.3 Chemical sludge from waste water treatment	36 MT/A	
Max	Method of collection Manual	Method of reception Bag	Method of storage Environmentally sound onsite storage area
Method of transport Special Vehicle	Method of treatment NA	Method of disposal Through CHWTSDF	UOM
Cat No Other	Type Other Hazardous Waste	Qty 5 MT/A (E-Waste)	Min
Max	Method of collection Manual	Method of reception Bag	Method of storage Environmentally sound onsite storage area
Method of transport Special Vehicle	Method of treatment NA	Method of disposal Sale to authorized recycler	иом
Cat No Other	Type Other Hazardous Waste	Qty 64 Nos/A (Battery Scrap)	Min
Max	Method of collection	Method of reception	Method of storage
	Manual	in a lot	Environmentally sound onsite storage area
Method of transport Special Vehicle	Method of treatment NA	Method of disposal Sale to authorized recycler	UOM
Cat No	Туре	Qty	Min

Other Other Hazardous Waste 5 MT/A (Non Ferrous Scrap/ Mercury Scrap Method of collection Max Method of reception Method of storage Manual Environmentally sound onsite storage area Method of treatment Method of transport Method of disposal **UOM** Special Vehicle Sale to authorized recycler NΑ Waste (Annually) Schedule II 31. Details about use of hazardous waste Name of hazardous Quantity used/month Party from whom purchased Party to whom sold waste/Spent chemical 0 NA NA NA 32. a. Details about technical capability and equipments available with the applicant to handle the Hazardous Waste NA b. Characteristics of hazardous waste(s) Specify concentration of relevant pollutants. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Govt. in the ministry of Environment & Forests. For proposed units furnish expected characteristics 33. Copy of format of manifest/record Keeping practiced by the applicant. latest form-10 manifest is enclosed herewith 34. Details of self-monitoring (source and environment system) We are doing self monitoring through MoEF & NABL Approved laboratories 35. Are you using any imported hazardous waste. If yes, give details. NA 36. Copy of actual user Registration/certificate obtained from State Pollution Control Board/Ministry of Environment & Forests, Government of India, for use of hazardous waste. Hazardous waste membership copy is enclosed herewith 37. Present treatment of hazardous waste, if any (give type and capacity of treatment units) NA 38. Quantity of hazardous waste disposal (i) Within factory

(iii) Through sale (enclosed documentary proof and copies of agreement.)

(ii) Outside the factory (specify location and enclose copies of agreement.)

0

n

(iv) Outside state/Union Territory, if yes particulars of (1 & 3) above.

0

(v) Other (Specify)

0

Part - E: Additional information

39.

a. Do you have any proposals to upgrade the present system for treatment and disposal of effluent/emissions and/or hazardous waste.

ΝΔ

b. If yes, give the details with time- schedule for the implementation and approximate expenditure to be incurred on it.

40.

Capital and recurring (O & M) expenditure on various aspect of environment protection such as effluent, emission, hazardous waste, solid waste, tree- plantation, monitoring, data acquisition etc. (give figures separately for items implemented/to be implemented).

NΔ

41.

To which of the pollution control equipment, separate meters for recording consumption of electric energy are installed?

42.

Which of the pollution control items are connected to D.G. Set (captive power source) to ensure their running in the event of normal power failure

NΑ

43. Nature, quantity and method of disposal of non- hazardous solid waste generated separately from the process of manufacture and waste treatment. (Give details of area/capacity available in applicant's land)

Type Non HW Iron Turning Scrap and End Bits	Quantity 120	UOM MT/A	Treatment NA	Disposal sale to reprocessor	Other Details NA
MS Scrap	28	MT/A	NA	sale to reprocessor	NA
Wooden Scrap	35	MT/A	NA	sale to reprocessor	NA
Non HW Plastic Scrap	2	MT/A	NA	sale to reprocessor	NA
Rejected Valves	86	MT/A	NA	sale to reprocessor	NA
Non HW Grinding Dust/Sludge/Shot Blasting Sand	141	MT/A	NA	sale to reprocessor	NA
Rubber Scrap	2.5	MT/A	NA	sale to reprocessor	NA
Paper/Corrugated paper	5	MT/A	NA	sale to reprocessor	NA
STP Sludge	5	MT/A	NA	Used as manure	NA
Canteen Waste	12	MT/A	NA	Through NMC	NA
Non Hazardous Empty Drums	800	Nos./Y	NA	sale to reprocessor	NA

(i) Is the unit a Majot Accident H NA	lazard unit as per Mfg.Storage Import Ha	zardous Chemicals Rules ?	
(ii) Is the unit an isolated storag	e as defined under the MSIHC Rules ?		
(iii) Indicate status of complianc NA	ee of Rules 5,7,10,11,12,13 and 18 of the	MSIHC Rules.	
(iv) Has approval of site been ob NA	otained from the concerned authority?		
(v) Has the unit prepared an off NA	-site Emergency Plan? Is it updated?		
(vi) Has information on imports NA	of Chemicals been provided to the conce	rned authority?	
(vii) Does the unit possess a pol NA	icy under the PLI Act?		
45. Brief details of tree plantation/gr	reen belt development within applicant's prem	nises (in hectors)	
Open Space Availability 36428 Square meter	Plantation Done On 22568 Square meter(62 %)	Number of Trees Planted 1500	
46.			
Information of schemes for wast separately. NA	e Minimization, resource recovery and re	ecycling - implemented and to be implemented,	
		aring, if so, the relevant documents such as EIA,	,
-	submitted, if so, the relevant documents ition that the applicants desires to give	encioseu shan be mulcateu accordingly.	
(c) Whether Environmental State (es, For the financial year 2018-201	ement submitted ? If submitted, give dat 9 dated 30.09.2019	e of submission.	
48.			
/We further declare that the inf	ormation furnished above is correct to th	ne best of my/our knowledge.	
49.			
products, process of manufactu treatment and/or disposal of eff Consent/Authorization shall be r	luent, emission, hazardous wastes etc. In	s application in respect of raw materials, n quality and quantity; a fresh application for	
50.			
/We undertake to furnish any o	ther information within one month of its	being called by the Board	
51.			
/We enclosed here with a dema Drawn in favour of Maharashtra	nd draft for Rs Pollution Control Board as the fee for Co	onsent/authorisation for a period upto Yours faithful	ly

Signature :

Name : Mr. Ramnath Shirsath

Additional Information

Air Pollution

Sr No.	Air Pollution Source	Pollutants	APCS Provided	Remark
1	Extreusion forging	TPM	Dust Collector	NA

Air Sampling Facility Details Sampling port with ladder are provided

D.G. Set Details

Description	Capacity(KVA)	Remarks
DG Set-I	62.5	NA

Hazardous Waste Generation

Hazardous Waste	Quantity	UOM	Treatment	Disposal	Other Details
5.1 Used /spent oil	4.87	KL/A	NA	Sale to authorized dealer	NA
5.2 Wastes/residue containing oil	27.85	MT/A	NA	Through CHWTSDF	NA
34.3 Chemical sludge from waste water treatment	5.29	MT/A	NA	Through CHWTSDF	NA
Other Hazardous Waste	0	MT/A	NA	Sale to authorized recycler	NA
33.3 Discarded containers / barrels / liner	176	Nos./Y	NA	Sale to authorized recycler	NA

CHWTSDF Details

Member of CHWTSDF	CHWTSDF Name	Remarks	
Yes	Mah Enviro Power Ltd,Pune	NA	

Cess Details

Cess Applicable	Cess Paid	If Yes, UpTo
No	No	Jan 1 1900 12:00:00:000AM

Legal Actions

Legal Action Taken	Legal Record Of Company	Legal Action Details	Remarks	
No				

Bank Details

Bank Name	DD No.	DD Date	DD Amount	Remarks
Citi Bank	CITIN20019711824	2020-02-04	250000.00	Rupees 2,00,000/- fees for Renewal of consent to operate and Rupees 50,000/-Fess for consent to establish due to increase in capital investment by Rs. 24.69 Cores (i.e. from Rs. 43.05 Cores to Rs. 67.74 Cores)

Task Flow Recommendations

MPCB-Officers Recommendations

Shri.Amar Durgule (SRO-Nashik) on 06-02-2020

18:32:40

process& put up

Shri. Santosh Mohare (FO-Nashik) on 24-02-2020 12:36:19

O/LSI, Application for renewal of consent to operate, earlier Board has granted consent to operate for Engine Valves to the tune of 65 MT/M with capital investment 43.05 Cr. valid up to the period 28/02/2020. Now industry has submitted CA certificate with capital investment 67.74 Cr. Industry has submitted clarification stated investment increase due to automation , renovation and environmental protection and safety measures without increasing in production quantity. Industrial effluent generated during heat treatment process for which provided ETP and for domestic effluent provided STP.Industry has paid additional fees towards increase in capital invetstment.Submitted BG of Rs.1.0 lakh valid up to the period 07/12/2021. Renewal of consent may be granted, if approved.

Shri.Amar Durgule (SRO-Nashik) on 24-02-2020 12:38:29 Renewal of consent may be granted, if approved.

P.M Joshi (RO-Nashik) on 25-02-2020 15:50:31

Process and putup

Shri.Vinod Ramkishan Pawale (FO-Nashik) on 12-03-2020 12:42:45

Case may be consider as per SRO's Remarks, Industry falls under CEPI, but this is a case for renewal, There is increase in Capital investment no any production has been increase. Industry has submitted clarification stated investment increase due to automation , renovation and environmental protection and safety measures without increasing in production quantity. Industry has submitted the B.G. Submitted for further order, please

P.M Joshi (RO-Nashik) on 13-03-2020 15:20:26

Approved with continuation of BG for O & M.