CSC 522: Automated Learning and Data Analysis

Homework 2

Roopak Venkatakrishnan - rvenkat7@ncsu.edu

January 22, 2013

1 Question 1

Write code in R or Matlab to perform each of the following tasks:

- 1. Generate a 3×3 matrix with input containing the sequence 1, 2, ... 9. **Ans:** $x \leftarrow matrix(c(1:9),3,3)$
- 2. a) Access elements from the 2nd and 3rd columns only.

Ans:

2nd column alone : x[,2] \Longrightarrow [1] 4 5 6 3rd column alone : x[,3] \Longrightarrow [1] 7 8 9 both columns : x[,2:3]

 \Longrightarrow

$$\begin{bmatrix}
 1, 1 \\
 1, 1 \\
 4 \\
 7 \\
 2, 1 \\
 5 \\
 8 \\
 3, 1 \\
 6 \\
 9
 \end{bmatrix}$$

b) Access elements of the 2nd and 3rd rows only

Ans

2nd row alone : $x[2,] \implies [1] 2 5 8$ 3rd row alone : $x[3,] \implies [1] 3 6 9$ both rows : x[2:3,]

$$\Longrightarrow [1,1] \quad [2,1] \quad [3]$$

$$[1,1] \quad 2 \quad 5 \quad 8$$

$$[2,1] \quad 3 \quad 6 \quad 9$$

c) Access rows 1 and 3 only? (see rbind() function in R and vertcat() in matlab) Ans:

$$\begin{array}{c} x2 \leftarrow rbind(x[2,],x[3,]) \\ \Longrightarrow \\ [1,1] \quad [,2] \quad [,3] \\ [1,] \quad 1 \quad 4 \quad 7 \\ [2,] \quad 3 \quad 6 \quad 9 \end{array}$$

d) Calculate sum of the 2nd row, the diagonal and the 3rd column in the matrix.

1

$$x[2,] + x[3] + diag(x)$$

 $\implies [1] 10 18 26$

e) Identify row and column dimensions of the matrix.

Ans:

 $\dim(x)$

$$\implies [1] \ 3 \ 3$$

f) Transpose of a matrix.

Ans:

t(x)

g) Scalar multiplication of output matrix with itself.

Ans:

x * x

[,1] [,2] [,3]

- $\begin{bmatrix}
 1, \\
 1, \\
 2, \\
 4
 \end{bmatrix}$ $\begin{bmatrix}
 1, \\
 1, \\
 25
 \end{bmatrix}$ $\begin{bmatrix}
 1, \\
 49
 \end{bmatrix}$ $\begin{bmatrix}
 2, \\
 49
 \end{bmatrix}$
- [3,] 9 36 81
- h) Matrix multiplication of output matrix with itself.

Ans:

x %*% x[, 2][, 3][, 1][1,]30 66 102 [2,]36 81 126 [3,]4296 150

i) Cross product of the output matrix from 1.

Ans:

crossprod(x)

j) Check if a matrix is a square matrix.

Ans:

```
function checksqmatrix(mat)
{
   if(dim(mat)[1]==dim(mat)[2])
   {
      print("It is a square matrix!")
   }
   else
   {
      print("It is NOT a square matrix")
   }
}
> checksqmatrix(x)
[1] "It is a square matrix!"
> checksqmatrix(matrix(c(1:10),2,5))
[1] "It is NOT a square matrix"
```

k) Inverse of a matrix

Ans:

solve(x)

Since this matrix has determinant 0 the inverse is not defined.

Error in solve.default(x):

Lapack routine dgesv: system is exactly singular: U[3,3] = 0

1) Identity of a matrix.

Ans:

m) Sum of all elements in the matrix (use a for/while loop)

```
matrixsum <- function (mat) {
   i<-1
   sum<-0
   while(i<=dim(mat)[1]*dim(mat)[2])
   {
      sum<-sum+mat[i]
      i<-i+1
   }
   print (paste(sum, "is the sum of elements"))
}
> matrixsum(x)
[1] "45 is the sum of elements"
```

2 Question 2

For this exercise, use the values.txt file provided. The file contains a list of 150 data instances. There are 2 columns representing the x and y coordinates. Complete the following tasks:

```
1. Load the file Ans:
```

```
⇒ vals = read.table("D: \\Courses \\datamining - CSC522 \\homework \\hw2 \\values.txt")
```

2. Make a 2-D plot and label the axes plot(vals,main="A 2D plot of values.txt",xlab="Values of V1",ylab="Values of V2")

A 2D plot of values.txt




Figure 1: The 2D plot obtained from values.txt

 $3. \ \, {\rm Find} \, \, {\rm the \, \, correlation \, \, between \, the \, \, dimensions.}$

```
\begin{array}{ccc} \text{cor(vals)} & & V1 & V2 \\ V1 & 1.0000000 & 0.9628654 \\ V2 & 0.9628654 & 1.0000000 \end{array}
```

- 4. Now consider a point (5; 1:5).
 - a) Compute the distance of this point from each of the 150 instances using Euclidean distance, Mahalanobis distance, City block metric, Minkowski metric, Chebychev distance and Cosine distance.

Ans:

Euclidean Distance

```
library(fields)
rdist(vals, matrix(c(5,1.5),1,2))
             [,1]
  [1,] 3.8275318418
  [2,] 3.8275318418
  [3,] 3.9217343102
  [4,] 3.7336309405
  [5,] 3.8275318418
  [6,] 3.4785054262
  [7,] 3.7947331922
  [8,] 3.7336309405
  [9,] 3.8275318418
 [10,] 3.7696153650
 [11,] 3.7336309405
 [12,] 3.6400549446
 [13,] 3.8626415832
```

- [14,] 4.1436698710
- [15,] 4.0162171256
- [16,] 3.6687872656
- [17,] 3.8600518131
- [18,] 3.7947331922
- [19,] 3.5114099732
- [20,] 3.7000000000
- [21,] 3.5468295702
- [22,] 3.6687872656
- [23,] 4.2059481690
- [24,] 3.4481879299
- [25,] 3.3615472628
- [26,] 3.6400549446
- [27,] 3.5735136770
- [28,] 3.7336309405
- [29,] 3.8275318418
- [30,] 3.6400549446
- [31,] 3.6400549446
- [32,] 3.6687872656
- [33,] 3.7696153650
- [34,] 3.8275318418
- [35,] 3.7336309405
- [36,] 4.0162171256
- [37,] 3.9217343102
- [38,] 3.8626415832
- [39,] 3.9217343102
- [40,] 3.7336309405
- [41,] 3.8897300678
- [42,] 3.8897300678
- [43,] 3.9217343102
- [44,] 3.5171010790
- [45,] 3.2893768407
- [46,] 3.7947331922
- [47,] 3.6400549446
- [48,] 3.8275318418
- [49,] 3.7336309405
- [50,] 3.8275318418
- [51,] 0.3162277660
- [52,] 0.5000000000
- [53,] 0.1000000000
- [54,] 1.0198039027
- [55,] 0.400000000 [56,] 0.5385164807
- [57,] 0.3162277660
- [58,] 1.7720045147
- [59,] 0.4472135955 [60,] 1.1045361017
- [61,] 1.5811388301
- [62,] 0.8000000000
- [63,] 1.1180339887
- [64,] 0.3162277660
- [65,] 1.4142135624
- [66,] 0.6082762530
- [67,] 0.5000000000
- [68,] 1.0295630141
- [69,] 0.5000000000
- [70,] 1.1704699911
- [71,] 0.3605551275

- [72,] 1.0198039027
- [73,] 0.1000000000
- [74,] 0.4242640687
- [75,] 0.7280109889
- [76,] 0.6082762530
- [77,] 0.2236067977
- [78,] 0.2000000000
- [79,] 0.5000000000
- [80,] 1.5811388301
- [00,] 1.3011300301
- [81,] 1.2649110641
- [82,] 1.3928388277
- [83,] 1.1401754251
- [84,] 0.1414213562
- [85,] 0.500000000
- [86,] 0.5099019514
- [87,] 0.3000000000
- [88,] 0.6324555320
- [89,] 0.9219544457
- [90,] 1.0198039027
- [91,] 0.6708203932
- [92,] 0.4123105626
- [93,] 1.0440306509
- [94,] 1.7720045147
- [95,] 0.8246211251
- [96,] 0.8544003745
- [00,] 0.0011000710
- [97,] 0.8246211251
- [98,] 0.7280109889
- [99,] 2.0396078054
- [100,] 0.9219544457
- [101,] 1.4142135624
- [102,] 0.4123105626
- [103,] 1.0816653826
- [104,] 0.6708203932
- [105,] 1.0630145813 [106,] 1.7088007491
- [107,] 0.5385164807
- [108,] 1.3341664064
- [109,] 0.8544003745
- [110,] 1.4866068747
- [111,] 0.5099019514
- [112,] 0.5000000000
- [113,] 0.7810249676
- [114,] 0.5000000000
- [115,] 0.9055385138
- [116,] 0.8544003745
- [117,] 0.5830951895
- [118,] 1.8384776311
- [119,] 2.0615528128
- [120,] 0.000000001
- [121,] 1.0630145813
- [122,] 0.5099019514
- [123,] 1.7720045147
- [124,] 0.3162277660
- [125,] 0.9219544457 [126,] 1.0440306509
- [127,] 0.3605551275
- [128,] 0.3162277660
- [129,] 0.8485281374

```
[130,] 0.8062257748
[131,] 1.1704699911
[132,] 1.4866068747
[133,] 0.9219544457
[134,] 0.1000000000
[135,] 0.6082762530
[136,] 1.3601470509
[137,] 1.0816653826
[138,] 0.5830951895
[139,] 0.3605551275
[140,] 0.7211102551
[141,] 1.0816653826
[142,] 0.8062257748
[143,] 0.4123105626
[144,] 1.2041594579
[145,] 1.2206555616
[146,] 0.8246211251
[147,] 0.400000000
[148,] 0.5385164807
[149,] 0.8944271910
[150,] 0.3162277660
```

Manhatten Distance

```
> abs(vals[["V2"]]-1.5) + abs(vals[["V1"]]-5)
[1] 4.9 4.9 5.0 4.8 4.9 4.4 4.8 4.8 4.9 4.9 4.8 4.7
[13] 5.0 5.3 5.1 4.6 4.8 4.8 4.5 4.7 4.6 4.6 5.3 4.3
[25] 4.4 4.7 4.5 4.8 4.9 4.7 4.7 4.6 4.9 4.9 4.8 5.1
[37] 5.0 5.0 5.0 4.8 4.9 4.9 5.0 4.3 4.2 4.8 4.7 4.9
[49] 4.8 4.9 0.4 0.5 0.1 1.2 0.4 0.7 0.4 2.2 0.6 1.2
[61] 2.0 0.8 1.5 0.4 1.6 0.7 0.5 1.4 0.5 1.5 0.5 1.2
[73] 0.1 0.6 0.9 0.7 0.3 0.2 0.5 2.0 1.6 1.8 1.4 0.2
[85] 0.5 0.6 0.3 0.8 1.1 1.2 0.9 0.5 1.3 2.2 1.0 1.1
[97] 1.0 0.9 2.4 1.1 2.0 0.5 1.5 0.9 1.5 2.2 0.7 1.6
[109] 1.1 2.1 0.6 0.7 1.1 0.5 1.0 1.1 0.8 2.4 2.7 0.0
[121] 1.5 0.6 2.2 0.4 1.3 1.3 0.5 0.4 1.2 0.9 1.5 1.9
[133] 1.3 0.1 0.7 1.9 1.5 0.8 0.5 1.0 1.5 0.9 0.5 1.7
[145] 1.7 1.0 0.4 0.7 1.2 0.4
```

Cosine Distance

```
[64] 0.9999981 0.9984834 0.9998623 0.9995412 0.9986366 0.9995412 0.9998631 [71] 0.9977353 0.9997407 0.9999843 0.9991399 0.9999977 0.9998623 0.9999706 [78] 0.9993419 0.9995412 0.9999134 0.9999531 0.9996221 0.9999752 0.9999213 [85] 0.9995412 0.9987423 0.9998473 0.9999913 0.9998785 0.9997407 0.9996824 [92] 0.9999921 1.0000000 0.9999961 0.9999620 0.9999134 0.9999620 0.9999977 [99] 0.9982013 0.9998785 0.9946658 0.9978776 0.9987255 0.9998091 0.9974744 [106] 0.9998623 0.9975687 0.9999134 0.9999552 0.9952506 0.9966177 0.9986084 [113] 0.9973164 0.9960377 0.9890110 0.9930484 0.9996918 0.9996670 0.9995412 [120] 1.0000000 0.9957645 0.9953891 0.9999991 0.9981651 0.99981074 1.0000000 [127] 0.9977353 0.9981651 0.9977353 0.9987516 0.9999449 0.9999347 0.9965677 [134] 0.9999854 0.9989201 0.9976129 0.9935731 0.9996918 0.9977353 0.9968467 [141] 0.9935731 0.9912727 0.9978776 0.9967815 0.9925826 0.9921999 0.9974314 [148] 0.9971348 0.9938239 0.9988561
```

Chebyshev Distance

```
> v4<-cbind(abs(vals$V1-5),abs(vals$V2-1.5))
> tchebyshev <- sapply(v4,max)
> tchebyshev
  [1] 3.6 3.6 3.7 3.5 3.6 3.3 3.6 3.5 3.6 3.5 3.5 3.4 3.6 3.9 3.8
 [16] 3.5 3.7 3.6 3.3 3.5 3.3 3.5 4.0 3.3 3.1 3.4 3.4 3.5 3.6 3.4
 [31] 3.4 3.5 3.5 3.6 3.5 3.8 3.7 3.6 3.7 3.5 3.7 3.7 3.7 3.4 3.1
 [46] 3.6 3.4 3.6 3.5 3.6 0.3 0.5 0.1 1.0 0.4 0.5 0.3 1.7 0.4 1.1
 [61] 1.5 0.8 1.0 0.3 1.4 0.6 0.5 0.9 0.5 1.1 0.2 1.0 0.1 0.3 0.7
 [76] 0.6 0.2 0.0 0.5 1.5 1.2 1.3 1.1 0.1 0.5 0.5 0.3 0.6 0.9 1.0
 [91] 0.6 0.4 1.0 1.7 0.8 0.8 0.8 0.7 2.0 0.9 1.0 0.1 0.9 0.6 0.8
[106] 1.6 0.5 1.3 0.8 1.1 0.1 0.3 0.5 0.0 0.1 0.3 0.5 1.7 1.9 0.0
[121] 0.7 0.1 1.7 0.1 0.7 1.0 0.2 0.1 0.6 0.8 1.1 1.4 0.6 0.1 0.6
[136] 1.1 0.6 0.5 0.2 0.4 0.6 0.1 0.1 0.9 0.7 0.2 0.0 0.2 0.4 0.1
[151] 1.3 1.3 1.3 1.3 1.3 1.1 1.2 1.3 1.4 1.3 1.3 1.4 1.4 1.3
[166] 1.1 1.1 1.2 1.2 1.2 1.3 1.1 1.3 1.0 1.3 1.3 1.1 1.3 1.3 1.3
[181] 1.3 1.1 1.4 1.3 1.3 1.3 1.4 1.3 1.3 1.2 1.2 1.3 0.9 1.1
[196] 1.2 1.3 1.3 1.3 1.3 0.1 0.0 0.0 0.2 0.0 0.2 0.1 0.5 0.2 0.1
[211] 0.5 0.0 0.5 0.1 0.2 0.1 0.0 0.5 0.0 0.4 0.3 0.2 0.0 0.3 0.2
[226] 0.1 0.1 0.2 0.0 0.5 0.4 0.5 0.3 0.1 0.0 0.1 0.0 0.2 0.2 0.2
[241] 0.3 0.1 0.3 0.5 0.2 0.3 0.2 0.2 0.4 0.2 1.0 0.4 0.6 0.3 0.7
[256] 0.6 0.2 0.3 0.3 1.0 0.5 0.4 0.6 0.5 0.9 0.8 0.3 0.7 0.8 0.0
[271] 0.8 0.5 0.5 0.3 0.6 0.3 0.3 0.6 0.1 0.4 0.5 0.7 0.0 0.1
[286] 0.8 0.9 0.3 0.3 0.6 0.9 0.8 0.4 0.8 1.0 0.8 0.4 0.5 0.8 0.3
```

Minkowski Distance(p=3)

```
> vals2 <- cbind(abs(vals$V1-5),abs(vals$V2-1.5))
> minkowski <- (vals2[,1]^3 + vals2[,2]^3)^(1/3)
> minkowski
  [1] 3.6556427 3.6556427 3.7527387 3.5587893 3.6556427
  [6] 3.3402479 3.6439068 3.5587893 3.6556427 3.5731281
  [11] 3.5587893 3.4622056 3.6692360 3.9592317 3.8500534
  [16] 3.5358492 3.7321283 3.6439068 3.3520667 3.5464025
  [21] 3.3659226 3.5358492 4.0452569 3.3303295 3.1744052
  [26] 3.4622056 3.4379542 3.5587893 3.6556427 3.4622056
  [31] 3.4622056 3.5358492 3.5731281 3.6556427 3.5587893
  [36] 3.8500534 3.7527387 3.6692360 3.7527387 3.5587893
  [41] 3.7416049 3.7416049 3.7527387 3.4208921 3.1454962
  [46] 3.6439068 3.4622056 3.6556427 3.5587893 3.6556427
```

```
[51] 0.3036589 0.5000000 0.1000000 1.0026596 0.4000000
 [56] 0.5104469 0.3036589 1.7142970 0.4160168 1.1002754
 [61] 1.5182945 0.8000000 1.0400419 0.3036589 1.4013592
 [66] 0.6009245 0.5000000 0.9487518 0.5000000 1.1173556
 [71] 0.3271066 1.0026596 0.1000000 0.3779763 0.7054004
 [76] 0.6009245 0.2080084 0.2000000 0.5000000 1.5182945
 [81] 1.2146356 1.3242015 1.1073883 0.1259921 0.5000000
 [86] 0.5013298 0.3000000 0.6073178 0.9032802 1.0026596
 [91] 0.6240251 0.4020726 1.0089202 1.7142970 0.8041452
 [96] 0.8138223 0.8041452 0.7054004 2.0053192 0.9032802
[101] 1.2599210 0.4020726 0.9813199 0.6240251 0.9491220
[106] 1.6276446 0.5104469 1.3053038 0.8138223 1.3259101
[111] 0.5013298 0.4497941 0.6986368 0.5000000 0.9004113
[116] 0.8138223 0.5336803 1.7386752 1.9461462 0.0000000
[121] 0.9491220 0.5013298 1.7142970 0.3036589 0.8237661
[126] 1.0089202 0.3271066 0.3036589 0.7559526 0.8005205
[131] 1.1173556 1.4209436 0.8237661 0.1000000 0.6009245
[136] 1.2260507 0.9813199 0.5336803 0.3271066 0.6542133
[141] 0.9813199 0.8005205 0.4020726 1.0746258 1.1032959
[146] 0.8041452 0.4000000 0.5104469 0.8320335 0.3036589
```

- b) For each distance measure, identify the 10 points from the dataset that are the closest to the point (5,1.5).
 - Create plots, one for each distance measure. Place an X for (5,1.5) and mark the 10 closest points. To mark them, you could place a circle or any other shape over the point.
 - Verify if the set of points is the same across all the distance measures.

Minkowski Distance(p=3)

```
> mink2 <- cbind(vals,minkowski)
> mink3<-head(mink2[order(minkowski),],10)
> plot(mink3[["V1"]],mink3[["V2"]],xlab="V1",ylab="V2",
+ main="Graph for Minkowski Distance",xlim=c(4.5,5.5),ylim=c(1.35,1.8))
> points(5,1.5,type="b",pch=4,col="#660000",cex=3)
```

Graph for Minkowski Distance




Figure 2: The plot for Minkowski Distance

.

Tchebyshev Distance

```
> tcheby1 <- cbind(vals,tchebyshev)</pre>
```

> tcheby2<-head(tcheby1[order(tchebyshev),],10)</pre>

> plot(tcheby2[["V1"]],tcheby2[["V2"]],xlab="V1",ylab="V2"

^{+ ,}main="Graph for Tchebyshev Distance")

> points(5,1.5,type="b",pch=4,col="#660000",cex=3)

Graph for Tchebyshev Distance




Figure 3: The plot for Tchebyshev Distance