

# UNIVERSITI TEKNOLOGI MALAYSIA SEMESTER 1, SESSION 2023/2024

# LAB 2

**SQL 2 – DML 1** 

**SECD2523: DATABASE** 

**SECTION 10** 

**NAME** : NUR IRDINA SYAFIQAH BINTI ABU BAKAR

MATRIC NUMBER : B23CS0069

LECTURER'S NAME: MADAM ROZILAWATI BINTI DOLLAH @ MD. ZAIN

# EXERCISE 1

# Part 1: Running a script to populate the tables.

You have to consider the order of the tables when populating them. A table that has a foreign key field cannot be populated before the related table with the primary key.

- 1. Use the table mapping document and list the order that you would use to populate the tables.
- 2. Open the "sports data.sql" and look at the order the data is being added there, does your list match? This file can be found in the Section 6 Lesson 4 interaction (sports data.zip) and must first be extracted.
- 3. Run the "sports data.sql" script in APEX to populate your tables
- 4. Check that no errors occurred when you ran the script.

```
1 VALUES('il010230124', 2.5, 100);

2 VALUES('il010230124', 2.5, 100);

3 4 VALUES('il010230125', 7.99, 250);

6 7 VALUES('il010230126', 7.99, 250);

1 NSERT INTO inventory_list (id, cost, units)

VALUES('il010230126', 5.24, 87);

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

There is no error occurred.
```

# Part 2- Inserting rows to the system

1. Add a new team to the system

id	name	Number_of_players	discount
t004	Jets	10	5

# **Answer:**

```
1   INSERT INTO teams (id, name, number_of_players, discount)
2   VALUES('t004', 'Jets', 10, 5);
1   row(s) inserted.
```

2. Add a new Customer with the following details to the system

ctr number	email	First name	Last name	Phone number	Current balance	Loyalty card number	tem id	sre id
c02001	brianrog@hoote ch.com	Brian	Rogers	01654564898	-5	lc4587		

```
INSERT INTO customers (ctr_number, email, first_name, last_name, phone_number, current_balance, loyalty_card_number)

VALUES('c02001', 'brainorg@hootech.com', 'Brian', 'Rogers', '01654564898', -5, 'lc4587');

1 row(s) inserted.
```

3. This information violates the check constraint that the current balance must not be less than zero. Change the current balance to 50 and rerun the query.

```
1 v UPDATE customers
2 SET current_balance = 50
3 WHERE ctr_number = 'c02001'

1 row(s) updated.
```

# **EXERCISE 2**

# Part 1- Updating rows to the system

1. Run the following query to view the content of the price\_history table:

SELECT start\_date, TO\_CHAR (start\_time, 'HH24:MI:SS'), price, end\_date, TO\_CHAR (end\_time, 'HH24:MI')

FROM price\_history;

#### **Answer:**

START_DATE	TO_CHAR(START_TIME, 'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME, 'HH24:MI')
17-JUN-17	09:00:00	4.99	-	-
25-NOV-16	09:00:00	14.99	25-JAN-17	17:00
25-JAN-17	17:01:00	8.99	25-JAN-17	19:00
26-JAN-17	09:00:00	15.99	-	-
12-FEB-17	12:30:00	7.99	-	-
25-APR-17	10:10:10	24.99	-	-
31-MAY-17	16:35:30	149	-	-

2. Obl is going to update the price of the premium bat so you will need to write a query that will close off the current price by adding the system date values to the end\_date and end\_time fields. To run this query you will need to both match the item number and identify that the end date is null. This ensures that you are updating the latest price.

```
1  UPDATE price_history
2  SET end_date = SYSDATE,
3    end_time = SYSDATE
4  WHERE itm_number = 'im01101048' AND end_time IS NULL;
1 row(s) updated.
```

3. Rerun the select statement on the price\_history table to ensure that the statement has been executed.

## Answer:

START_DATE	TO_CHAR(START_TIME, 'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME, 'HH24:MI')
17-JUN-17	09:00:00	4.99	-	-
25-NOV-16	09:00:00	14.99	25-JAN-17	17:00
25-JAN-17	17:01:00	8.99	25-JAN-17	19:00
26-JAN-17	09:00:00	15.99	-	-
12-FEB-17	12:30:00	7.99	-	-
25-APR-17	10:10:10	24.99	-	-
31-MAY-17	16:35:30	149	27-DEC-23	16:27

4. Insert a new row that will use the current date and time to set the new price of the premium bat to be 99.99.

```
1   INSERT INTO price_history (start date, start time, price, itm number)
2   VALUES(SYSDATE, SYSDATE, 99.99, 'im01101048');
1   row(s) inserted.
```

5. Rerun the select statement on the price\_history table to ensure that the statement has been executed.

### **Answer:**

START_DATE	TO_CHAR(START_TIME, 'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME, 'HH24:MI')
27-DEC-23	16:42:02	99.99	-	-
17-JUN-17	09:00:00	4.99	-	-
25-NOV-16	09:00:00	14.99	25-JAN-17	17:00
25-JAN-17	17:01:00	8.99	25-JAN-17	19:00
26-JAN-17	09:00:00	15.99	-	-
12-FEB-17	12:30:00	7.99	-	-
25-APR-17	10:10:10	24.99	-	-
31-MAY-17	16:35:30	149	27-DEC-23	16:27

# Part 2: Deleting rows from the system

1. Bob Thornberry has contacted Obl to ask that the 83 Barrhill Drive address be removed from the system as he can longer receive parcels at this address. Write a SQL statement that will remove this address from the system.

```
1  DELETE FROM customers_addresses
2  WHERE address_line_1 = '83 Barrhill Drive';
1 row(s) deleted.
```

2. Run a select statement on the customers\_addresses table to ensure that the statement has been executed

