

SCHOOL OF COMPUTING SESSION 2023/2024, SEMESTER 1 SECV2113 DATABASE SECTION 10

LAB 2

LECTURER'S NAME: DR ROZILAWATI BINTI DOLLAH @ MD ZAIN

NO.	NAME	MATRICS NO
1.	LYDIA AZRA BINTI MUHAMMAD NOR	B23CS0042

Part 1: Running a script to populate the tables.

You have to consider the order of the tables when populating them. A table that has a foreign key field cannot be populated before the related table with the primary key.

- 1. Use the table mapping document and list the order that you would use to populate the tables.
- 2. Open the "sports data.sql" and look at the order the data is being added there, does your list match? This file can be found in the Section 6 Lesson 4 interaction (sports data.zip) and must first be extracted.
- 3. Run the "sports data.sql" script in APEX to populate your tables
- 4. Check that no errors occurred when you ran the script.

SQL Worksheet

```
132
133 VINSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
     VALUES(5, 5, 'or@101250', 'im@1101046');
134
135
136 , INSERT INTO ordered items (quantity ordered, quantity shipped, odr id, itm number)
     VALUES(5, 5, 'or@101350', 'im@1101044');
137
138
139 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
140
     VALUES(18, 18, 'or@101425', 'im@1101047');
141
142 VINSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
143
     VALUES(10, 10, 'or0101681', 'im01101047');
144
145 , INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
     VALUES(1, 1, 'or0101750', 'im01101048');
146
```

```
1 row(s) inserted.
1 row(s) inserted.
```

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

No errors occurred

Part 2- Inserting rows to the system

1. Add a new team to the system

	id	name	Number_of_players	discount	
t004 Jets		Jets	10	5	

2. Add a new Customer with the following details to the system

ctr number	email	First Last name Phone number			. card			sre id
c02001	brianrog@hoote ch.com	Brian	Rogers	01654564898	-5	lc4587		

3. This information violates the check constraint that the current balance must not be less than zero. Change the current balance to 50 and rerun the query.

1.

SQL Worksheet

```
1 v INSERT INTO teams (id,name,number_of_players,discount)
   VALUES ('t004','jets','10','5');
1 row(s) inserted.
```

2.

SQL Worksheet

```
1 VINSERT INTO customers (ctr_number,email,first_name,last_name,phone_number,current_balance,loyalty_card_number)
2 VALUES('c02001', 'brianrog@hootech.com', 'Brian', 'Rogers', '01654564898', '-5', 'lc4587');
```

1 row(s) inserted.

SQL Worksheet

```
1  UPDATE customers
2  SET current_balance = 50
3  WHERE ctr_number = 'c02001'

1 row(s) updated.
```

Section 6 Lesson 4 Exercise 2: Data Manipulation Language

Use DML operations to manage database tables (S6L4 Objective 2)

In this exercise you will populate and work with the data that is stored in the database system.

Part 1- Updating rows to the system

1. Run the following query to view the content of the price_history table:

```
SELECT start_date, TO_CHAR (start_time, 'HH24:MI:SS'), price, end_date, TO_CHAR
(end_time, 'HH24:MI')
FROM price_history;
```

2. Obl is going to update the price of the premium bat so you will need to write a query that will close off the current price by adding the system date values to the end_date and end_time fields. To run this query you will need to both match the item number and identify that the end date is null. This ensures that you are updating the latest price.

- 3. Rerun the select statement on the price_history table to ensure that the statement has been executed.
- 4. Insert a new row that will use the current date and time to set the new price of the premium bat to be 99.99.
- 5. Rerun the select statement on the price_history table to ensure that the statement has been executed.

Part 2: Deleting rows from the system

- 1. Bob Thornberry has contacted Obl to ask that the 83 Barrhill Drive address be removed from the system as he can longer receive parcels at this address. Write a SQL statement that will remove this address from the system.
- 2. Run a select statement on the customers_addresses table to ensure that the statement has been executed.

Part 1.

1.

START_DATE	TO_CHAR(START_TIME, 'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME, 'HH24:MI')
17-JUN-17	09:00:00	4.99	-	-
25-NOV-16	09:00:00	14.99	25-JAN-17	17:00
25-JAN-17	17:01:00	8.99	25-JAN-17	19:00
26-JAN-17	09:00:00	15.99	-	-
12-FEB-17	12:30:00	7.99	-	-
25-APR-17	10:10:10	24.99	-	-
31-MAY-17	16:35:30	149	-	-

Download CSV

7 rows selected.

2.

1 row(s) updated.

3.

START_DATE	TO_CHAR(START_TIME, 'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME, 'HH24:MI')
17-JUN-17	09:00:00	4.99	-	-
25-NOV-16	09:00:00	14.99	25-JAN-17	17:00
25-JAN-17	17:01:00	8.99	25-JAN-17	19:00
26-JAN-17	09:00:00	15.99	-	-
12-FEB-17	12:30:00	7.99	-	-
25-APR-17	10:10:10	24.99	-	-
31-MAY-17	16:35:30	149	28-DEC-23	15:02

4.

SQL Worksheet

```
1    INSERT INTO price_history(start_date,start_time,price,itm_number)
2    VALUES (SYSDATE,SYSDATE,99.99,'im01101048');
3
```

1 row(s) inserted.

5.

START_DATE	TO_CHAR(START_TIME, 'HH24:MI:SS')	PRICE	END_DATE	TO_CHAR(END_TIME, 'HH24:MI')
28-DEC-23	15:41:20	99.99	-	-
17-JUN-17	09:00:00	4.99	-	-
25-NOV-16	09:00:00	14.99	25-JAN-17	17:00
25-JAN-17	17:01:00	8.99	25-JAN-17	19:00
26-JAN-17	09:00:00	15.99	-	-
12-FEB-17	12:30:00	7.99	-	-
25-APR-17	10:10:10	24.99	-	-
31-MAY-17	16:35:30	149	28-DEC-23	15:02

Part 2

1.

```
1  DELETE FROM customers_addresses
2  WHERE address_line_1 = '83 Barrhill Drive';
```

1 row(s) deleted.

2.

1 SELECT * FROM customers_addresses;

ID	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	ZIP_CODE	CTR_NUMBER
ca0102	17 Gartsquare Road	Starford	Liverpool	LР89JНK	c00001
ca0103	54 Ropehill Crescent	Georgetown	Star	ST45AGV	c00101
ca0104	36 Watercress Lane	-	Jump	JP23YTH	c01986
ca0105	63 Acacia Drive	Skins	Liverpool	LP83JHR	c00001

Download CSV

4 rows selected.