Week 11 lecture notes - PSYC 3435

April 3-7, 2017

This week, we'll talk about correlational designs

Definitions

- A correlational study is a type of research design that examines the relationships between multiple variables
 - Note: there is no manipulation involved, so this is a nonexperimental design
- Two types of questions involved:
 - 1. descriptive questions: is there a relationship between different behaviors?
 - 2. predictive questions: can one behavior be predicted from another behavior?

To motivate our discussion, let's take a look at a dataset (albumSales.csv) that shows several variables related to album sales for 200 different metal bands

Column definitions:

- Adverts: advertising budget (in \$1000 units)
- Sales: total album sales (in \$1000 units)
- Airplay: number of radio plays per week
- Attract: a 1-10 rating of the band's attractiveness

Testing descriptive hypotheses

Example (from Lab 1): is album sales related to advertising budget?

- the most common method for testing this relationship is a *Pearson* correlation test
- Null: the correlation between sales and advertising budget is $0 \ (r=0)$
- Alternative: the correlation between sales and advertising budget is not $0 \ (r \neq 0)$
- Results from JASP: r = 0.578, p < 0.001
- since p < 0.05, we reject the null, from which we conclude that the correlation between sales and budget is nonzero.

Testing predictive hypotheses

Predictive hypotheses are composed of a hypothesized relationship between two classes of variables:

- outcome variables
- predictor variables

Typical model of predictive hypotheses is the linear regression model: $Y=b_0+b_1X$

- b_0 : intercept
- b_1 : slope (amount of change in Y that is due to a change in X)

Example: does advertising budget predict album sales?

- look at albumSales.csv in JASP
 - Sales = total album sales (in thousands of pounds)
 - Adverts = advertising budget (in thousands of pounds)
- build linear model: Sales = $b_0 + b_1 \cdot \text{Adverts}$
- JASP output:
 - -R = 0.578: this is the correlation between sales and advertising budget

- $-R^2=0.335$: proportion of variation in album sales that is explained by advertising budget
- $-b_0 = 167.68$
- $-b_1 = 0.096$
- this results in the following model:
 - Sales = $167.68 + 0.096 \cdot Adverts$

• Meaning?

- 1. we can predict sales from adverts: suppose advertising budget = 100,000 dollars. This means Adverts=100. Then *predicted* sales = $167.68 + 0.096 \cdot 100 = 177.28$. Thus, we would predict total album sales of 177,280
- 2. we can describe the *effect* of each predictor:
 - as advertising budget increases by one unit, album sales increases by 0.096 units.
 - since unit = 1000, each \$1000 increase in budget increases album sales by $0.096 \cdot 1000 = 96$ albums