2015 MFE Programming Workshop Lab 3

Robert J. Richmond

November 19, 2015

1 CAPM Failures

In this lab we are going to replicate some of basic results from Fama and French's 1993 paper Common Risk Factors in the Returns of Stocks and Bonds. Kenneth French provides a phenomenal data library on his website. The dataset for this week contains two files:

- FFfactors.csv contains returns of the famous Fama-French risk factors mkt.RF (the excess return on the market), HML, and SMB along with the risk free rate RF.
- FFports.csv contains the returns of the 25 Fama-French portfolios. I will denote the returns of these portfolios as R_{it} for $i=1,\ldots,25$.

Read in both of these datasets. First we will estimate the CAPM β for each of these 25 portfolios. Also, limit the data to be from January 1963 through the end of 2013. The β is estimated from the following time series regression for each portfolio:

$$R_{it}^e = \alpha_i + \beta_i mkt_t + \epsilon_{it}$$
 $t = 1, \dots, T$

 $R_{it}^e = R_{it} - RF_t$ is the excess return on portfolio i. Now calculate the average return for each portfolio over the sample period. Plot the average return versus β_i for all 25 portfolios. If the CAPM holds, then average return should linearly increase in the β_i . Does this appear to be true? **Note** doing the above will require a number of steps. To get you started, here are some hints:

- You'll need to clean up the dates so that you can subset. Use lubridate.
- You'll need to run regressions on groups. See the do verb in the dplyr reference manual and the associated examples. Another package called broom and its function tidy makes this particularly simple.
- You may need to use tidyr functions.
- You'll need to use a join or a merge. Recall that dplyr has some nice join functions.

2 Fama-French Model

Now we will look at the famous Fama-French 3 factor model. Instead of estimating just β_i , estimate β_i , h_i , and s_i for each portfolio using the following time series regression:

$$R_{it}^e = \alpha_i + \beta_i mkt.RF_t + h_i HML_t + s_i SMB_t + \epsilon_{it}$$
 $t = 1, \dots, T$

Calculate the average returns for the 3 Fama-French factors $E[mkt.RF_t]$, $E[HML_t]$, and $E[SMB_t]$. Now for each portfolio, calculate the predicted value:

$$pred_i = \beta_i E[mkt.RF_t] + h_i E[HML_t] + s_i E[SMB_t]$$

Plot this predicted value versus the average excess return for each portfolio. Do things look a little better?