

Aligned Pair Exclusion

Text is same as 29-APE

From sudokuwiki.org, the puzzle solver's site

2		
	3	6
5		7

This is an interesting strategy, known by the short-hand as APE and sometimes called **Subset Exclusion**. It can overlap with **Y-Wings**, **XYZ-Wings** and **WXYZ-Wings** but uses very different logic. The overlap is not strict so they are worth looking out for in a tough situation.

There is always a base pair of cells (which now show up as grey cell on the solver). At least one elimination will occur in one of those two cells. The solver will also show a variety of colored cells which are the elements used to make an elimination. I used to distinguish between APE type 1 which only used bi-value cells and type 2 which used 2-cell Almost Locked Sets (ALSs). But the solver will now find a larger variety including 3-cell ALSs and since these merely extend the same logic the solver will return the first of any it finds. A better Type 1 and Type 2 distinction is between the base pair of cells which can be a locked pair (ie can see each other) or not (can't see each other). The logic is subtly different but I'll come to this in the following examples.

Aligned Pair Exclusion - Type 1

The **Aligned Pair Exclusion** can be succinctly stated: **Any two cells that can see each other CANNOT duplicate the contents of any Almost Locked Set they both entirely see and share candidates with.**

Remember - a **bi-value cell** (with two candidates) is the simplest **Almost Locked Set** since it is a set of size '1' with size+1 (ie two) candidates.

Let's consider the simplest possible example - two bi-value cell attacking the pair. I have also shown the Y-Wing in the diagram so we can see there is a simpler way to do the same job - but only in some cases.

We consider ALL the possible pairs of numbers that will fit in **[G2/G3]**. These are for **G2** and **G3**:

~~2 and 2~~ (impossible)

2 and 5

2 and 8

4 and 2

4 and 5

4 and 8

Apart from the first being impossible (2 and 2) since **G2** and **G3** can see each other, we have problems with some of the

other combinations. What if 2 and 8 were tried as the solutions? Well, that would duplicate and therefore empty **G9**. Also 4 and 8 would empty **H1**.

	1	2	3	4	5	6	7	8	9
A	5 6 8	9	7	1	2 5 8	3	2 6 8	4	2 5 8
B	5 6 8	3	1 2 8	2 5 8	4	2 5 9	7	1 2 6 9	2 5 8 9
C	4 5 8	1 2 4	1 2 8	6	7	2 5 9	2 8 9	1 2 9	3
D	2	7	3	9	1	4	5	8	6
E	9	8	6	2 3 5	2 5	7	1	2 3	4
F	1	5	4	2 3	6	8	2 3 9	2 3 9	7
G	7	2 4	2 5 8	2 4 5 8	9	1	3 6	3 6	2 8
H	4 8	1 2 4	9	7	3	6	2 4 8	5	1 2
J	3	6	1 2 5 8	2 4 5 8	2 5 8	2 5	2 4 8 9	7	1 2 8 9

F	1	5	4	2 3	6	8	2 3 9	2 3 9	7
G	7	2 4	2 5 8	2 4 5 8	9	1	3 6	3 6	2 8
H	4 8	1 2 4	9	7	3	6	2 4 8	5	1 2
J	3	6	1 2 5 8	2 4 5 8	2 5 8	2 5	2 4 8 9	7	1 2 8 9

APE example 1

(requires Y-Wing unchecked) : [Load Example](#) or : [From the Start](#)

We are left with a set of combinations that looks like this:

~~2 and 2~~ (impossible)

2 and 5

~~2 and 8~~ (impossible)

4 and 2

4 and 5

~~4 and 8~~ (impossible)

Notice that we now have no 8 left in any pairing? Therefore we can remove 8 from our base pair. Voilà

Credits - Rod Hagglund first popularised this method. (links now dead).

Example 2

The next example a tri-values spread over two cells as part of the attack. The way we can use double cells is by saying that any two cells with only **abc** excludes combinations **ab**, **ac** and **bc** from the base pair under consideration. This neat trick greatly extends the usefulness of APE which would otherwise be a just poor man's Y-Wing.

The 2-cell ALS in **[A1,B3]** contains {1/3/7} so pairs that would cripple the solution for that ALS are {1,3}, {1,7} and {3,7}.

Let's consider all the possible pairs of numbers in our base pair **[C2/C3]**. These are:

~~1 and 3~~ - excluded by **A1 + B3**

~~1 and 4~~ - excluded by **C5**

1 and 9

~~3 and 3~~

3 and 4

3 and 9

~~8 and 3~~ - excluded by **C9**

8 and 4

8 and 9

	1	2	3	4	5	6	7	8	9
A	1 7	1 4 5 8	4 5 7	1 4	2	3	6 9	6 9	7 8
B	6	2	3 7	5	9	8	1 3 7	1 3 7	4
C	1 4 9	1 3 8	4 9	7	1 4	6	5	2	3 8
D	5	9	8	1 3	6	2	1 3 7	4	1 3 7
E	2	4 3	1	4 3 9	7	5	8	3 9	6
F	4 3	7	6	8	1 4	1 9	1 3 9	5	2
G	1 3 4 9	6	2	1 9	5 8	7	1 3 4	1 3 8	1 3 5
H	8	1 5	5 7	6	3	4	2 7	1	9
I	1 3 4 7	1 3 4	3 4 7	2	5 8	1 9	1 3 4 6 7	3 6 7 8	1 3 5 7

APE example 2: [Load Example](#) or: [From the Start](#)

Now, we have to be a tiny bit careful here. 3 has definitely been excluded as a possible solution in **C3** but look down the list and 3 + 4 is still OK and 3 + 9 is OK. So we can't remove 3 from **C2** just yet.

Credits: Myth Jellies came up with the insight for $abc = ab/ac/bc$

Note: There could be more than two, sometimes three or four ALSs of several sizes in an APE attack. I've considered examples with two for simplicity's sake

Example 3

Further into the same puzzle we come across a 3-cell ALS plus a bi-value in **H3** attacking **A3/B3**. The ALS in **A1,C1,C3** contains the four numbers {1,4,7,9} which the solver thinks of as a quadruple combination. The combinations of 'abcd' are ab, ac, ad, bc, bd and cd. Back to the base pair: We can list the combinations for **A3/B3** as

4 and 3

~~4 and 7~~ - excluded by **A1,C1,C3**

5 and 3

~~5 and 7~~ - excluded by **H3**

7 and 3

~~7 and 7~~ (impossible)

The tricky one with the 3-cell ALS is not the fact that the base pair will empty it (it can't since it is two cells and the ALS is 3 cells). It's the fact that a solution of 4 in **A3** and 7 in **B3** would mean there'd be only two candidates left to fill three cells. That's enough to rule out the combination.

A	1 7	1 4 5 8	4 5 7	1 4	2	3	6 9	6 9	7 8
B	6	2	3 7	5	9	8	1 3 7	1 3 7	4
C	1 4	3 8	4 9	7	1 4	6	5	2	3 8
D	5	9	8	1 3	6	2	1 3 7	4	1 3 7
E	2	4 3	1	4 3 9	7	5	8	3 9	6
F	4 3	7	6	8	1 4	1 9	1 3 9	5	2
G	1 3 4 9	6	2	1 9	5 8	7	1 3 4	1 3 8	1 3 5
H	8	1 5	5 7	6	3	4	2	1 7	9
I	1 3 4 7	1 3 4	3 4 7	2	5 8	1 9	1 3 4 6 7	3 6 7 8	1 5 7

APE Example 3: [Load Example](#) or: [From the Start](#)

Aligned Pair Exclusion - Type 2

Aligned Pair Exclusion can also work even if the pair is not aligned. Sounds like a joke, but it's too late now to rename this strategy :) Perhaps 'Subset Exclusion' was a better idea. There is a subtle logical difference but I have found many examples and it boosts the usefulness of this strategy.

I'm very grateful to Joseph Aleardi for putting me on the scent of this elegant logic.

The simplest type of APE2 using just two bi-value cells duplicates the Y-Wing, but I include an example to illustrate how APE2 works.

The diagram here shows first the Y-Wing based on **A1** - **A4** (the pivot) - **B6**. It's quite easy to see that 8 must occur in either **A1** or **B6**, thus removing it from **B1** and **B2**.

But let's follow the APE logic with the non-aligned pair **A4** and **B1**. (Note: We could also choose **A1** and **B2** and eliminate the 8 there also). **A4** pairs with **B1** using these combinations:

1 and 1 - POSSIBLE!

1 and 6

~~1 and 8~~ - excluded by **A1**

9 and 1

9 and 6

~~9 and 8~~ - excluded by **B6**

The only difference between APE 1 and APE 2 is that with non-aligned pairs the same candidate *could* be a solution in both cells. So 1 and 1 is definitely on the cards. Not that it is critical in this case. The other exclusions mean we can't have an 8 in **B1**, just as we thought.

	1	2	3	4	5	6	7	8	9
A	1 8	2	4	1 9	5	3	6	1 7 8 9	7 8
B	1 6 8	1 3 7 8	5	1 7 8 9	4	8 9	1 3 9	1 8 9	2
C	9	1 3 7	1 7 8	6	7 8	2	1 3 4	1 4	5
D	7	4 6 8 9	2 6 8 9	5	2 8 9	1	2 4 9	3	4 6 8
E	1 4 8	1 4 8 9	1 2 8 9	3	6	7	5	2 4 8 9	4 8
F	3	5	2 6 8 9	8 9	2 8 9	4	2 7 9	2 6 7 8 9	1
G	2	4 6 7 8	6 7 8	4 7 8	3	5	1 4 7	1 4 6 7	9
H	5	4 6 7 8 9	7 9	4 7 8 9	1	6 8 9	2 4 7	2 4 6 7	3
I	1 4 6	1 4 6 9	3	2	7 9	6 9	8	5	4 6 7

APE Example 4 (turn off Y-Wings) : [Load Example](#) or : [From the Start](#)

Here is a more complex APE that does not have a Wing alternative. We have two bi-value cells and one two cell ALS attacking **B1** and **C7**. Let's write out the combinations between those cells:

- 1 and 4 - excluded by **B9**
- 1 and 5 - excluded by **B8**
- 1 and 7 - excluded by [**C1** + **C3**]
- 2 and 4
- 2 and 5
- 2 and 7
- 7 and 4
- 7 and 5

7 and 7 - Permitted!

Clearly 1 is removed from **B1**. The exact same formation also removes 1 from **B2**.

	1	2	3	4	5	6	7	8	9
A	4	5	3 7	9	1 3 6	3 7	2 7 8	1 6 8	1 2 6 8
B	1 2 7	1 2 3	6	8	1 3 4	4 5 7	9	1 5 5	1 4 4
C	1 7 9	8	7 9	1 4 6	2	4 5 6 7	4 5 7	3	1 4 6
D	2 7 9	2 3 9	3 7 8 9	5	4 6 9	2 3 4 6 9	2 3 4 8	1 6 8 9	1 2 4 6 8
E	6	4	3 8 9	1 2 3	1 3 9	2 3 9	2 3 8	7	5
F	5	2 3 9	1	2 3 4 6	7	8	2 3 4	6 9	2 4 6
G	3	7	5	2 6	8	2 6	1	4	9
H	1 8 9	1 9	2	4 3	4 5 9	3 4 9	6	5 8	7
J	8 9	6	4	7	5 9	1	5 8	2	3

APE Example 5: [Load Example](#) or: [From the Start](#)

To conclude, a non-aligned pair using a bi-value cell and a 3-cell ALS. I'll leave it to the reader to work out why 6 can be removed from **D1**.

There is a second very nice APE later in the solving sequence using a 2-cell ALS and a 3-cell ALS. You can load the puzzle from the links under the diagram.

An Eight-Cell Aligned Pair

	1	2	3	4	5	6	7	8	9
A	9	4 5	4 7	3 7 8	2 8	2 3 7	1	2 3 5	6
B	6 7	1 6	2	5	9	1 3 6 7	4 7 8	3 8	4 7 8
C	3	1 5 6	8	1 6 7	4	1 2 6 7	2 5 7	9	2 5 7
D	2 4	6	8	1 3 4 6	3 6 9	1 6 5 6 9	2 3 5	7	1 2 5
E	5	7	1 3	2	1 8	4	3 8	6	9
F	2 6	9	1 3 6	3 6 8	7	3 5 6	2 3 5 8	4	1 2 5 8
G	8	2 4	9	1 4 7	5	1 2 7	6	1 2	3
H	4 6 7	2 4 6	4 6 7	1 4	3	8	9	1 2 5	2 4 5
J	1	3	5	4 6 9	2 6	2 6 9	2 4 7 8	2 8	2 4 7 8

APE Example 6: [Load Example](#) or: [From the Start](#)

I love to end these articles with a Sudoku from Klaus Brenner. He has made finding interesting and beautiful examples an art form and in the case of Aligned Pairs has found what we thought was impossible. An eight-cell Aligned Pair elimination! We had found some five-cell examples and wondered if there could be a six-cell or even a seven-cell. This is the first and only eight-cell formation known. Fortunately the solver can handle this many. Each cell is necessary to produce all the pairs used to cross reference with the target cells in **D5** and **E5** - the solver ignores any other ALSs that are not used. And very pretty it is.

How many difficult puzzles did Klaus have to check to find this? Astonishingly, around 21 million!

Go back to [Double Exocet](#) Continue to [Sue-de-Coq](#)

	1	2	3	4	5	6	7	8	9
A	1 3 5	7	2	1 5 9	8	5 3	6	4	5 9
B	1 3 4 5	9	6	7	1 2	2 3 4 5	8	2 3 5	2 5
C	4 5 3	5 3	8	6	2 9	2 3 4 5	3 7 5	2 3 5 9	1
D	5 7 9	2 5	5 7 9	3	1 2 6 7 9	2 6	1 2 9	8	4
E	6	8	1	4 9	2 7 9	2 7	3 5	2 3 5 9	2 5 7 9
F	3 7 9	2 3	4	1 9	5	8	1 2 9	6	2 7 9
G	2	1 7 5	5 7	8	3	9	4 7 5	5 7	6
H	8	4 7 5 9	5 7 9	2	6 7	5 6 7	5 7 9	1	3
J	5 7 9	6	3	4 5	4 7	1	2 5 7 9	2 9	8

An Eight-Cell Aligned Pair : [Load Example](#) or : [From the Start](#)

2		
	3	6
5		7