

Swagger

1inch Orderbook API

GET <https://api.1inch.dev/orderbook/v4.0/{chain}/has-active-orders-with-permit/{walletAddress}/{token}>

Get all active orders which have permit for the specified wallet address and token

Network



Ethereum



Parameters

chain **number** * (path)

1

walletAddress **string** * (path)

token **string** * (path)

address in hexadecimal format

0x1234567890ABCDEF1234567890ABCDEF

address **string** * (path)

address in hexadecimal format

0x1234567890ABCDEF1234567890ABCDEF

swagger.response

Code: 400

Input data is invalid

Schema:

▼ **object**

▼ statusCode **integer (Enum)**

400

message **string**

▼ error **string (Enum)**

Bad Request

Code: default

Schema:

- ▼ GetHasActiveOrdersWithPermitV4Response **object**
 - result * **boolean**

Authorization - API KEY

API KEY

[Sign in](#) for automatic API key authentication.

Try it



NodeJS

Python

cURL

Go

```
const axios = require("axios");

async function httpCall() {
  const url =
    "https://api.1inch.dev/orderbook/v4.0/1/has-active-orders-with-permit/{walletAddress}/0x1234567890ABCDEF1234567890ABCDEF12345678";

  const config = {
    headers: undefined,
    params: {},
    paramsSerializer: {
      indexes: null,
    },
  };

  try {
    const response = await axios.get(url, config);
    console.log(response.data);
  } catch (error) {
    console.error(error);
  }
}
```

Response

Click the try-it button to test your API call and see the real-time response right here.

Previous

[Get all orders fill/cancel events](#)

Next

[Get unique active token pairs](#)

