

A systematic review of school-based interventions targeting social communication behaviors for students with autism

Autism
2019, Vol. 23(2) 274–286
© The Author(s) 2018
Article reuse guidelines:
sagepub.com/journals-permissions
DOI: 10.1177/1362361317753564
journals.sagepub.com/home/aut


Bronwyn M Sutton¹, Amanda A Webster²
and Marleen F Westerveld¹ 

Abstract

Initiating and responding to peers are social communication behaviors which are challenging for students with autism. We reviewed intervention studies set in mainstream elementary schools, which targeted these behaviors and reported on intervention outcomes as well as the resources required for their implementation. A total of 22 studies met the criteria for inclusion. Findings suggest that school-based interventions can increase the frequency and duration of initiating and responding behaviors in elementary school aged students with autism. These interventions were resource-intensive and usually delivered by researchers or teaching assistants away from the classroom. Future research should build on this emerging evidence base to consider interventions which could be implemented by classroom teachers as part of the classroom program.

Keywords

autism spectrum disorder, initiate, intervention, respond, school, social communication, social interaction

Social communication is a critical skill for success in social environments. Difficulty with social communication is one of the key diagnostic criteria for students with autism (American Psychiatric Association, 2013). Improving social communication behaviors is considered one of the most important intervention goals for these students (Marans et al., 2005; Paul, 2003; Paul et al., 2009). Researchers have identified four pivotal behaviors that impact on the social communication competence of children with autism: verbal initiations, verbal responses, nonverbal communicative attempts, and joint attention (Murdock et al., 2007).

The ability to communicate with peers to initiate and respond is particularly important because of its impact on the development of positive peer interactions (Bauminger-Zviely et al., 2014). In today's classrooms, social communication between peers is an important part of the learning experience for all students. Teachers use peer conversations as an opportunity to discuss curriculum topics, engage learners, and build a classroom community (Lloyd et al., 2016). As a result, students with autism who have difficulty initiating communication with, and responding to, their peers may be considerably disadvantaged in the classroom setting.

As autism is a heterogeneous disorder, a student's social communication profile may vary depending on their cognitive skills (Joseph et al., 2002; Paul, 2003), communication and language skills (Bauminger-Zviely et al., 2014), or social motivation (Calder et al., 2013). Overall, students with autism have been found to initiate interactions less often than typical peers (Koegel et al., 2001; Newman and Eyck, 2005). Conversely, some students with higher language skills may over-initiate, carrying on a one-sided monologue when speaking on a topic of interest (Church et al., 2000; Koegel et al., 2001). However, a universal finding is that students with autism, regardless of skill level, may either not respond at all or have difficulty formulating an adequate response to their conversational partner (Carpenter and Tomasello, 2000; Loveland and Tunali-Kotoski, 2005).

¹Griffith University, Australia

²University of Wollongong, Australia

Corresponding author:

Bronwyn M Sutton, School of Educational Studies, Griffith University,
176 Messines Ridge Road, Mount Gravatt, QLD 4122, Australia.
Email: bsutton@suttonspeech.com.au

Students with autism are increasingly being educated in mainstream school programs and classrooms alongside their neurotypical peers (Humphrey and Lewis, 2008). Schools can select from a range of interventions for teaching social communication behaviors including: (a) child-specific interventions, (b) peer-mediated interventions, (c) comprehensive interventions, (d) collateral interventions, and (e) ecological interventions (McConnell, 2002). To implement these interventions in school settings, however, requires information on the feasibility of employing these interventions in mainstream schools, where the primary focus is on the academic curriculum (Kasari and Smith, 2013). Indeed, the effectiveness of implementing an intervention in a school is considered as important as the effectiveness of the intervention itself (Cook and Odom, 2013). Practical issues may include access to resources such as staffing, staff training, and availability of space required to implement the intervention (Locke et al., 2015). As peers are often involved in social interaction interventions, the selection of peers also needs to be considered.

Social communication in general has received considerable attention in the autism literature. Previous reviews published in the last decade have examined school-based interventions that have addressed aspects of social communication skill difficulties demonstrated by students on the autism spectrum. Bellini et al. (2007) examined the comparative effectiveness of social skills interventions delivered in school-based settings for students with autism. These were conducted in preschool, elementary, and secondary settings and involved interventions implemented both in the classroom and in pullout settings. Garrote et al. (2017) examined a number of studies, which utilized interventions to increase social participation of students with disabilities, including students with autism, in mainstream preschool and elementary classrooms. Whalon et al. (2015) reviewed studies that employed interventions to target peer-related social competence of students with autism in preschool and elementary school settings. Although all three reviews examined interventions that focused on social skills, only Whalon et al. specifically looked at studies that targeted communication behaviors including initiation and response. More importantly, the focus of all three reviews was on the effectiveness of the interventions for students with autism, but none looked at the feasibility of these interventions in mainstream elementary schools or the resources required for teachers to implement these interventions. Therefore, a more targeted review is needed to examine what interventions can practically be implemented by educators in mainstream schools to address social communication behaviors of students with autism when interacting with peers.

The purpose of this review is to provide educators and other professionals with an understanding of the resources which have been utilized in schools to deliver interventions targeted at teaching students with autism to initiate

and/or respond to their peers. Specifically, the aims were to document (a) interventions that have been employed in a mainstream school to impact these communication behaviors, either individually or as a comprehensive intervention; (b) the outcomes of these interventions; and (c) the resources required to implement these interventions. Definitions for these behaviors are based on those identified by Whalon et al. (2015). Initiations are defined as spontaneous attempts (verbal/nonverbal) to gain attention, share information, and elicit a response from a peer. Responses are defined as verbal or nonverbal behaviors that share information to a peer following a communicative initiation by that peer.

Method

Literature search

The Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) Checklist was used to structure the search process in this review (Moher et al., 2009). A search was conducted in October 2016 using online educational, psychological, and speech pathology databases including PsycINFO, Sage, Eric, and Proquest. Search terms included (“child*” or “student”) AND (“autis*,” or “Asperger” or “PDD”) AND “school” AND “intervention” in combination with (“initiate” or “initiation” or “respond”).

Inclusion criteria

Studies were included if they were published in a peer-reviewed journal in English between 1994 and 2016 and met the following criteria:

- Included dependent variables that focused on interactions with a peer and included a measure of either verbal or nonverbal initiations or responses of participants;
- Focused on students with autism who were enrolled and received the majority (>75%) of their instruction in mainstream class programs (i.e. a class program in which students with and without identified disabilities are educated together), although they could go out for short periods for special instruction or activities;
- Conducted in elementary school settings;
- Employed an experimental design to test the effectiveness of an intervention.

Exclusion criteria

Although social interaction encompasses a wide variety of skills, this review specifically examined studies that addressed the social communication behaviors of initiation




Figure 1. Flowchart of the search process.

and response. These skills have been identified as pivotal to communication between students with autism and their peers (Murdock et al., 2007) and comprise the foundation for conversations between students in mainstream classroom (Bauminger-Zviely et al., 2014). In keeping with this focus, studies were excluded if they did not include a measure of initiation or response to peers by students with autism, if they included students in preschool or middle school, or if they were conducted in a special education class or school.

Review process

Figure 1 outlines the complete review process. Initially, 1772 studies were identified from the search. Duplicates were removed, and the titles and abstracts of these studies were screened for suitability by the first author (B.M.S.). In total, 1536 studies were eliminated as not meeting the inclusion criteria because they (a) included other settings in addition to school settings such as home or clinic; or (b) included students who were enrolled in self-contained settings; or (c) primarily focused on students in preschool or middle school or high school; or (d) did not test the effectiveness of a social communication intervention. After reading the full text, 90 more studies were excluded because they (a) did not include measures of initiating and responding behaviors (e.g. Sansosti and Powell-Smith, 2006) or (b) included students with disabilities other than

autism or related diagnosis. The screening process was confirmed by a second researcher (A.A.W.) who re-examined studies eliminated and included to ensure they met the selection criteria. In addition, once studies were identified, an ancestral search was conducted of reference lists to ensure no relevant research had been missed. No additional studies were found, leaving 22 studies that met the criteria for the current review.

Data extraction

Descriptive data extracted for each study included (a) number of participants, (b) participant's diagnosis and cognitive level (IQ), (c) social or communication assessments used, (d) dependent variables (i.e. initiating or responding behaviors), (e) type of intervention, (f) outcome (e.g. positive or questionable), and (g) measure. The outcomes of interventions were determined by reviewing the analysis reported in each study as well as the significance and effect size measures, when available. Outcomes were categorized as positive if dependent variables improved for all participants or questionable if dependent variables did not improve for one or more participants. Resource data extracted for each study included (a) implementers and the length of their training, (b) selection of peers, and (c) the setting.

Methodological quality

The methodological quality of the studies was assessed using the McMaster Critical Review Form for Quantitative Studies (Law et al., 1998). This tool has been used extensively in previous systematic reviews and has good inter-rater reliability (Wells et al., 2014). Six questions were selected that had been included in a recent review to determine quality of studies involving students with autism (Westerveld et al., 2016). A seventh question, which asked whether the intervention was described in detail, was also selected. The questions used to determine study quality were as follows:

1. Is the study design relevant to address the study aim?
2. Is the sample size described in detail?
3. Is the sample size justified?
4. Is there no identified potential sample/subject selection bias?
5. Is the intervention described in detail?
6. Are the outcomes measures valid and reliable?
7. Are the results reported in terms of statistical significance (including effect size)?

Two primary authors rated the studies independently and discussed any discrepancies until 100% agreement was reached regarding determination of measures on study

quality. In addition, peer debriefing and an audit trail were used to ensure the trustworthiness of data extraction.

Results

The methodological quality of the studies is presented in Table 1. The quality of the studies varied. All studies incorporated a relevant design, provided valid and reliable outcome measures, and were free of potential sample or subject selection bias. Only four studies provided detailed information about interventions that would have allowed for replication.

All 22 studies employed a single-case design. In total, 15 studies used multiple baseline design, whereas others used a multiple probe, multi element, reversal, AB, or ABAB design. Sample size was described in detail in 17 studies; however, none of the studies justified their sample size. Only three studies provided details of significance and effect size. Overall, the studies met four of the seven selected criteria as detailed in the McMaster Critical Review Form for Quantitative Studies (Law et al., 1998).

As depicted in Table 2, the 22 studies involved 72 males and 6 female students with autism aged 3–12 years. Apart from Bauminger (2007) who reported on 19 participants, all studies included 5 or fewer students. Participants were diagnosed with autism ($N=47$), Asperger's syndrome ($N=15$), pervasive developmental disorder not otherwise specified (PDD-NOS) ($N=3$), high-functioning autism ($N=14$), and autism spectrum disorder (ASD) ($N=3$). Participants' cognitive levels were reported in seven studies with IQ scores ranging from 71 to 128. Studies generally provided only anecdotal descriptions of social communication skills rather than standardized measures that would confirm whether their communication skills were outside the norm and what specific skills needed to be prioritized for intervention. Only three studies included a standardized measure of communication skills using the *Vineland Adaptive Behavior Scales* (Sparrow et al., 1984). Scores across the 11 participants ranged from 46 to 136 with a mean score of 89. Across the remaining 19 studies, participants were generally described as exhibiting functional verbal communications skills and were able to use language to request and ask and answer questions. Participants rarely initiated communication to peers and had marked difficulties with using language to communicate in social situations.

Interventions

This review examined studies that targeted the behaviors of initiating and responding with peers. Substantial variability in terminology was used to describe these behaviors across the studies. Table 3 provides an overview of dependent variables that were used to measure initiating or response behaviors, and the type of data that was collected

for each variable. In total, 19 studies examined initiating behaviors associated with social communication and 14 studies included measures of student's response to communicative initiation of peers. Two studies measured a combined initiation and response sequence. The majority of studies (19) measured the frequency of initiation and response behaviors, while 3 measured duration of these behaviors. No studies included a measure of the quality of initiation or response behaviors.

Child-specific interventions. These are adult-directed interventions which include direct instruction, social skills training, priming, reinforcement, and prompting to teach social communication behaviors. As shown in Table 2, half of the studies ($n=11$) used child-specific interventions. A mobile tactile prompt was used in addition to teacher prompting in two studies. Teaching assistants were trained in pivotal response training (PRT), an approach where skills considered pivotal to the development of social communication are targeted during natural activities ($n=1$). One study provided a social skills curriculum based on a cognitive behavioral approach and targeted both student's social interactions and their social cognitive abilities. Visually supported interventions included social stories ($n=4$), video modeling ($n=1$), and concept mastery routines, where diagrams were drawn to explain social expectations ($n=1$).

Peer-mediated interventions. Peers were trained or supported to use instructional strategies in five studies. Peer network studies ($n=2$) trained participants and peers in social skills, then organized these students into social groups. A cooperative learning group study was set in the classroom and included training on social skills and social studies curriculum to enable students to work in teams during social studies activities. One study provided training to both participants and peers (Banda et al., 2010) with another training peers only (Owen-DeSchryver et al., 2008).

Ecological interventions. These are interventions where social interactions are supported through environmental arrangements (McConnell, 2002). Three studies organized social clubs for students with autism and their peers based on shared interests such as board games, cooking, and crafts. In two of these studies, teaching assistants were trained to establish and facilitate these clubs.

Comprehensive interventions. Combining two or more interventions, comprehensive interventions were used in two studies. One study trained two target students with autism and their peers in social interaction skills, prompted them to produce these skills during center time activities, and then employed video feedback to discuss their social communication behaviors. The second study trained peers in

Table 1. Quality appraisal of studies.

Author (year)	Design	Relevant design	Sample detailed	Sample size justified	No potential bias	Intervention detailed	Valid and reliable outcome measures	Significance and effect size
Bauminger (2007)	AB	Y	Y	N	Y	N	Y	Y
Dugan et al. (1995)	ABAB reversal	Y	Y	N	Y	Y	Y	N
Laushey et al. (2009)	MBL behaviors	Y	Y	N	Y	N	Y	N
Owen-DeSchryver et al. (2008)	MBL behaviors	Y	Y	N	Y	N	Y	N
Thiemann and Goldstein (2004)	MBL behaviors	Y	Y	N	Y	Y	Y	N
Norris and Dattilo (1999)	MBL participants	Y	Y	N	Y	N	Y	N
Licciodello et al. (2008)	MBL participants	Y	N	N	Y	N	Y	N
Hanley-Hochdorfer et al. (2010)	MBL participants	Y	Y	N	Y	N	Y	Y
Feldman and Matos (2013)	MBL participants	Y	Y	N	Y	N	Y	N
Boudreau and Harvey (2013)	MBL participants	Y	N	N	Y	N	Y	N
Banda et al. (2010)	MBL participants	Y	Y	N	Y	N	Y	N
Mason et al. (2014)	MBL participants	Y	Y	N	Y	N	Y	Y
Koegel et al. (2012)	MBL participants	Y	Y	N	Y	N	Y	N
Koegel et al. (2014)	MBL participants	Y	Y	N	Y	N	Y	N
Kim et al. (2016)	MBL participants	Y	Y	N	Y	N	Y	N
Thiemann and Goldstein (2001)	MBL participants and behaviors	Y	Y	N	Y	Y	Y	N
Kamps et al. (1994)	MBL participants	Y	N	N	Y	N	Y	N
Chan and O'Reilly (2008)	MP behaviors	Y	N	N	Y	Y	Y	N
Delano and Snell (2006)	MP participants	Y	Y	N	Y	N	Y	N
Kamps et al. (1997)	MP subjects	Y	Y	N	Y	N	Y	N
Taylor and Levin (1998)	Multi element	Y	N	N	Y	N	Y	N
Shabani et al. (2002)	Reversal	Y	Y	N	Y	N	Y	N

Design: MBL = multiple baseline; MP = multiple participant.

Table 2. Descriptive and resource data.

Author (year)	Participants	Standardized measures	Dependent variables	Interventions	Outcomes/ measure	Implementers (length of training)	Peers (selection)	Setting (activity)
<i>Child-specific interventions</i>								
Taylor and Levin (1998)	N: 1 M; age: 7 years		Verbal initiations	Tactile prompt, verbal prompting	– frequency	R	Not involved	Empty room
Norris and Dattilo (1999)	N: 1 F; age: 8 years		Initiations, responses	Social Stories	– frequency	R	Available	Hall, lunchroom
Shabani et al. (2002)	N: 3 M; age: 6–7 years		Verbal initiations and responses	Tactile prompt, direct instruction, modeling	– frequency	R	Available	Classroom (lesson NS)
Delano and Snell (2006)	N: 3 M; age: 6–9 years		Initiations, contingent responses	Social stories	+ frequency	R	Selected (same age)	Empty room
Bauminger (2007)	N: 18 M, 1 F Age: 7–11 years	IQ: 79–128 Social: (SSRS)—no score provided	Initiations, responses	Cognitive behavioral curriculum	+ frequency#	T (summer) P (summer and weekly written support)	Selected (older peers)	Classroom (time NS) recess, after school, home
Chan and O'Reilly (2008)	N: 2 M; age: 5–6 years		Appropriate social initiations	Social Stories, modeling, role-play	+ frequency	R	Not involved	Empty room
Licciardello et al. (2008)	N: 3 M, 1 F; age: 6–8 years		Social initiations and social responses	Direct instruction, prompting	+ frequency	TA (one session and ongoing 5- to 10-min sessions)	Selected (by participants)	Playground
Laushey et al. (2009)	N: 4 M Grade: 1–4	IQ: 87, 95, 113, 114 VABS Communication—81, 85, 126 Socialization—79, 85, 87	Appropriately initiating interactions, responding to a peers question	Concept mastery routines	+ frequency	R	Selected (random)	Lunch area
Hanley-Hochdorfer et al. (2010)	N: 3 M, 1 F; age: 6–12 years		Verbal initiations, contingent responses	Social Stories	– frequency#	R	Not involved	NS
Feldman and Matos (2013)	N: 3 M; age: 5–8 years	VABS Socialization age 2.1, 4.1.1, 2.6	Reciprocal social engagement	Pivotal response training (direct instruction, prompting)	+ frequency	TA (1.5 workshop plus 3 sessions of 20min)	Selected (academic and typically developing)	Playground
Boudreau and Harvey (2013)	N: 3 M; age: 4–7 years		Social initiations	Video modeling	+ frequency	R	Available	Empty room
<i>Peer-mediated interventions</i>								
Dugan et al. (1995)	N: 1 F, 1 M; age: 9, 10 years		Student interactions (initiation and response sequence)	Cooperative learning groups (peer and participant training)	+ duration	T, TA (NS)	Selected (social studies)	Classroom (social studies lesson)
Kamps et al. (1997)	N: 3 M; age: 6–8 years		Initiations, responses	Peer network, peer and participant training.	+ duration	T, TA (NS)	Selected (social skills and no negative history)	Classroom (center time, academics) lunchroom, playground

Table 2. (Continued)

Author (year)	Participants	Standardized measures	Dependent variables	Interventions	Outcomes/measure	Implementers (length of training)	Peers (selection)	Setting (activity)
Owen-DeSchryver et al. (2008)	N: 3 M; age: 7–10 years	IQ: 76, 97, NS for one student	Initiations, responses	Peer training	+ frequency	R	Selected (willing, compliant)	Lunchroom and playground
Banda et al. (2010)	N: 2 M; age: 6 years	IQ: 82, 86 Developmental Profile II; SSRS—scores not reported	Initiations, responses	Peer and participant training,	+ frequency	R	Available	Classroom (center time)
Mason et al. (2014)	N: 3 M; age: 6–8 years	VABS Communication—79, 95, 136	Communicative acts directed to a peer	Peer network, peer and participant training,	+ frequency#	R, T, TA, SLP (3 h workshop plus ongoing support)	Selected (previously trained)	Playground
<i>Ecological interventions</i>								
Koegel et al. (2012)	N: 2M 1 F; age: 9–12 years	IQ > 90	Unprompted verbal initiations	Social clubs based on interest	+ frequency	R	Social club	Lunchroom, recess playground;
Koegel et al. (2014)	N: 2 M, 1 F; age: 8–10 years		Initiations	Social clubs based on interest	+ frequency (two out of three)	TA (1 h workshop plus ongoing support)	Social club	Room NS (recess)
Kim et al. (2016)	N: 3 (sex NS); age: 6–10 years	IQ: Average—superior Gilliam Autism Rating Scale Social Interaction—scaled score 9 9 IQ: Average to superior. GARS social interaction - scaled score 9.	Initiations	Social clubs based on interest	+ frequency	TA (1.5 workshop plus ongoing support)	Social club	Room (recess)
<i>Comprehensive interventions</i>								
Thiemann and Goldstein (2001)	N: 5M; age: 6–12 years	N: 5M; age: 6–12 years SSRS Social (Parent)—69, 68, 71, 84, 84 Social (Teacher)—59, 82, 82, 59, 106	Initiating comments, contingent responses	Peer training and by direct instruction with written and text cues.	– frequency	R	Selected (without social deficits)	Classroom (lesson NS), or resource room
Thiemann and Goldstein (2004)	N: 5 M; age: 6–9 years	VABS Communication—46, 70, 82, 92, 97 Socialization—49, 57, 64, 66, 67 SSRS Social (Teacher)—74, 79, 80, 81, 93	Initiating comments, contingent responses	Direct instruction (Social Stories, written text cues), practice with prompting and video feedback.	– frequency (lack of maintenance)	R	Selected (social skills, quick with school work)	Empty room
<i>Collateral interventions</i>								
Kamps et al. (1994)	N: 3 M; age: 8–9 years	IQ: 71, 101, NS for one student	Initiations, responses	Class-wide peer tutoring on reading	+ duration	T (training NS)	Whole class	Classroom (reading)

NS = not specified. Diagnosis: IQ = intelligence quotient. Social or communication assessments: GARS = Gilliam Autism Rating Scale (Gilliam, 1995); SSRS = Social Skills Rating Scale (Gresham & Elliott, 1990); VABS = Vineland Adaptive Behavior Scale (Sparrow et al., 1984). Outcomes: # Statistical significance and effect size reported. Implementers: P = parent; R = researcher; T = teacher; TA = teaching assistant; SLP = speech language pathologist.

Table 3. Dependent variables and measures.

Target behavior	Dependent variables	Type of measures
Initiating behaviors	Initiations (9), verbal initiations (3), initiating comments (3), initiating requests (3), initiating compliments (1), appropriate social initiation (1), social initiation (2), appropriately initiating interactions (1), unprompted verbal initiations (2), and securing attention (2)	Frequency (19) Duration (3)
Response behaviors	Responses (7), verbal responses to peer initiation (1), contingent responses (4), social response (1), responding appropriately to a peer's question (1)	
Initiation and response sequence	Reciprocal social engagement (1) and communicative act directed toward a peer (1)	

social skills over 5 days and then introduced direct instruction using written and text cues.

Collateral skill interventions. These interventions are a variation of ecological interventions in that they do not focus directly on teaching social communication skills to students. Instead, they aim to increase student's communication skills by train students in specific academic or play skills that involve peer interactions and then measure to determine if this has increased their social communication skills as well. One study in this review trained the whole class as reading tutors, aiming to improve both reading and social communication skills.

Intervention outcomes

As shown in Table 2, all studies focused on increasing the frequency ($n=19$) and/or duration ($n=3$) of the targeted behaviors. None of the studies focused on reducing the frequency or duration of initiations and responses. Positive outcomes for increasing the frequency or duration of initiations and/or responses to peers were reported in 20 of the 22 studies included in this review. However, only two of these studies reported on statistical significance and effect size. In the first of these studies (Bauminger, 2007), 19 students showed a statistically significant increase in the frequency of initiation and responding to peers following the implementation of a cognitive behavioral curriculum. In the second study (Mason et al., 2014), the implementation of a treatment program consisting of multiple components including training of both participants and peers resulted in a large and statistically significant improvement in the frequency of communicative acts (verbal communication directed to a peer) demonstrated by students with autism. The two studies that did not demonstrate a positive effect both utilized social stories as the primary intervention. Two other studies using social stories demonstrated positive outcomes, but both included additional strategies of modeling and role-play or video feedback and written text cues (Chan and O'Reilly, 2008; Thiemann and Goldstein, 2004).

Resources required for implementation

As presented in Table 2, research-related personnel were involved in the implementation of 14 of the 22 studies in

this review. Indeed, researchers held sole responsibility for implementing interventions in over half ($n=13$) of the studies in this review. Other studies used teaching assistants working alone ($n=4$) or with a teacher ($n=3$). Teachers held sole responsibility for implementing an intervention in only one study (Kamps et al., 1994). Research staff provided the training in the 11 studies involving school staff. Training consisted of a workshop followed by individual practice and feedback ($n=5$). One study of 7 months involved training parents and school staff during the summer holidays; however, the length of the training was not specified (Bauminger, 2007). Three studies did not state the length of training for school staff.

Peers were involved in 19 of the 22 studies included in this review either as social partners or as trained facilitators. In 11 of these studies, selection was based on specific criteria such as positive social skills or behavior, typical development, academic knowledge, age, or previous training in social skills interventions. In two of these studies, teachers selected peers who could complete classwork quickly or catch up later when they missed classwork to participate in the intervention. In one study, peers were selected by the participants with autism. Four studies did not specify selection criteria, but stated that peers were included who were naturally available in the playground or classroom environment. Three studies invited peers to join a social club based on the interest of the target students. Three studies did not include peers in the intervention with participant students interacting with adults.

The settings of the interventions included nonacademic settings such as the lunchroom or playground ($n=8$), empty rooms, resource rooms, library rooms, or corridors ($n=6$). Seven studies were conducted in classrooms. In these studies, three embedded the intervention into academic activities such as social studies and reading, whereas one studies used center time and facilitated play sessions. Three studies did not specify the classroom activity, suggesting that these interventions may have occurred separate to the usual classroom program.

Discussion

Schools are increasingly expected to consult research evidence when selecting interventions for their students with

disabilities (Boardman et al., 2005). When appraising research studies, schools may need to consider not only the outcomes of the intervention but also practical issues relating to the resources required to successfully implement interventions. The results of this review do suggest that interventions set in schools can effectively increase the frequency and duration in which students with autism initiate and respond to communication with peers, with 18 of the 22 studies reporting positive intervention effects. However, schools may struggle to replicate these interventions due to the lack of detail around the implementation of the intervention and the participants' level of functioning. Social abilities were assessed in only nine of the studies, communication was assessed in only three studies, and IQ scores were reported in only eight studies. Without adequate description of the participants' level of functioning, it is difficult for educators to know which students with autism would most likely benefit from these interventions.

All 22 studies measured the frequency or duration of these behaviors, while no studies reported on the quality of initiations and responses. This is an interesting finding as communication between individuals in social situations involves much more than a simple exchange of information. It also requires individuals to exchange information about a shared topic for a sustained period (Church et al., 2000; Koegel et al., 2001). In classrooms, in particular, duration and quality of communication behaviors are particularly relevant as teachers are interested in what children talk about rather than how frequently they talk with their peers. Thus, the omission of quality measures may mean that findings lacked social validity within mainstream classroom contexts.

These studies used behavioral interventions (direct verbal or visual instruction, feedback, prompting, and reinforcement), cognitive behavioral interventions, peer and participants' training on social or academic skills, or the establishment of social clubs around special interests. However, the findings must be cautiously viewed and interpreted as only two of these studies reported a positive statistical significance and effect size (Bauminger, 2007; Mason et al., 2014). Although single-case designs may be considered an appropriate alternative to group designs, there is a clear need for researchers to report effect sizes to provide stakeholders with a better understanding of the practical significance of the study's findings (Smith, 2012). This is particularly important in school settings, where a significant effort is required to embed interventions in school programs and teachers want to ensure they focus on the strategies that are most likely to make the most difference for both students with autism and their peers.

Considering that this review focused on school-based interventions for students with autism, it was surprising that only six studies involved a teacher. Indeed, researchers were fully or partially responsible for implementation

in 14 of the 22 reviewed studies. Utilizing researchers in school settings may fail to consider valuable information on the ecological and social validity of the intervention (Bulkeley et al., 2013). Moreover, it may leave schools wondering whether these interventions could reasonably be implemented without the researchers or by teachers who are responsible for a class of students and who are focused on improving academic performance (Kasari and Smith, 2013).

In the studies in this review, teaching assistants were involved in implementing interventions more often than classroom teachers. Their roles included both primary responsibility for direct instruction, the formation of social lunch clubs, and support for peer-mediated interventions through the delivery of prompts, feedback, and rewards. While teaching assistants were effective in increasing verbal initiating and responding behaviors, their training was conducted by researchers, and the interventions often occurred during times when the teacher was not present. This is concerning given that researchers have repeatedly stressed that teacher assistants should be used to support classroom and teacher practice, as they do not have the qualifications or training to be the sole person responsible for implementing interventions (Butt, 2016; Sharma and Salend, 2016). In addition, exclusion of the teacher from these interventions poses a significant threat to sustained maintenance and generalizability of the outcomes. Future researchers need to provide information for educators as to the cost of using teaching assistants, in terms of training and supervision, or better still, to train teachers to incorporate social communication interventions within their classroom program.

Considering the classroom offers a natural setting for peer interactions, it was also surprising that only a few studies embedded social interventions into curriculum or classroom-based activities. Embedding interventions for students with autism into the curriculum has been recommended by several researchers as a technique to support the integration of social communication goals in the classroom context (Cartledge and Kiarie, 2001; Forgan and Gonzales-DeHass, 2004; Schoenfeld et al., 2008). Literacy is an example of one area of the curriculum that has been used previously to develop student's social skills (Cartledge and Kiarie, 2001). Interventions utilizing curriculum activities are needed to assist teachers to take advantage of the opportunities and resources already available in their classrooms.

Rather than utilizing the classroom context, interventions were most often employed in the playground during recess or lunch. Although these times may appear ideal for social practice with peers, many students with autism may use this time as a welcome break from socializing, preferring to play alone or simply observe the play of others (Calder et al., 2013; Kamps et al., 1997; Lang et al., 2011). The playground may also lack the structure needed to support social communication with peers with staff largely absent and students

expected to be independent in their activities (Mason et al., 2014). Social clubs during recess provide opportunities for peer interactions; however, they require access to space and personnel, which may not be reasonable for many schools (Locke et al., 2015). Another context used in the studies in this review was empty rooms and hallways. Removing students from class to “contrived, restricted, and decontextualized settings” to teach social skills results in reduced generalization and maintenance of these skills (Gresham et al., 2001, p. 340). The classroom presents a natural social context in which students have access to a teacher who knows them well and is currently an underutilized setting for social communication interventions.

In this review, peers involved in interventions were usually those who were naturally available in the classroom or social context rather than selected by teachers. This contrasts with previous research that recommends peer selection based on social competence (Bene et al., 2014; Watkins et al., 2015). While peer selection may be ideal, the use of available peers may be a more feasible and practical approach for teachers.

Limitations

This review had a very specific focus both on the resources required to deliver interventions and on the social communication behaviors that were targeted through these interventions. The skills of initiating and responding were selected as they have been identified as pivotal behaviors in communication between children with autism and their peers (Murdock et al., 2007). Although these behaviors are extremely important, they obviously do not comprise all the skills involved in social communication. Further investigation is needed to examine whether and how school-based interventions impact other aspects of social communication such as social motivation and shared interests. In addition, the conclusions made by this review were limited to the details provided in the published studies about the intervention, setting or researches required. Several studies did not include enough detail to replicate the intervention. However, it has been recognized that authors may omit key details of their methodology or aspects of the intervention because of page limitations required by journals (Cook et al., 2008). Schools considering these interventions may need to seek out manualized versions of these interventions, if available, before choosing intervention approaches. Another limitation is that studies were conducted across a wide range of years (1994–2016) in which diagnostic classification and criteria were revised and changed. Although studies have only been included that reflect the understanding of autism as a spectrum of abilities and needs, a limitation of this article is that the studies in this review may reflect an evolving and changing understanding of individuals diagnosed with autism or related disorders.

Implications

There is a growing need to provide schools with guidelines as to how to feasibly implement effective and sustainable social communications interventions using the personnel and resources available (Dykstra Steinbrenner et al., 2015). The lack of information on teachers’ skills or attitudes in relation to supporting social communication was notable. Thus, it is hard to make specific recommendations for teachers, although the results of the review do suggest that interventions which involve instruction, prompts, and engagement with peers do result in improved social communication skills. Teachers could consider how they could incorporate more activities in their classroom program, which facilitate these elements. It is interesting that none of the studies utilized technology-based interventions. The availability of technology in classrooms has prompted researchers to suggest the use of technology to support communication goals for students with autism (Lofland, 2016). Technology is a valuable resource that is increasingly used in classrooms, is motivating for students, and has the flexibility to promote social communicate and academic learning at the same time.

The results of this review also suggest that researchers and teachers need to work more closely together, to investigate how classroom-based interventions can be implemented by teachers and embedded into the class program, particularly if they are to result in generalizable skills. To achieve this, future researchers will need to work with teachers to develop manualized interventions which standardize approaches while simultaneously allowing the flexibility required by teachers to respond to the individual needs of their students (Kasari and Smith, 2013; Locke et al., 2015) and the demands of the school program. Identifying curriculum activities and related materials which provide opportunities for social communication practice will also need to be explored.

Conclusion

Deciding on effective interventions for students with autism is challenging for schools given the heterogeneity of autism itself, the diversity of interventions available, and the focus of researchers on interventions that require additional resources and staffing. The results presented in this review indicate that initiating and responding behaviors can be addressed in mainstream school settings. The over-reliance on researchers to train staff, make materials, and conduct interventions in these studies means that less is known about the feasibility of applying these interventions to a real-world context. Future research may need to explore options such as embedding social communication interventions into the curriculum as a cost and time-effective solution.

Declaration of conflicting interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The author(s) received no financial support for the research, authorship, and/or publication of this article.

ORCID iD

Marleen F Westerveld  <https://orcid.org/0000-0002-5194-2335>

References

References marked with an asterisk indicate studies included in the review.

- American Psychiatric Association (2013) *Diagnostic and Statistical Manual of Mental Disorders*. 5th ed. Washington, DC: American Psychiatric Association.
- *Banda DR, Hart SL and Liu-Gitz L (2010) Impact of training peers and children with autism on social skills during center time activities in inclusive classrooms. *Research in Autism Spectrum Disorders* 4: 619–625.
- *Bauminger N (2007) Brief report: individual social-multiple modal intervention for HFASD. *Journal of Autism and Developmental Disorders* 37: 1593–1604.
- Bauminger-Zviely N, Karin E, Kimhi Y, et al. (2014) Spontaneous peer conversation in preschoolers with high-functioning autism spectrum disorder versus typical development. *Journal of Child Psychology and Psychiatry* 55: 363–373.
- Bellini S, Peters JK, Benner L, et al. (2007) A meta-analysis of school-based social skills interventions for children with autism spectrum disorders. *Remedial and Special Education* 28: 153–162.
- Bene K, Banda D and Brown D (2014) A meta-analysis of peer-mediated instructional arrangements and autism. *Review Journal of Autism and Developmental Disorders* 1: 135–142.
- Boardman AG, Arguelles ME, Vaughn S, et al. (2005) Special education teachers' views of research-based practices. *Journal of Special Education* 39: 168–180.
- *Boudreau J and Harvey MT (2013) Increasing recreational initiations for children who have ASD using video self-modeling. *Education & Treatment of Children* 36: 49–60.
- Bulkeley K, Bundy A, Roberts J, et al. (2013) ASD intervention research in real world contexts: refining single case designs. *Research in Autism Spectrum Disorders* 7: 1257–1264.
- Butt R (2016) Teacher assistant support and deployment in mainstream schools. *International Journal of Inclusive Education* 20: 995–1007.
- Calder L, Hill V and Pellicano E (2013) "Sometimes I want to play by myself": understanding what friendship means to children with autism in mainstream primary schools. *Autism* 17(3): 296–316.
- Carpenter M and Tomasello M (2000) Joint attention, cultural learning, and language acquisition. In: Wetherby AM and Prizant BM (eds) *Autism Spectrum Disorders: A Transactional, Developmental Perspective*. Baltimore, MD: Paul H. Brookes, pp. 31–54.
- Cartledge G and Kiarie MW (2001) Learning social skills through literature for children and adolescents. *Teaching Exceptional Children* 34: 40–47.
- *Chan JM and O'Reilly MF (2008) A social stories(Tm) intervention package for students with autism in inclusive classroom settings. *Journal of Applied Behavior Analysis* 41: 405–409.
- Church C, Alisanski S and Amanullah S (2000) The social, behavioral and academic experiences of children with Asperger syndrome. *Focus on Autism and Other Developmental Disabilities* 15: 12–20.
- Cook BG and Odom SL (2013) Evidence-based practices and implementation science in special education. *Exceptional Children* 79: 135–144.
- Cook BG, Tankersley M, Cook L, et al. (2008) Evidence-based practices in special education: some practical considerations. *Intervention in School and Clinic* 44: 69–75.
- *Delano M and Snell ME (2006) The effects of social stories on the social engagement of children with autism. *Journal of Positive Behavior Interventions* 8: 29–42.
- *Dugan E, Kamps D, Leonard A, et al. (1995) Effects of cooperative learning groups during social studies for students with autism and fourth-grade peers. *Journal of Applied Behavior Analysis* 28: 175–188.
- Dykstra Steinbrenner JR, Watson LR, Boyd BA, et al. (2015) Developing feasible and effective school-based Interventions for children With ASD: a case study of the iterative development process. *Journal of Early Intervention* 37(1): 23–43.
- *Feldman E and Matos R (2013) Training paraprofessionals to facilitate social interactions between children with autism and their typically developing peers. *Journal of Positive Behavior Interventions* 15: 169–179.
- Forgan J and Gonzales-DeHass A (2004) How to infuse social skills training into literacy. *Teaching Exceptional Children* 36: 24–30.
- Garrote A, Dessemontet R and Moser Opitz E (2017) Facilitating the social participation of pupils with special educational needs in mainstream schools: a review of school-based interventions. *Educational Research Review* 20: 12–23.
- Gilliam JE (1995) *Gilliam Autism Rating Scale*. Austin, TX: Pro-Ed.
- Gresham FM and Elliott SN (1990) *Social Skills Rating System*. Circle Pines, MN: American Guidance Service.
- Gresham FM, Sugai G and Horner RH (2001) Interpreting outcomes of social skills training for students with high-incidence disabilities. *Exceptional Children* 67: 331–344.
- *Hanley-Hochdorfer K, Bray MA, Kehle TJ, et al. (2010) Social stories to increase verbal initiation in children with autism and Asperger's disorder. *School Psychology Review* 39: 484–492.
- Humphrey N and Lewis S (2008) What does "inclusion" mean for pupils on the autistic spectrum in mainstream secondary schools? *Journal of Research in Special Educational Needs* 8: 132–140.
- Joseph RM, Tager-Flusberg H and Lord C (2002) Cognitive profiles and social-communicative functioning in children with autism spectrum disorder. *Journal of Child Psychology and Psychiatry* 43: 807–821.
- *Kamps D, Barbetta P, Leonard B, et al. (1994) Classwide peer tutoring: an integration strategy to improve reading skills

- and promote peer interactions among students with autism and general education peers. *Journal of Applied Behavior Analysis* 27: 49–61.
- *Kamps D, Potucek J, Lopez A, et al. (1997) The use of peer networks across multiple settings to improve social interaction for students with autism. *Journal of Behavioral Education* 7: 335–357.
- Kasari C and Smith T (2013) Interventions in schools for children with autism spectrum disorder: methods and recommendations. *Autism* 17: 254–267.
- *Kim S, Koegel RL and Koegel LK (2016) Training paraprofessionals to target socialization in students with ASD. *Journal of Positive Behavior Interventions* 19: 102–114.
- Koegel L, Koegel R, Frea WAC, et al. (2001) Identifying early intervention targets for children with autism in inclusive school settings. *Behavior Modification* 25: 745–761.
- *Koegel L, Vernon TW, Koegel RL, et al. (2012) Improving social engagement and initiations between children with autism spectrum disorder and their peers in inclusive settings. *Journal of Positive Behavior Interventions* 14: 220–227.
- Koegel RL, Kim S and Koegel LK (2014) Training paraprofessionals to improve socialization in students with ASD. *Journal of Autism and Developmental Disorders* 44: 2197–2208.
- Lang R, Kuriakose S, Lyons G, et al. (2011) Use of school recess time in the education and treatment of children with autism spectrum disorders: A systematic review. *Research in Autism Spectrum Disorders* 5(4): 1296–1305.
- *Laushey KM, Heflin LJ, Shippen M, et al. (2009) Concept mastery routines to teach social skills to elementary children with high functioning autism. *Journal of Autism and Developmental Disorders* 39: 1435–1448.
- Law M, Stewart D, Pollock N, et al. (1998) *Guidelines for Critical Review Form: Quantitative Studies*. Hamilton, ON, Canada: McMaster University Occupational Therapy Evidence-Based Practice Research Group.
- *Licciardello CC, Harchik AE and Luiselli JK (2008) Social skills intervention for children with autism during interactive play at a public elementary school. *Education & Treatment of Children* 31: 27–37.
- Lloyd MH, Kolodziej NJ and Brashears KM (2016) Classroom discourse: an essential component in building a classroom community. *School Community* 26: 291–304.
- Locke J, Olsen A, Wideman R, et al. (2015) A tangled web: the challenges of implementing an evidence-based social engagement intervention for children with autism in urban public school settings. *Behavior Therapy* 46(1): 54–67.
- Lofland K (2016) The use of technology in the treatment of autism. In: Cardon TA (ed.) *Technology and the treatment of children with Autism Spectrum Disorder*. New York, NY: Springer, pp. 27–35.
- Tunali-Kotoski B (2005) The school-age child with an autistic spectrum disorder. In: Volkmar FR, Paul R, Klin A, et al. (eds) *Handbook of Autism and Pervasive Developmental Disorders*. Hoboken, NJ: John Wiley & Sons, pp. 247–287.
- McConnell S (2002) Interventions to facilitate social interaction for young children with autism: review of available research and recommendations for educational intervention and future research. *Journal of Autism and Developmental Disorders* 32: 351–372.
- Marans WD, Rubin E and Laurent A (2005) Addressing social communication skills in individuals with high-functioning autism and Asperger syndrome: critical priorities in educational programming. In: Volkmar FR, Paul R, Klin A, et al. (eds) *Handbook of Autism and Pervasive Developmental Disorders*. Hoboken, NJ: John Wiley & Sons, pp. 977–1002.
- *Mason R, Kamps D, Turcotte A, et al. (2014) Peer mediation to increase communication and interaction at recess for students with autism spectrum disorders. *Research in Autism Spectrum Disorders* 8: 334–344.
- Moher D, Liberati A, Tetzlaff J, et al. (2009) Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *Annals of Internal Medicine* 151: 264–269.
- Murdock L, Cost H and Tieso C (2007) Measurement of social communication skills of children with autism spectrum disorders during interactions with typical peers. *Focus on Autism and Other Developmental Disabilities* 22: 160–172.
- Newman B and Eyck PT (2005) Self-management of initiations by students diagnosed with autism. *The Analysis of Verbal Behavior* 21: 117–122.
- *Norris C and Dattilo J (1999) Evaluating effects of a social story intervention on a young girl with autism. *Focus on Autism and Other Developmental Disabilities* 14: 180–186.
- *Owen-DeSchryver JS, Carr EG, Cale SI, et al. (2008) Promoting social interactions between students with autism spectrum disorders and their peers in inclusive school settings. *Focus on Autism and Other Developmental Disabilities* 23: 15–28.
- Paul R (2003) Promoting social communication in high functioning individuals with autistic spectrum disorders. *Child and Adolescent Psychiatric Clinics* 12: 87–106.
- Paul R, Orlovski S, Marcinko H, et al. (2009) Conversational behaviors in youth with high-functioning ASD and Asperger syndrome. *Journal of Autism and Developmental Disorders* 39: 115–125.
- Sansosti FJ and Powell-Smith KA (2006) Using social stories to improve the social behavior of children with Asperger syndrome. *Journal of Positive Behavior Interventions* 8: 43–57.
- Schoenfeld NA, Rutherford RB, Gable RA, et al. (2008) Engage: a blueprint for incorporating social skills training into daily academic instruction. *Preventing School Failure* 52: 17–28.
- *Shabani DB, Katz RC, Wilder DA, et al. (2002) Increasing social initiations in children with autism: effects of a tactile prompt. *Journal of Applied Behavior Analysis* 35: 79–83.
- Sharma U and Salend SJ (2016) Teaching assistants in inclusive classrooms: a systematic analysis of the international research. *Australian Journal of Teacher Education* 41: 118–134.
- Smith JD (2012) Single-case experimental designs: a systematic review of published research and current standards. *Psychological Methods* 17: 510–550.
- Sparrow SS, Balla DA and Cicchetti DV (1984) *Vineland Adaptive Behavior Scales*. Circle Pines, MN: American Guidance Service.

- *Taylor B and Levin L (1998) Teaching a student with autism to make verbal initiations: effects of a tactile prompt. *Journal of Applied Behavior Analysis* 31: 651–654.
- *Thiemann KS and Goldstein H (2001) Social stories, written text cues, and video feedback: effects on social communication of children with autism. *Journal of Applied Behavior Analysis* 34: 425–446.
- *Thiemann KS and Goldstein H (2004) Effects of peer training and written text cueing on social communication of school-age children with pervasive developmental disorder. *Journal of Speech, Language, and Hearing Research* 47: 126–144.
- Watkins L, Kuhn M, Ledbetter-Cho K, et al. (2015) Evidence-based social communication interventions for children with autism spectrum disorder. *The Indian Journal of Pediatrics* 84: 68–75.
- Wells C, Kolt GS, Marshall P, et al. (2014) The effectiveness of pilates exercise in people with chronic low back pain: a systematic review. *PLoS ONE* 9(7): e100402.
- Westerveld MF, Trembath D, Shellshear L, et al. (2016) A systematic review of the literature on emergent literacy skills of preschool children with autism spectrum disorder. *The Journal of Special Education* 50: 37–48.
- Whalon KJ, Conroy MA, Martinez JR, et al. (2015) School-based peer-related social competence interventions for children with autism spectrum disorder: a meta-analysis and descriptive review of single case research design studies. *Journal of Autism and Developmental Disorders* 45: 1513–1531.