

FACULDADE DE ENGENHARIA DA UNIVERSIDADE DO PORTO



Using cloud databases for Wifi customer configuration data

Rubens Jesus Alves Figueiredo

FINAL REPORT
PREPARAÇÃO DA DISSERTAÇÃO

Mestrado Integrado em Engenharia Eletrotécnica e de Computadores

Supervisor: Ana Cristina Costa Aguiar

June 30, 2017

Contents

1	Introduction	1
1.1	Context	1
1.2	Motivation	2
1.3	Goals	2
2	Literature Review	3
2.1	Wi-Fi	3
2.1.1	Wi-Fi session information	4
2.1.2	Managed Wi-Fi	5
2.2	Cloud Computing	5
2.3	Databases	6
3	Problem Description	7
3.1	Problem Definition	7
3.2	Proposed Solution	7
4	Work Plan	8
4.1	Future Work Plan	8

Introduction

1.1 Context

Public and private access to the internet is a basic necessity in the modern society. In a modern setting, the rising requirements that exist in supporting users with mobile devices and their own computers must be met, in order to provide a stable and secure platform to ensure connectivity across different locations, devices, and more. In this context, managed Wi-Fi networks are defined as a way to deploy networks that are optimized in order to meet the specific requirements of users/ applications.

As we see the proliferation of these systems, due to increasingly demanding environments, the market for managed Wi-Fi systems is planned to reach \$1.7 billion in 2018. This raise in market is related to the distribution of the enterprises, where they are composed of several smaller locations, often lacking specialized IT staff that have strong networking capabilities, or even just the infrastructure is not suitable to installing these complex systems.

The creation of the As-A-Service model comes in consequence of these previous factors. In this specific case, the development of managed Wi-Fi as a system following the Infrastructure-As-A-Service (IAAS) mentality has allowed for the removal of investment in large WLAN infrastructure, related not only to the maintenance, but also the planning, operation, and installation of the service, allowing to transfer the cost to a trusted third-party.

The previous paragraph shows a brief introduction to the motivation that lead to several companies to try to develop and support these sort of services. One of them, and the main proponent of the theme of the dissertation is Berlin Institute for Software Defined Networks - BISDN, and this research integrates a trial system that is being implemented, and we aim to solve one of the problems they faced during the road to productisation.

This document serves as an introduction to the future work to be developed in the dissertation. The organization of this report is as follows: in chapter 2, the state-of-the-art of similar mechanisms and a bibliographic revision is done; in chapter 3, the specific details of the problem are presented, and we start

detailing some aspects that should be featured during the development of this dissertation; then we try to define a possible work plan, by defining a timeline, and approach to the development of the final product.

1.2 Motivation

By analyzing the current market offerings of large scale Wi-Fi solutions, we can see that the most offerings have a non ideal solution to cover the need of constant access to the internet, either by supplying a system that is not well optimized to cover the entire use cases, or by providing a system that isn't scalable, of fixed configuration, and that needs large, specialized IT teams that aren't always available due to several constraints.

The issue of user information, in the scope of these networks, is a sensitive one. The storage and manipulation of this data should be used in the most secure way, to safeguard their privacy, and there should be safeguards in order not to lose the entire data.

In this case, the theme of the future dissertation is proposed, to develop a tool that, in integration with larger systems, can provide a way to solve this problem.

1.3 Goals

During the development of this dissertation, we aim in exploring the possibility of using cloud technologies to store, in a secure and redundant way, customer configuration and session data, to be used while deployed into large scale managed Wi-Fi systems already in testing. Our main goal, should feature an analysis of available cloud database solutions, and choose the better platform to suit our needs. It should also feature an in depth analysis of session information in a Wi-Fi managed network. By combining the two, we aim to propose a solution for a problem in deploying public Wireless LAN, the management of several users.

Literature Review

2.1 Wi-Fi

Wi-Fi is a technology for implementing wireless area networks. In these networks, devices like computers, smartphones, are connected via wireless access points and a WLAN. The first version of the protocol was released in 1997, and since then, it was adopted internationally.

The specifications are set in the IEEE 802.11 standard. This is a set of specifications that complying devices need to meet in order to provide connectivity. Encompassing several standards, each one extending the functionality, and improving the physical layer of the transmission channel. The first widely accepted standard, 802.11b uses the 2.4 GHz band, and supporting up to 14 channels, suffered from the effect of interfering products using this band, such as Bluetooth devices, and microwaves. Published in 2013, 802.11ac is the most current protocol, and this evolution brought the 5 GHz band, and faster transmission speeds. Deployment of these different standards vary in technical requirements and budget constraints.

The common access method from the devices are the wireless access points (WAP). They enable the communication in the network, and is at its best when supporting from 15 to 25 clients, and, while designing the system, the usage of the system should consider the amount of users and devices that access the network. Taking in account these considerations, we can start defining what requirements need to be considered when designing large scale networks, for example in enterprises or school networks, where the need for permanent connection is paramount.

The increasing demand for larger WLAN's everywhere also imposes other, just as important requirements, like security, mobility support, among others. The scaling of the resources brings a necessity that doesn't exist in traditional configurations, because the management is traditionally centralized, and the systems are usually proprietary, bringing several difficulties to the configuration of the systems.

Taking into account these considerations, a solution that could solve these issues needs to be developed. Therefore, by using the recent concepts of **Software Defined Networks** (SDN), and **Network Function Virtualization** (NFV), we can start exploiting the features these paradigms offer us. SDN




Figure 2.1: The ideal openflow switch [?]

is a concept of abstraction of the physical level of networking, that allows for administrators to manage networks programmatically, by creating a virtual controller that enables a centralized configuration and faster evolution of the network, either by allowing a quicker deploy and configuration time, or by developing a faster way to detect errors in the operation of the service.

One proposal to implement this system, on a college campus, is **openflow**, which design we inserted in the previous figure. The necessity of implementing a way to experiment with networks on college campus, for testing of new ideas was big, so they solved this issue by implementing a system that is transparent to vendor software, and can isolate the experimental traffic from production traffic.

The other innovation that, in a way, was possible due to the concept of SDN is NFV [?]. By virtualizing the function of hardware switches, routers, we can guarantee the requirements of the networks are met. One of the larger requirements for this is the logical infrastructure supporting these networks, and developments in cloud computing allowed for bigger and better solutions.

In the next sections we will define requirements to some of the previously mentioned topics, and specific technologies that allow to meet these resources.

2.1.1 Wi-Fi session information

AAA stands for Authentication, Authorization and Accounting, and is one of the primary systems that should be accounted for in the design of large scale WLAN, and they are one of the factors allowing for the support of mobility across networks, and dynamically supporting security. In this system, a client connects to an authenticator, and, according to its decision, the user information is stored in an accounting storage. This accounting manager is what enables the system to provide mobility across systems, since this plane is separated from the AP which the client is associated with. The accounting

service is commonly powered by cloud computing layers, and its aspects are described further in this chapter.

Other type session information vital to these infrastructures is explored in a research done by Allahdadi et al. [?], and they focus their work on analyzing network usage in time scales lower than 5 minutes. By modeling aspects of these connections, they check the amount of users and the amount of time of their sessions, and this was able to give information on the poor network performance associated with these connections. This information is vital to our work since it has insight on what information should be prioritized.

Also to be taken into consideration is information about each user MAC and the respective AP MAC address, duration, bytes transmitted and received, and the number of packets in the session.

2.1.2 Managed Wi-Fi

The big paradigm that allows for the implementation of the above systems in Managed Wi-Fi Networks. Solutions such as Cisco's Meraki, Ubiquiti UniFi are systems that leverage the power of cloud computing, in order to provide in their systems a solution that allow for providing to the system administrators a highly reliable system, often removing problems that enterprises face, that is reduced physical space for the storage of networking hardware, or even the lack of available on-site support teams, in case of necessary troubleshooting.

Requirements for these services are:

- The optimization for wireless coverage, both in aspects of expected usage and facility design;
- Multiple authentication options, needed when the system needs to support different types of traffic, such as guests or customers
- And support the requirements for security, such as WPA key rotation

OpenSDWN [?] is an architecture in deploying a Wi-Fi architecture that meets these requirements. By extending Odin, this system allows for the deployment of systems that feature the above characteristics.

2.2 Cloud Computing

Supporting the integration of SDN Wi-Fi are cloud computing infrastructures, and these will be essential to the performance needed to achieve proper functioning networks. In the scope of the future thesis is to research the possible advantages of the multiple solutions of cloud computing offered like Amazon Web Services or Azure.

For this document, however, we focused on **OpenStack** [?], and how they impact the performance of Virtual Networks. This research is based on the work done here, and they setup the networking component of OpenStack, Neutron, and this allowed for the solution of two problems, the integration of the virtual controllers, and the logic imposed isolation necessary to the segregation of traffic.

2.3 Databases

From the analysis of the requirements of the previous sections, the database design is a requirement to support all of these systems, and the choice of this system is core to the correct performance of the system. We then need to find the amount of data that is generated and collected from the underlying system, and also choose what database system has the best possible performance that suits our needs.

The most common databases are **Structure Query Language (SQL)** databases, and PostgreSQL or MySQL are the most common used languages in the relational database world, and the widespread use of these databases provides a large amount of content of research. The recent surge of popularity, backed in part by Amazon or Google, of **NoSQL** languages, used mostly in bigdata applications, must also be considered in the scope of our research. One of the steps of our work is to analyze the different performance of several databases in the different operations that can be done, writing, reading, searching, among others. Research on this topic was done by Yishan Li and Sathiamoorthy Manoharan [?], which tested the performance of different databases, and this analysis showed that different performances were obtained, so, the choice of database must be done by analyzing the data, and finding a balance to our system.

The first step, during the development of our work, should then be the analysis of the session information, introduced previously in this chapter, and also the creation of a structured model that best fits our findings.

Problem Description

3.1 Problem Definition

The previous chapter in finding the existing work done in the field of managed Wi-Fi systems serves as an introduction for this chapter. Following a proposition from BISDN, a Berlin based company that deal with Software Defined Networks, the proposed problem is the implementation of a cloud database solution to save customers session data in a safe and redundant way.

In the initial stage of the solution for this problem, the research on the state-of-the-art consisted in the definition of the requirements of managed networks, and researching the various possible technologies to better get a sense of the scope of the work. We define then the basic requirements that need to be met, and along with the previously noted requirements, the establishment of a stable connection, a secure system, to ensure users privacy and a redundant storage of information.

3.2 Proposed Solution

The proposed solution is a feature that is capable of meeting the above presented requirements, and correctly integrate the already existing system done by the company. The specific technologies to be used are to be continually researched, and to be further explored when starting the work on the thesis.

Work Plan

4.1 Future Work Plan

- Sept 5-30: Analysis of session information in WiFi managed network (a mix of AAA and WiFi data).
- Oct. 1-31: Understanding OpenStack swift as well as other (public) cloud database interfaces. Creation of a structure of customer data.
- Nov. 1-30: Implementation of a redundant customer data storage
- Dec. 1- Jan 20: Performance evaluation, documentation of results.

References

- [1] Julius Schulz-Zander, Carlos Mayer, Bogdan Ciobotaru, Stefan Schmid, and Anja Feldmann. OpenSDWN: programmatic control over home and enterprise WiFi. pages 1–12. ACM Press, 2015.
- [2] Anisa Allahdadi, Ricardo Morla, Ana Aguiar, and Jaime S. Cardoso. Predicting short 802.11 sessions from radius usage data. In *Local Computer Networks Workshops (LCN Workshops), 2013 IEEE 38th Conference on*, pages 1–8. IEEE, 2013.
- [3] Lalith Suresh, Julius Schulz-Zander, Ruben Merz, Anja Feldmann, and Teresa Vazao. Towards programmable enterprise WLANS with Odin. In *Proceedings of the first workshop on Hot topics in software defined networks*, pages 115–120. ACM, 2012.
- [4] Vladimir Mateljan, D. Cisic, and D. Ogrizovic. Cloud database-as-a-service (DaaS)-ROI. In *MIPRO, 2010 proceedings of the 33rd International convention*, pages 1185–1188. IEEE, 2010.
- [5] Nick McKeown, Tom Anderson, Hari Balakrishnan, Guru Parulkar, Larry Peterson, Jennifer Rexford, Scott Shenker, and Jonathan Turner. OpenFlow: enabling innovation in campus networks. *ACM SIGCOMM Computer Communication Review*, 38(2):69–74, 2008.
- [6] Yishan Li and Sathiamoorthy Manoharan. A performance comparison of SQL and NoSQL databases. In *Communications, computers and signal processing (PACRIM), 2013 IEEE pacific rim conference on*, pages 15–19. IEEE, 2013.
- [7] MegaPath. CHOOSING THE RIGHT MANAGED WIFI SOLUTION.
- [8] Franco Callegati, Walter Cerroni, Chiara Contoli, and Giuliano Santandrea. Performance of multi-tenant virtual networks in openstack-based cloud infrastructures. In *Globecom Workshops (GC Wkshps), 2014*, pages 81–85. IEEE, 2014.