

## Allergic Reactions



Name:	MILD TO MODERATE ALLERGIC REACTION
Date of birth:	<ul> <li>swelling of lips, face, eyes</li> <li>hives or welts</li> <li>tingling mouth</li> <li>abdominal pain, vomiting (these are signs of a severe allergic reaction to insects)</li> </ul>
Allergens to be avoided:	ACTION
	for insect allergy, flick out sting if it can be seen (but do not remove ticks)     stay with person and call for help     give medications (if prescribed)     contact family/carer
	Watch for any one of the following signs of Anaphylaxis
Family/carer name(s):	ANAPHYLAXIS (SEVERE ALLERGIC REACTION)
Work Ph: Home Ph: Mobile Ph: Plan prepared by: Dr Signed	<ul> <li>difficult/noisy breathing</li> <li>swelling of tongue</li> <li>swelling/tightness in throat</li> <li>difficulty talking and/or hoarse voice</li> <li>wheeze or persistent cough</li> <li>loss of consciousness and/or collapse</li> <li>pale and floppy (young children)</li> </ul>
Date	ACTION
Note: The ASCIA Action Plan for Allergic Reactions is for people with mild to moderate allergies, who need to avoid certain allergens. For people with severe allergies (and at risk of anaphylaxis) there are ASCIA Action Plans for Anaphylaxis, which include adrenaline autoiniector instructions.	<ul> <li>1 Call Ambulance if there are any signs of anaphylaxis - telephone 000 (Aus) or 111 (NZ)</li> <li>2 Lay person flat and elevate legs. If breathing is difficult, allow to sit but do not stand</li> <li>3 Contact family/carer</li> </ul>
Strong a description of the control of the co	

Additional information

© ASCIA 2009. This plan was developed by ASCIA