

Cucumber Report

Jan 27, 2022, 9:07:59 PM

Start : Jan 27, 9:05:26.645 PM

End : Jan 27, 9:07:52.683 PM

Duration : 2 m 26.038 s

Features






PASSED - 3
FAILED - 11
SKIPPED - 0


Scenarios

PASSED - 131
FAILED - 27
SKIPPED - 0


Steps

PASSED - 740
FAILED - 27
SKIPPED - 55







| # | Feature Name | T | P | F | S | Duration |
|----|--|----------|----------|----------|----------|-----------------|
| 1 | <u>Check the Authorization for LMS API</u> | 16 | 16 | 0 | 0 | 1 m 13.970 s |
| 2 | <u>To check The DELETE method for Skills</u> | 5 | 4 | 1 | 0 | 4.816 s |
| 3 | <u>To check The GET method for Skills</u> | 7 | 4 | 3 | 0 | 8.999 s |
| 4 | <u>To check The POST method for Skills</u> | 10 | 8 | 2 | 0 | 9.325 s |
| 5 | <u>To check The PUT method for Skills</u> | 11 | 8 | 3 | 0 | 6.584 s |
| 6 | <u>Delete user skills details</u> | 5 | 4 | 1 | 0 | 4.759 s |
| 7 | <u>To check The GET method for UserSkills</u> | 7 | 5 | 2 | 0 | 6.300 s |
| 8 | <u>To check The POST method for UserSkills</u> | 9 | 9 | 0 | 0 | 10.160 s |
| 9 | <u>To check The PUT method for UserSkills</u> | 6 | 5 | 1 | 0 | 7.243 s |
| 10 | <u>To check The GET method for UserSkillsMap API</u> | 9 | 9 | 0 | 0 | 1.897 s |




| # | Feature Name | T | P | F | S | Duration |
|----|---|----|----|---|---|----------|
| 11 | <u>Delete Users details</u> | 5 | 3 | 2 | 0 | 2.045 s |
| 12 | <u>To check The GET method for Users</u> | 7 | 4 | 3 | 0 | 5.196 s |
| 13 | <u>To check The POST method for Users</u> | 35 | 29 | 6 | 0 | 36.245 s |
| 14 | <u>To check The PUT method for Users</u> | 26 | 23 | 3 | 0 | 28.356 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|---|---|---|---|----------|
| 1 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 6.317 s |
| 2 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.732 s |
| 3 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.567 s |
| 4 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.659 s |
| 5 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.274 s |
| 6 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.249 s |
| 7 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.158 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 8 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.167 s |
| 9 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.135 s |
| 10 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.261 s |
| 11 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.152 s |
| 12 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.237 s |
| 13 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.367 s |
| 14 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.370 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 15 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.445 s |
| 16 | <u>Check the Authorization for LMS API</u> | <u>Check the Authorization with with different set of username & password</u> | 3 | 3 | 0 | 0 | 0.486 s |
| 17 | <u>To check The DELETE method for Skills</u> | <u>Validate DELETE Skills when user logged with UserName with Password</u> | 4 | 4 | 0 | 0 | 1.461 s |
| 18 | <u>To check The DELETE method for Skills</u> | <u>Validate DELETE Skills when user logged with UserName with Password</u> | 4 | 4 | 0 | 0 | 0.854 s |
| 19 | <u>To check The DELETE method for Skills</u> | <u>Validate DELETE Skills when user logged with UserName with Password</u> | 4 | 4 | 0 | 0 | 0.990 s |
| 20 | <u>To check The DELETE method for Skills</u> | <u>Validate DELETE Skills when user logged with UserName with Password</u> | 4 | 4 | 0 | 0 | 0.562 s |
| 21 | <u>To check The DELETE method for Skills</u> | <u>Validate DELETE Skills when user logged with UserName with Password</u> | 4 | 2 | 1 | 1 | 0.519 s |
| 22 | <u>To check The GET method for Skills</u> | <u>Verify GET all Skills for Skill Master</u> | 4 | 1 | 1 | 2 | 0.070 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 23 | <u>To check The GET method for Skills</u> | <u>Validate Skills Api with specific ID</u> | 6 | 5 | 1 | 0 | 2.733 s |
| 24 | <u>To check The GET method for Skills</u> | <u>Validate Skills Api with specific ID</u> | 6 | 6 | 0 | 0 | 1.142 s |
| 25 | <u>To check The GET method for Skills</u> | <u>Validate Skills Api with specific ID</u> | 6 | 6 | 0 | 0 | 1.558 s |
| 26 | <u>To check The GET method for Skills</u> | <u>Validate Skills Api with specific ID</u> | 6 | 6 | 0 | 0 | 1.333 s |
| 27 | <u>To check The GET method for Skills</u> | <u>Validate Skills Api with specific ID</u> | 6 | 6 | 0 | 0 | 1.315 s |
| 28 | <u>To check The GET method for Skills</u> | <u>Validate Skills Api with specific ID</u> | 6 | 2 | 1 | 3 | 0.404 s |
| 29 | <u>To check The POST method for Skills</u> | <u>Verify POST for a Skill when user logged with UserName with Password</u> | 6 | 6 | 0 | 0 | 2.264 s |
| 30 | <u>To check The POST method for Skills</u> | <u>Verify POST for a Skill when user logged with UserName with Password</u> | 6 | 6 | 0 | 0 | 0.507 s |
| 31 | <u>To check The POST method for Skills</u> | <u>Verify POST for a Skill when user logged with UserName with Password</u> | 6 | 6 | 0 | 0 | 0.650 s |
| 32 | <u>To check The POST method for Skills</u> | <u>Verify POST for a Skill when user logged with UserName with Password</u> | 6 | 6 | 0 | 0 | 0.886 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 33 | <u>To check The POST method for Skills</u> | <u>Verify POST for a Skill when user logged with UserName with Password</u> | 6 | 6 | 0 | 0 | 0.808 s |
| 34 | <u>To check The POST method for Skills</u> | <u>Verify POST for a Skill when user logged with UserName with Password</u> | 6 | 6 | 0 | 0 | 0.793 s |
| 35 | <u>To check The POST method for Skills</u> | <u>Verify POST for a Skill when user logged with UserName with Password</u> | 6 | 6 | 0 | 0 | 1.635 s |
| 36 | <u>To check The POST method for Skills</u> | <u>Verify POST for a Skill when user logged with UserName with Password</u> | 6 | 2 | 1 | 3 | 0.523 s |
| 37 | <u>To check The POST method for Skills</u> | <u>Verify POST for a Skill when user logged with UserName with Password</u> | 5 | 1 | 1 | 3 | 0.169 s |
| 38 | <u>To check The POST method for Skills</u> | <u>Verify if POST fails for improper format when user logged with UserName with Password</u> | 4 | 4 | 0 | 0 | 0.317 s |
| 39 | <u>To check The PUT method for Skills</u> | <u>Verify PUT for a Skill when user logged with UserName with Password</u> | 5 | 5 | 0 | 0 | 1.250 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 40 | <u>To check The PUT method for Skills</u> | <u>Verify PUT for a Skill when user logged with UserName with Password</u> | 5 | 5 | 0 | 0 | 0.477 s |
| 41 | <u>To check The PUT method for Skills</u> | <u>Verify PUT for a Skill when user logged with UserName with Password</u> | 5 | 5 | 0 | 0 | 0.423 s |
| 42 | <u>To check The PUT method for Skills</u> | <u>Verify PUT for a Skill when user logged with UserName with Password</u> | 5 | 5 | 0 | 0 | 0.481 s |
| 43 | <u>To check The PUT method for Skills</u> | <u>Verify PUT for a Skill when user logged with UserName with Password</u> | 5 | 2 | 1 | 2 | 0.453 s |
| 44 | <u>To check The PUT method for Skills</u> | <u>Verify PUT for a Skill when user logged with UserName with Password</u> | 5 | 5 | 0 | 0 | 0.632 s |
| 45 | <u>To check The PUT method for Skills</u> | <u>Verify PUT for a Skill when user logged with UserName with Password</u> | 5 | 5 | 0 | 0 | 0.617 s |
| 46 | <u>To check The PUT method for Skills</u> | <u>Verify PUT for a Skill when user logged with UserName with Password</u> | 5 | 2 | 1 | 2 | 0.500 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|----------|----------|----------|----------|-----------------|
| 47 | <u>To check The PUT method for Skills</u> | <u>Verify PUT for a Skill when user logged with UserName with Password</u> | 5 | 2 | 1 | 2 | 0.316 s |
| 48 | <u>To check The PUT method for Skills</u> | <u>Verify PUT for a Skill when user logged with UserName with Password</u> | 4 | 4 | 0 | 0 | 0.341 s |
| 49 | <u>To check The PUT method for Skills</u> | <u>Verify PUT fails for a Skill with improper format when user logged with UserName with Password</u> | 5 | 5 | 0 | 0 | 0.309 s |
| 50 | <u>Delete user skills details</u> | <u>Validate the delete method for UserSkills</u> | 4 | 4 | 0 | 0 | 0.941 s |
| 51 | <u>Delete user skills details</u> | <u>Validate the delete method for UserSkills</u> | 4 | 4 | 0 | 0 | 0.888 s |
| 52 | <u>Delete user skills details</u> | <u>Validate the delete method for UserSkills</u> | 4 | 4 | 0 | 0 | 0.939 s |
| 53 | <u>Delete user skills details</u> | <u>Validate the delete method for UserSkills</u> | 4 | 4 | 0 | 0 | 1.566 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 54 | <u>Delete user skills details</u> | <u>Validate the delete method for UserSkills</u> | 4 | 2 | 1 | 1 | 0.275 s |
| 55 | <u>To check The GET method for UserSkills</u> | <u>Validate GET all UserSkills</u> | 5 | 3 | 1 | 1 | 0.158 s |
| 56 | <u>To check The GET method for UserSkills</u> | <u>Validate UserSkills Api with specific ID</u> | 5 | 5 | 0 | 0 | 1.380 s |
| 57 | <u>To check The GET method for UserSkills</u> | <u>Validate UserSkills Api with specific ID</u> | 5 | 5 | 0 | 0 | 0.818 s |
| 58 | <u>To check The GET method for UserSkills</u> | <u>Validate UserSkills Api with specific ID</u> | 5 | 5 | 0 | 0 | 0.927 s |
| 59 | <u>To check The GET method for UserSkills</u> | <u>Validate UserSkills Api with specific ID</u> | 5 | 5 | 0 | 0 | 1.304 s |
| 60 | <u>To check The GET method for UserSkills</u> | <u>Validate UserSkills Api with specific ID</u> | 5 | 5 | 0 | 0 | 1.148 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|----------|----------|----------|----------|-----------------|
| 61 | <u>To check The GET method for UserSkills</u> | Validate UserSkills Api with specific ID | 5 | 2 | 1 | 2 | 0.236 s |
| 62 | <u>To check The POST method for UserSkills</u> | Validate POST all UserSkills | 6 | 6 | 0 | 0 | 1.826 s |
| 63 | <u>To check The POST method for UserSkills</u> | Validate POST all UserSkills | 6 | 6 | 0 | 0 | 1.022 s |
| 64 | <u>To check The POST method for UserSkills</u> | Validate POST all UserSkills | 6 | 6 | 0 | 0 | 1.074 s |
| 65 | <u>To check The POST method for UserSkills</u> | Validate POST all UserSkills | 6 | 6 | 0 | 0 | 1.015 s |
| 66 | <u>To check The POST method for UserSkills</u> | Validate POST all UserSkills | 6 | 6 | 0 | 0 | 0.895 s |
| 67 | <u>To check The POST method for UserSkills</u> | Validate POST all UserSkills | 6 | 6 | 0 | 0 | 0.868 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 68 | <u>To check The POST method for UserSkills</u> | <u>Validate POST all UserSkills</u> | 6 | 6 | 0 | 0 | 1.088 s |
| 69 | <u>To check The POST method for UserSkills</u> | <u>Validate POST all UserSkills</u> | 6 | 6 | 0 | 0 | 0.805 s |
| 70 | <u>To check The POST method for UserSkills</u> | <u>Validate POST all UserSkills</u> | 6 | 6 | 0 | 0 | 1.254 s |
| 71 | <u>To check The PUT method for UserSkills</u> | <u>Validate PUT method for UserSkills</u> | 6 | 6 | 0 | 0 | 1.091 s |
| 72 | <u>To check The PUT method for UserSkills</u> | <u>Validate PUT method for UserSkills</u> | 6 | 6 | 0 | 0 | 1.076 s |
| 73 | <u>To check The PUT method for UserSkills</u> | <u>Validate PUT method for UserSkills</u> | 6 | 6 | 0 | 0 | 0.940 s |
| 74 | <u>To check The PUT method for UserSkills</u> | <u>Validate PUT method for UserSkills</u> | 6 | 6 | 0 | 0 | 1.305 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 75 | <u>To check The PUT method for UserSkills</u> | <u>Validate PUT method for UserSkills</u> | 6 | 6 | 0 | 0 | 0.853 s |
| 76 | <u>To check The PUT method for UserSkills</u> | <u>Validate creation time & modification time for PUT method for UserSkills</u> | 6 | 5 | 1 | 0 | 1.797 s |
| 77 | <u>To check The GET method for UserSkillsMap API</u> | <u>Validate GET all User-to-skill mappings</u> | 4 | 4 | 0 | 0 | 0.159 s |
| 78 | <u>To check The GET method for UserSkillsMap API</u> | <u>Validate GET one particular User-to-skill mappings with specific user ID</u> | 4 | 4 | 0 | 0 | 0.246 s |
| 79 | <u>To check The GET method for UserSkillsMap API</u> | <u>Validate GET one particular User-to-skill mappings with specific user ID</u> | 4 | 4 | 0 | 0 | 0.205 s |
| 80 | <u>To check The GET method for UserSkillsMap API</u> | <u>Validate GET one particular User-to-skill mappings with specific user ID</u> | 4 | 4 | 0 | 0 | 0.143 s |
| 81 | <u>To check The GET method for UserSkillsMap API</u> | <u>Validate GET one particular User-to-skill mappings with specific user ID</u> | 4 | 4 | 0 | 0 | 0.127 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 82 | <u>To check The GET method for UserSkillsMap API</u> | <u>Validate GET one particular Skill-to-users mappings with specific skill ID</u> | 4 | 4 | 0 | 0 | 0.163 s |
| 83 | <u>To check The GET method for UserSkillsMap API</u> | <u>Validate GET one particular Skill-to-users mappings with specific skill ID</u> | 4 | 4 | 0 | 0 | 0.193 s |
| 84 | <u>To check The GET method for UserSkillsMap API</u> | <u>Validate GET one particular Skill-to-users mappings with specific skill ID</u> | 4 | 4 | 0 | 0 | 0.134 s |
| 85 | <u>To check The GET method for UserSkillsMap API</u> | <u>Validate GET one particular Skill-to-users mappings with specific skill ID</u> | 4 | 4 | 0 | 0 | 0.154 s |
| 86 | <u>Delete Users details</u> | <u>Validate the delete method for Users</u> | 3 | 2 | 1 | 0 | 0.376 s |
| 87 | <u>Delete Users details</u> | <u>Validate the delete method for Users</u> | 3 | 3 | 0 | 0 | 0.355 s |
| 88 | <u>Delete Users details</u> | <u>Validate the delete method for Users</u> | 3 | 3 | 0 | 0 | 0.393 s |
| 89 | <u>Delete Users details</u> | <u>Validate the delete method for Users</u> | 3 | 3 | 0 | 0 | 0.341 s |
| 90 | <u>Delete Users details</u> | <u>Validate the delete method for Users</u> | 3 | 2 | 1 | 0 | 0.309 s |
| 91 | <u>To check The GET method for Users</u> | <u>Validate GET all Users</u> | 5 | 3 | 1 | 1 | 0.030 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---|--|---|---|---|---|----------|
| 92 | <u>To check The GET method for Users</u> | <u>Validate Users Api with specific ID</u> | 6 | 3 | 1 | 2 | 0.357 s |
| 93 | <u>To check The GET method for Users</u> | <u>Validate Users Api with specific ID</u> | 6 | 6 | 0 | 0 | 1.291 s |
| 94 | <u>To check The GET method for Users</u> | <u>Validate Users Api with specific ID</u> | 6 | 6 | 0 | 0 | 1.115 s |
| 95 | <u>To check The GET method for Users</u> | <u>Validate Users Api with specific ID</u> | 6 | 6 | 0 | 0 | 0.927 s |
| 96 | <u>To check The GET method for Users</u> | <u>Validate Users Api with specific ID</u> | 6 | 6 | 0 | 0 | 0.915 s |
| 97 | <u>To check The GET method for Users</u> | <u>Validate Users Api with specific ID</u> | 6 | 2 | 1 | 3 | 0.321 s |
| 98 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.297 s |
| 99 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.963 s |
| 10-0 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.166 s |
| 10-1 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.562 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---|----------------------------|---|---|---|---|----------|
| 10-2 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.152 s |
| 10-3 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.025 s |
| 10-4 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.976 s |
| 10-5 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.805 s |
| 10-6 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.944 s |
| 10-7 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.168 s |
| 10-8 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 2 | 1 | 3 | 0.277 s |
| 10-9 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 2 | 1 | 3 | 0.276 s |
| 11-0 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.928 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|---|----------------------------|----------|----------|----------|----------|-----------------|
| 11-1 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.906 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---|----------------------------|---|---|---|---|----------|
| 11-2 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.903 s |
| 11-3 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.961 s |
| 11-4 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.609 s |
| 11-5 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.987 s |
| 11-6 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 2 | 1 | 3 | 0.222 s |
| 11-7 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.756 s |
| 11-8 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.906 s |
| 11-9 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.774 s |
| 12-0 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.986 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|---|----------------------------|----------|----------|----------|----------|-----------------|
| 12-1 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.340 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---|----------------------------|---|---|---|---|----------|
| 12-2 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 2 | 1 | 3 | 0.540 s |
| 12-3 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 2 | 1 | 3 | 0.475 s |
| 12-4 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 2 | 1 | 3 | 0.517 s |
| 12-5 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.248 s |
| 12-6 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.640 s |
| 12-7 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.354 s |
| 12-8 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.067 s |
| 12-9 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.289 s |
| 13-0 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 1.057 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|---|----------------------------|----------|----------|----------|----------|-----------------|
| 13-1 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.916 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---|--------------------------------------|---|---|---|---|----------|
| 13-2 | <u>To check The POST method for Users</u> | <u>Validate POST Users</u> | 6 | 6 | 0 | 0 | 0.720 s |
| 13-3 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.075 s |
| 13-4 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 0.949 s |
| 13-5 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.011 s |
| 13-6 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.569 s |
| 13-7 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 0.901 s |
| 13-8 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.176 s |
| 13-9 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.138 s |
| 14-0 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.265 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|--|--------------------------------------|----------|----------|----------|----------|-----------------|
| 14-1 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 2.025 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--------------------------------------|---|---|---|---|----------|
| 14-2 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.229 s |
| 14-3 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.250 s |
| 14-4 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 0.900 s |
| 14-5 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.103 s |
| 14-6 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.039 s |
| 14-7 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 0.926 s |
| 14-8 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 0.907 s |
| 14-9 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 2 | 1 | 3 | 0.342 s |
| 15-0 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 0.865 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|--|--------------------------------------|----------|----------|----------|----------|-----------------|
| 15-1 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 0.978 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--------------------------------------|----------|----------|----------|----------|-----------------|
| 15-2 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 0.843 s |
| 15-3 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.068 s |
| 15-4 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 0.999 s |
| 15-5 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.026 s |
| 15-6 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 2 | 1 | 3 | 0.335 s |
| 15-7 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 6 | 0 | 0 | 1.853 s |
| 15-8 | <u>To check The PUT method for Users</u> | <u>Validate PUT method for Users</u> | 6 | 2 | 1 | 3 | 0.671 s |

(F)- Check the Authorization for LMS API




(S)- Check the Authorization with with different set of username & password



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User with username & password from "Skills_Authorization" and 0 is on Endpoint: url/Skills | PASSED | 3.589 s |
| 2 | When skills User sends GET request | PASSED | 2.129 s |
| 3 | Then Skills User Checks for StatusCode StatusCode and StatusMessage from "Skills_Authorization" sheet and 0 row | PASSED | 0.441 s |


(S)- Check the Authorization with with different set of username & password



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User with username & password from "Skills_Authorization" and 1 is on Endpoint: url/Skills | PASSED | 0.405 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 2 | When skills User sends GET request | PASSED | 0.043 s |
| 3 | Then Skills User Checks for StatusCode StatusCode and StatusMessage from "Skills_Authorization" sheet and 1 row | PASSED | 0.268 s |

(S)- Check the Authorization with with different set of username & password




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User with username & password from "Skills_Authorization" and 2 is on Endpoint: url/Skills | PASSED | 0.288 s |
| 2 | When skills User sends GET request | PASSED | 0.058 s |
| 3 | Then Skills User Checks for StatusCode StatusCode and StatusMessage from "Skills_Authorization" sheet and 2 row | PASSED | 0.216 s |

(S)- Check the Authorization with with different set of username & password




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User with username & password from "Skills_Authorization" and 3 is on Endpoint: url/Skills | PASSED | 0.297 s |
| 2 | When skills User sends GET request | PASSED | 0.132 s |
| 3 | Then Skills User Checks for StatusCode StatusCode and StatusMessage from "Skills_Authorization" sheet and 3 row | PASSED | 0.227 s |

(S)- Check the Authorization with with different set of username & password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkill User with username & password from "UserSkills_Authorization" and 0 is on Endpoint: url/UserSkills | PASSED | 0.151 s |
| 2 | When userSkills User sends GET request | PASSED | 0.043 s |
| 3 | Then userSkills User Checks for StatusCode StatusMessage from "UserSkills_Authorization" sheet and 0 row | PASSED | 0.078 s |

(S)- Check the Authorization with with different set of username & password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkill User with username & password from "UserSkills_Authorization" and 1 is on Endpoint: url/UserSkills | PASSED | 0.102 s |
| 2 | When userSkills User sends GET request | PASSED | 0.043 s |
| 3 | Then userSkills User Checks for StatusCode StatusMessage from "UserSkills_Authorization" sheet and 1 row | PASSED | 0.102 s |

(S)- Check the Authorization with with different set of username & password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkill User with username & password from "UserSkills_Authorization" and 2 is on Endpoint: url/UserSkills | PASSED | 0.083 s |
| 2 | When userSkills User sends GET request | PASSED | 0.014 s |
| 3 | Then userSkills User Checks for StatusCode StatusMessage from "UserSkills_Authorization" sheet and 2 row | PASSED | 0.059 s |

(S)- Check the Authorization with with different set of username & password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkill User with username & password from "UserSkills_Authorization" and 3 is on Endpoint: url/UserSkills | PASSED | 0.075 s |
| 2 | When userSkills User sends GET request | PASSED | 0.027 s |
| 3 | Then userSkills User Checks for StatusCode StatusMessage from "UserSkills_Authorization" sheet and 3 row | PASSED | 0.063 s |

(S)- Check the Authorization with with different set of username & password

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| PASSED | DURATION - 0.135 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 9:06:35.808 PM // 9:06:35.943 PM / | | | | |
| Check the Authorization for LMS API | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UserSkillsMap User with username & password from "UserSkillsMap_Authorization" and 0 is on Endpoint: url/UserSkillsMap" | PASSED | 0.074 s |
| 2 | When UserSkillsMap User sends GET request | PASSED | 0.016 s |
| 3 | Then UserSkillsMap User Checks for StatusCode StatusCode and StatusMessage from "UserSkillsMap_Authorization" sheet and 0 row | PASSED | 0.044 s |

(S)- Check the Authorization with with different set of username & password

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| PASSED | DURATION - 0.261 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 9:06:35.986 PM // 9:06:36.247 PM / | | | | |
| Check the Authorization for LMS API | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UserSkillsMap User with username & password from "UserSkillsMap_Authorization" and 1 is on Endpoint: url/UserSkillsMap" | PASSED | 0.150 s |
| 2 | When UserSkillsMap User sends GET request | PASSED | 0.065 s |
| 3 | Then UserSkillsMap User Checks for StatusCode StatusCode and StatusMessage from "UserSkillsMap_Authorization" sheet and 1 row | PASSED | 0.045 s |

(S)- Check the Authorization with with different set of username & password

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| PASSED | DURATION - 0.152 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 9:06:36.280 PM // 9:06:36.432 PM / | | | | |
| Check the Authorization for LMS API | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UserSkillsMap User with username & password from "UserSkillsMap_Authorization" and 2 is on Endpoint: url/UserSkillsMap" | PASSED | 0.054 s |
| 2 | When UserSkillsMap User sends GET request | PASSED | 0.021 s |
| 3 | Then UserSkillsMap User Checks for StatusCode StatusCode and StatusMessage from "UserSkillsMap_Authorization" sheet and 2 row | PASSED | 0.075 s |

(S)- Check the Authorization with with different set of username & password

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| PASSED | DURATION - 0.237 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 9:06:36.468 PM // 9:06:36.705 PM / | | | | |
| Check the Authorization for LMS API | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UserSkillsMap User with username & password from "UserSkillsMap_Authorization" and 3 is on Endpoint: url/UserSkillsMap" | PASSED | 0.082 s |
| 2 | When UserSkillsMap User sends GET request | PASSED | 0.103 s |
| 3 | Then UserSkillsMap User Checks for StatusCode StatusCode and StatusMessage from "UserSkillsMap_Authorization" sheet and 3 row | PASSED | 0.051 s |

(S)- Check the Authorization with with different set of username & password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users username & password from "Users_Authorization" and 0 | PASSED | 0.201 s |
| 2 | When UsersAPI User sends GET request | PASSED | 0.021 s |
| 3 | Then UsersAPI User Checks for StatusCode StatusMessage from "Users_Authorization" sheet and 0 row | PASSED | 0.144 s |

(S)- Check the Authorization with with different set of username & password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users username & password from "Users_Authorization" and 1 | PASSED | 0.171 s |
| 2 | When UsersAPI User sends GET request | PASSED | 0.045 s |
| 3 | Then UsersAPI User Checks for StatusCode StatusMessage from "Users_Authorization" sheet and 1 row | PASSED | 0.151 s |

(S)- Check the Authorization with with different set of username & password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users username & password from "Users_Authorization" and 2 | PASSED | 0.220 s |
| 2 | When UsersAPI User sends GET request | PASSED | 0.016 s |
| 3 | Then UsersAPI User Checks for StatusCode StatusMessage from "Users_Authorization" sheet and 2 row | PASSED | 0.208 s |

(S)- Check the Authorization with with different set of username & password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users username & password from "Users_Authorization" and 3 | PASSED | 0.244 s |
| 2 | When UsersAPI User sends GET request | PASSED | 0.034 s |
| 3 | Then UsersAPI User Checks for StatusCode StatusMessage from "Users_Authorization" sheet and 3 row | PASSED | 0.206 s |

(F)- To check The DELETE method for Skills




(S)- Validate DELETE Skills when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.008 s |
| 2 | When skills User sends DELETE skill id ON DELETE Method from "Skills_POST" and 0 | PASSED | 0.446 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_DELETE" sheet and 0 row | PASSED | 0.777 s |
| 4 | And skills User checks the Database to validate deletion from "Skills_POST" sheet and 0 row | PASSED | 0.217 s |

(S)- Validate DELETE Skills when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.013 s |
| 2 | When skills User sends DELETE skill id ON DELETE Method from "Skills_DELETE" and 1 | PASSED | 0.313 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_DELETE" sheet and 1 row | PASSED | 0.236 s |
| 4 | And skills User checks the Database to validate deletion from "Skills_DELETE" sheet and 1 row | PASSED | 0.285 s |

(S)- Validate DELETE Skills when user logged with UserName with Password



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.006 s |
| 2 | When skills User sends DELETE skill id ON DELETE Method from "Skills_DELETE" and 2 | PASSED | 0.399 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_DELETE" sheet and 2 row | PASSED | 0.319 s |
| 4 | And skills User checks the Database to validate deletion from "Skills_DELETE" sheet and 2 row | PASSED | 0.262 s |


(S)- Validate DELETE Skills when user logged with UserName with Password



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.018 s |
| 2 | When skills User sends DELETE skill id ON DELETE Method from "Skills_DELETE" and 3 | PASSED | 0.220 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_DELETE" sheet and 3 row | PASSED | 0.113 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 4 | And skills User checks the Database to validate deletion from "Skills_DELETE" sheet and 3 row | PASSED | 0.203 s |

(S)- Validate DELETE Skills when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.010 s |
| 2 | When skills User sends DELETE skill id ON DELETE Method from "Skills_DELETE" and 4 | PASSED | 0.192 s |
| 3 | <p>Then skills User validates the StatusCode and StatusMessage from "Skills_DELETE" sheet and 4 row</p> <pre>com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (String)"<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"> <title>404 Not Found</title> <h1>Not Found</h1> <p>The requested URL was not found on the server. If you entered the URL manually please check your spelling and try again.</p> "; line: 1, column: 2] at com.fasterxml.jackson.core.JsonParser._constructError(JsonParser.java:2391) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportError(ParserMinimalBase.java:735) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportUnexpectedChar(ParserMinimalBase.java:659) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser._handleOddValue(ReaderBasedJsonParser.java:2005) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser.nextToken(ReaderBasedJsonParser.java:802) at com.fasterxml.jackson.databind.ObjectMapper._initForReading(ObjectMapper.java:4762) at com.fasterxml.jackson.databind.ObjectMapper._readMapAndClose(ObjectMapper.java:4668) at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3630) at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3598) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster.extractResponse(SkillMaster.java:370) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster. user_validates_the_statuscode_and_statusmessage_from(SkillMaster.java:356) at ?.skills User validates the StatusCode and StatusMessage from "Skills_DELETE" sheet and 4 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/skillMaster.feature/SkillMaster_DELETE.feature:7)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.300 s |
| 4 | And skills User checks the Database to validate deletion from "Skills_DELETE" sheet and 4 row | SKIPPED | 0.007 s |

(F)- To check The GET method for Skills



(S)- Verify GET all Skills for Skill Master




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.006 s |
| 2 | <p>When skills User sends GET request</p> <pre>java.net.URISyntaxException: Illegal character in path at index 29: http://127.0.0.1:5000/Skills/ at java.base/java.net.URI\$Parser.fail(URI.java:2913) at java.base/java.net.URI\$Parser.checkChars(URI.java:3084) at java.base/java.net.URI\$Parser.parseHierarchical(URI.java:3166) at java.base/java.net.URI\$Parser.parse(URI.java:3114) at java.base/java.net.URI.<init>(URI.java:600) at java.base/jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:83) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:250) at io.restassured.internal.RequestSpecificationImpl.getTargetPath(RequestSpecificationImpl.groovy:1452) at jdk.internal.reflect.GeneratedMethodAccessor111.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:98)</pre> | FAILED | 0.049 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:325) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1225) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1034) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:822) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:47) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:169) at io.restassured.internal.RequestSpecificationImpl.getPathParamPlaceholders(RequestSpecificationImpl.groovy:2063) at jdk.internal.reflect.GeneratedMethodAccessor176.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:98) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:325) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1225) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1034) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:822) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:47) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:161) at io.restassured.internal.RequestSpecificationImpl.getRedundantNamedPathParams(RequestSpecificationImpl.groovy:2329) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:98) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:325) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1225) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1034) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:822) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:47) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:161) at io.restassured.internal.RequestSpecificationImpl.assertCorrectNumberOfPathParams(RequestSpecificationImpl.groovy:1300) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:98) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:325) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1225) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1034) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:822) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:47) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:161) at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1228) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:98) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:325) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1225) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1034) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:822) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:47) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:152) at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47) at io.restassured.filter.Filter\$filter.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) at io.restassured.filter.Filter\$filter.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47) at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) at io.restassured.filter.FilterContext\$next.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1749) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:98) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:325) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1225) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1034) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:822) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:47) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1755) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:98) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:325) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1225) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1034) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:822) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:47) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:171) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/util.Send_Request_For_Method.Sent_request(Send_Request_For_Method.java:237) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster.user_sends_get_request_on_skills(SkillMaster.java:101) at ?.skills User sends GET request(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/skillMaster.feature/ SkillMaster_GET.feature:6) * Not displayable characters are replaced by '?'. | | |
| 3 | Then skills User validates StatusCode | SKIPPED | 0.001 s |
| 4 | And skills JSON schema is valid | SKIPPED | 0.001 s |


(S)- Validate Skills Api with specific ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.005 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 2 | When User sends GET request on skill id from "Skills_GET" and 0 | PASSED | 0.232 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_GET" sheet and 0 row | PASSED | 0.172 s |
| 4 | And JSON schema is valid for "GET" in Skills | PASSED | 0.914 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_GET" and 0 | PASSED | 0.209 s |
| 6 | And check the Database for skills java.lang.AssertionError: expected [8] but found [4] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:453) at org.testng.Assert.assertEquals(Assert.java:463) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster.check_the_database_for_all_skills(SkillMaster.java:422) at ?.check the Database for skills(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/skillMaster.feature/ SkillMaster_GET.feature:16) * Not displayable characters are replaced by '?'. | FAILED | 1.195 s |

(S)- Validate Skills Api with specific ID





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.005 s |
| 2 | When User sends GET request on skill id from "Skills_GET" and 1 | PASSED | 0.214 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_GET" sheet and 1 row | PASSED | 0.144 s |
| 4 | And JSON schema is valid for "GET" in Skills | PASSED | 0.005 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_GET" and 1 | PASSED | 0.196 s |
| 6 | And check the Database for skills | PASSED | 0.571 s |

(S)- Validate Skills Api with specific ID

| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| PASSED | DURATION - 1.558 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:05:44.992 PM // 9:05:46.550 PM / | | | | |
| To check The GET method for Skills | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.005 s |
| 2 | When User sends GET request on skill id from "Skills_GET" and 2 | PASSED | 0.352 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_GET" sheet and 2 row | PASSED | 0.177 s |
| 4 | And JSON schema is valid for "GET" in Skills | PASSED | 0.000 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_GET" and 2 | PASSED | 0.234 s |
| 6 | And check the Database for skills | PASSED | 0.776 s |

(S)- Validate Skills Api with specific ID

| | | | | |
|--------------------------------------|---------------------------|---|---|--|
| PASSED | DURATION - 1.333 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:05:46.596 PM // 9:05:47.929 PM / | | | | |
| To check The GET method for Skills | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.012 s |
| 2 | When User sends GET request on skill id from "Skills_GET" and 3 | PASSED | 0.341 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_GET" sheet and 3 row | PASSED | 0.141 s |
| 4 | And JSON schema is valid for "GET" in Skills | PASSED | 0.001 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_GET" and 3 | PASSED | 0.203 s |
| 6 | And check the Database for skills | PASSED | 0.630 s |

(S)- Validate Skills Api with specific ID

| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| PASSED | DURATION - 1.315 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:05:47.973 PM // 9:05:49.288 PM / | | | | |
| To check The GET method for Skills | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.020 s |
| 2 | When User sends GET request on skill id from "Skills_GET" and 4 | PASSED | 0.208 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_GET" sheet and 4 row | PASSED | 0.201 s |
| 4 | And JSON schema is valid for "GET" in Skills | PASSED | 0.001 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_GET" and 4 | PASSED | 0.302 s |
| 6 | And check the Database for skills | PASSED | 0.579 s |


(S)- Validate Skills Api with specific ID

| | | | | |
|--------------------------------------|---------------------------|---|---|--|
| FAILED | DURATION - 0.404 s |  | Steps Total - 6 Pass - 2 Fail - 1 Skip - 3 |  |
| / 9:05:49.339 PM // 9:05:49.743 PM / | | | | |
| To check The GET method for Skills | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.018 s |
| 2 | When User sends GET request on skill id from "Skills_GET" and 5 | PASSED | 0.195 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_GET" sheet and 5 row com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (String)"!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"> <title>404 Not Found</title> <h1>Not Found</h1> <p>The requested URL was not found on the server. If you entered the URL manually please check your spelling and try again.</p> "; line: 1, column: 2] | FAILED | 0.179 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at com.fasterxml.jackson.core.JsonParser._constructError(JsonParser.java:2391) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportError(ParserMinimalBase.java:735) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportUnexpectedChar(ParserMinimalBase.java:659) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser._handleOddValue(ReaderBasedJsonParser.java:2005) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser.nextToken(ReaderBasedJsonParser.java:802) at com.fasterxml.jackson.databind.ObjectMapper._initForReading(ObjectMapper.java:4762) at com.fasterxml.jackson.databind.ObjectMapper._readMapAndClose(ObjectMapper.java:4668) at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3630) at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3598) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster.extractResponse(SkillMaster.java:370) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster. user_validates_the_statuscode_and_statusmessage_from(SkillMaster.java:356) at ?.skills User validates the StatusCode and StatusMessage from "Skills_GET" sheet and 5 row(file:///C:/@Ruchira/Workspace/ LMS_API_HACKATHON2122/src/test/resources/skillMaster.feature/SkillMaster_GET.feature:13) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | And JSON schema is valid for "GET" in Skills | SKIPPED | 0.001 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_GET" and 5 | SKIPPED | 0.002 s |
| 6 | And check the Database for skills | SKIPPED | 0.001 s |

(F)- To check The POST method for Skills




(S)- Verify POST for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.012 s |
| 2 | When skills User sends POST request body in skills from "Skills_POST" and 0 with valid JSON Schema | PASSED | 1.154 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_POST" sheet and 0 row | PASSED | 0.240 s |
| 4 | And JSON schema is valid for "POST" in Skills | PASSED | 0.016 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_POST" and 0 | PASSED | 0.263 s |
| 6 | And skills check the Database | PASSED | 0.571 s |

(S)- Verify POST for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.006 s |
| 2 | When skills User sends POST request body in skills from "Skills_POST" and 1 with valid JSON Schema | PASSED | 0.117 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_POST" sheet and 1 row | PASSED | 0.119 s |
| 4 | And JSON schema is valid for "POST" in Skills | PASSED | 0.001 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_POST" and 1 | PASSED | 0.258 s |
| 6 | And skills check the Database | PASSED | 0.002 s |

(S)- Verify POST for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.006 s |
| 2 | When skills User sends POST request body in skills from "Skills_POST" and 2 with valid JSON Schema | PASSED | 0.168 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_POST" sheet and 2 row | PASSED | 0.153 s |
| 4 | And JSON schema is valid for "POST" in Skills | PASSED | 0.001 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_POST" and 2 | PASSED | 0.311 s |
| 6 | And skills check the Database | PASSED | 0.002 s |

(S)- Verify POST for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.008 s |
| 2 | When skills User sends POST request body in skills from "Skills_POST" and 3 with valid JSON Schema | PASSED | 0.278 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_POST" sheet and 3 row | PASSED | 0.322 s |
| 4 | And JSON schema is valid for "POST" in Skills | PASSED | 0.000 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_POST" and 3 | PASSED | 0.258 s |
| 6 | And skills check the Database | PASSED | 0.002 s |

(S)- Verify POST for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.006 s |
| 2 | When skills User sends POST request body in skills from "Skills_POST" and 4 with valid JSON Schema | PASSED | 0.264 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_POST" sheet and 4 row | PASSED | 0.236 s |
| 4 | And JSON schema is valid for "POST" in Skills | PASSED | 0.001 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_POST" and 4 | PASSED | 0.284 s |
| 6 | And skills check the Database | PASSED | 0.004 s |

(S)- Verify POST for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.007 s |
| 2 | When skills User sends POST request body in skills from "Skills_POST" and 5 with valid JSON Schema | PASSED | 0.450 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_POST" sheet and 5 row | PASSED | 0.137 s |
| 4 | And JSON schema is valid for "POST" in Skills | PASSED | 0.003 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_POST" and 5 | PASSED | 0.165 s |
| 6 | And skills check the Database | PASSED | 0.003 s |

(S)- Verify POST for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.007 s |
| 2 | When skills User sends POST request body in skills from "Skills_POST" and 6 with valid JSON Schema | PASSED | 0.431 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_POST" sheet and 6 row | PASSED | 0.250 s |
| 4 | And JSON schema is valid for "POST" in Skills | PASSED | 0.031 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_POST" and 6 | PASSED | 0.183 s |
| 6 | And skills check the Database | PASSED | 0.723 s |

(S)- Verify POST for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.017 s |
| 2 | When skills User sends POST request body in skills from "Skills_POST" and 7 with valid JSON Schema | PASSED | 0.229 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_POST" sheet and 7 row java.lang.AssertionError: expected [400] but found [201] at org.testng.Assert.failAssert.java:96) at org.testng.Assert.failNotEqualsAssert.java:776) at org.testng.Assert.assertEqualsImplAssert.java:137) at org.testng.Assert.assertEqualsAssert.java:118) at org.testng.Assert.assertEqualsAssert.java:652) at org.testng.Assert.assertEqualsAssert.java:662) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster. user_validates_the_statuscode_and_statusmessage_fromSkillMaster.java:354) at ?.skills User validates the StatusCode and StatusMessage from "Skills_POST" sheet and 7 row(file:///C:/@Ruchira/Workspace/ LMS_API_HACKATHON2122/src/test/resources/skillMaster.feature/SkillMaster_POST.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.268 s |
| 4 | And JSON schema is valid for "POST" in Skills | SKIPPED | 0.000 s |
| 5 | And skills User should receive the skill in JSON body from "Skills_POST" and 7 | SKIPPED | 0.000 s |
| 6 | And skills check the Database | SKIPPED | 0.001 s |

(S)- Verify POST for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.005 s |
| 2 | When skills User sends POST request body in skills from "Invalid_content_POST" and 0 with valid JSON Schema <i>java.lang.NullPointerException</i> at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/util.ExcelReader.readSheet(ExcelReader.java:77) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/util.ExcelReader.getData(ExcelReader.java:37) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/util.Send_Request_For_Method.Sent_request(Send_Request_For_Method.java:89) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster.user_sends_POST_request_body_from_and(SkillMaster.java:134) at ?.skills User sends POST request body in skills from "Invalid_content_POST" and 0 with valid JSON Schema(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/skillMaster.feature/SkillMaster_POST.feature:33) * Not displayable characters are replaced by '?'. | FAILED | 0.151 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Invalid_content_POST" sheet and 0 row | SKIPPED | 0.003 s |
| 4 | And skills User should receive the skill in JSON body from "Invalid_content_POST" and 0 | SKIPPED | 0.004 s |
| 5 | And skills check the Database | SKIPPED | 0.002 s |

(S)- Verify if POST fails for improper format when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.005 s |
| 2 | When skills User sends POST request body in text format skills from "Text_POST" and 0 | PASSED | 0.171 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Text_POST" sheet and 0 row | PASSED | 0.133 s |
| 4 | And skills check the Database | PASSED | 0.003 s |

(F)- To check The PUT method for Skills




(S)- Verify PUT for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.004 s |
| 2 | When skills User sends PUT request on id and request body in skills from "Skills_PUT" and 0 with valid JSON Schema | PASSED | 0.283 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 0 row | PASSED | 0.130 s |
| 4 | And JSON schema is valid for "PUT" in Skills | PASSED | 0.026 s |
| 5 | And skills check the Database | PASSED | 0.797 s |

(S)- Verify PUT for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.005 s |
| 2 | When skills User sends PUT request on id and request body in skills from "Skills_PUT" and 1 with valid JSON Schema | PASSED | 0.318 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 1 row | PASSED | 0.140 s |
| 4 | And JSON schema is valid for "PUT" in Skills | PASSED | 0.001 s |
| 5 | And skills check the Database | PASSED | 0.012 s |

(S)- Verify PUT for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.006 s |
| 2 | When skills User sends PUT request on id and request body in skills from "Skills_PUT" and 2 with valid JSON Schema | PASSED | 0.287 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 2 row | PASSED | 0.123 s |
| 4 | And JSON schema is valid for "PUT" in Skills | PASSED | 0.001 s |
| 5 | And skills check the Database | PASSED | 0.003 s |

(S)- Verify PUT for a Skill when user logged with UserName with Password



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.004 s |
| 2 | When skills User sends PUT request on id and request body in skills from "Skills_PUT" and 3 with valid JSON Schema | PASSED | 0.348 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 3 row | PASSED | 0.116 s |
| 4 | And JSON schema is valid for "PUT" in Skills | PASSED | 0.008 s |
| 5 | And skills check the Database | PASSED | 0.001 s |


(S)- Verify PUT for a Skill when user logged with UserName with Password



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.005 s |
| 2 | When skills User sends PUT request on id and request body in skills from "Skills_PUT" and 4 with valid JSON Schema | PASSED | 0.302 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 4 row com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (String)"<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"> <title>404 Not Found</title> <h1>Not Found</h1> <p>The requested URL was not found on the server. If you entered the URL manually please check your spelling and try again.</p> "; line: 1, column: 2] at com.fasterxml.jackson.core.JsonParser._constructError(JsonParser.java:2391) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportError(ParserMinimalBase.java:735) | FAILED | 0.139 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at com.fasterxml.jackson.core.base.ParserMinimalBase._reportUnexpectedChar(ParserMinimalBase.java:659) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser._handleOddValue(ReaderBasedJsonParser.java:2005) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser.nextToken(ReaderBasedJsonParser.java:802) at com.fasterxml.jackson.databind.ObjectMapper._initForReading(ObjectMapper.java:4762) at com.fasterxml.jackson.databind.ObjectMapper._readMapAndClose(ObjectMapper.java:4668) at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3630) at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3598) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster.extractResponse(SkillMaster.java:370) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster. user_validates_the_statuscode_and_statusmessage_from(SkillMaster.java:356) at ?.skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 4 row(file:///C:/@Ruchira/Workspace/ LMS_API_HACKATHON2122/src/test/resources/skillMaster.feature/SkillMaster_PUT.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | And JSON schema is valid for "PUT" in Skills | SKIPPED | 0.002 s |
| 5 | And skills check the Database | SKIPPED | 0.001 s |

(S)- Verify PUT for a Skill when user logged with UserName with Password




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.013 s |
| 2 | When skills User sends PUT request on id and request body in skills from "Skills_PUT" and 5 with valid JSON Schema | PASSED | 0.508 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 5 row | PASSED | 0.098 s |
| 4 | And JSON schema is valid for "PUT" in Skills | PASSED | 0.001 s |
| 5 | And skills check the Database | PASSED | 0.008 s |

(S)- Verify PUT for a Skill when user logged with UserName with Password



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.031 s |
| 2 | When skills User sends PUT request on id and request body in skills from "Skills_PUT" and 6 with valid JSON Schema | PASSED | 0.444 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 6 row | PASSED | 0.139 s |
| 4 | And JSON schema is valid for "PUT" in Skills | PASSED | 0.000 s |
| 5 | And skills check the Database | PASSED | 0.001 s |


(S)- Verify PUT for a Skill when user logged with UserName with Password



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.037 s |
| 2 | When skills User sends PUT request on id and request body in skills from "Skills_PUT" and 7 with valid JSON Schema | PASSED | 0.365 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 7 row java.lang.AssertionError: expected [400] but found [201] at org.testng.Assert.failAssert.java:96) at org.testng.Assert.failNotEqualsAssert.java:776) at org.testng.Assert.assertEqualsImplAssert.java:137) at org.testng.Assert.assertEqualsAssert.java:118) | FAILED | 0.089 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster. user_validates_the_statuscode_and_statusmessage_from(SkillMaster.java:354) at ?.skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 7 row(file:///C:/@Ruchira/Workspace/ LMS_API_HACKATHON2122/src/test/resources/skillMaster.feature/SkillMaster_PUT.feature:7) * Not displayable characters are replaced by '?'. | | |
| 4 | And JSON schema is valid for "PUT" in Skills | SKIPPED | 0.001 s |
| 5 | And skills check the Database | SKIPPED | 0.001 s |

(S)- Verify PUT for a Skill when user logged with UserName with Password



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.008 s |
| 2 | When skills User sends PUT request on id and request body in skills from "Skills_PUT" and 8 with valid JSON Schema | PASSED | 0.217 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 8 row java.lang.AssertionError: expected [201] but found [404] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.SkillMaster. user_validates_the_statuscode_and_statusmessage_from(SkillMaster.java:354) at ?.skills User validates the StatusCode and StatusMessage from "Skills_PUT" sheet and 8 row(file:///C:/@Ruchira/Workspace/ LMS_API_HACKATHON2122/src/test/resources/skillMaster.feature/SkillMaster_PUT.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.086 s |
| 4 | And JSON schema is valid for "PUT" in Skills | SKIPPED | 0.001 s |
| 5 | And skills check the Database | SKIPPED | 0.000 s |

(S)- Verify PUT for a Skill when user logged with UserName with Password

| | | | | |
|--------------------------------------|--------------------|--|---|--|
| PASSED | DURATION - 0.341 s | | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 | |
| / 9:06:05.227 PM // 9:06:05.568 PM / | | | | |
| To check The PUT method for Skills | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.008 s |
| 2 | When skills User sends PUT request on id and request body in skills from "Invalid_content_PUT" and 0 with valid JSON Schema | PASSED | 0.242 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Invalid_content_PUT" sheet and 0 row | PASSED | 0.085 s |
| 4 | And skills check the Database | PASSED | 0.003 s |

(S)- Verify PUT fails for a Skill with improper format when user logged with UserName with Password


| | | | | |
|--------------------------------------|--------------------|--|---|--|
| PASSED | DURATION - 0.309 s | | Steps Total - 5 Pass - 5 Fail - 0 Skip - 0 | |
| / 9:06:05.643 PM // 9:06:05.952 PM / | | | | |
| To check The PUT method for Skills | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Skills User is on Endpoint: url/Skills with valid username and password | PASSED | 0.006 s |
| 2 | When skills User sends PUT request on id and request body in text format skills from "Text_PUT" and 0 | PASSED | 0.103 s |
| 3 | Then skills User validates the StatusCode and StatusMessage from "Text_PUT" sheet and 0 row | PASSED | 0.085 s |
| 4 | And skills User should receive the skill in JSON body from "Text_PUT" and 0 | PASSED | 0.110 s |
| 5 | And skills check the Database | PASSED | 0.002 s |

(F)- Delete user skills details




(S)- Validate the delete method for UserSkills




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.005 s |
| 2 | When userSkills User sends request id ON DELETE Method from "InputData_UserSkills_POST" and 0 | PASSED | 0.206 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_DELETE" sheet and 0 row | PASSED | 0.065 s |
| 4 | And userSkills users check the Database to validate deletion from "InputData_UserSkills_POST" sheet and 0 row | PASSED | 0.662 s |

(S)- Validate the delete method for UserSkills




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.006 s |
| 2 | When userSkills User sends request id ON DELETE Method from "InputData_UserSkills_DELETE" and 1 | PASSED | 0.101 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_DELETE" sheet and 1 row | PASSED | 0.061 s |
| 4 | And userSkills users check the Database to validate deletion from "InputData_UserSkills_DELETE" sheet and 1 row | PASSED | 0.719 s |

(S)- Validate the delete method for UserSkills



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.009 s |
| 2 | When userSkills User sends request id ON DELETE Method from "InputData_UserSkills_DELETE" and 2 | PASSED | 0.113 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_DELETE" sheet and 2 row | PASSED | 0.081 s |
| 4 | And userSkills users check the Database to validate deletion from "InputData_UserSkills_DELETE" sheet and 2 row | PASSED | 0.732 s |


(S)- Validate the delete method for UserSkills



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.004 s |
| 2 | When userSkills User sends request id ON DELETE Method from "InputData_UserSkills_DELETE" and 3 | PASSED | 0.110 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_DELETE" sheet and 3 row | PASSED | 0.064 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 4 | And userSkills users check the Database to validate deletion from "InputData_UserSkills_DELETE" sheet and 3 row | PASSED | 1.384 s |

(S)- Validate the delete method for UserSkills




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.005 s |
| 2 | When userSkills User sends request id ON DELETE Method from "InputData_UserSkills_DELETE" and 4 | PASSED | 0.179 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_DELETE" sheet and 4 row java.lang.AssertionError: expected object to not be null at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.assertNotNull(Assert.java:686) at org.testng.Assert.assertNotNull(Assert.java:671) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.UserSkills.userSkills_user_receives_status_code_with(UserSkills.java:258) at ?.userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_DELETE" sheet and 4 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/userSkills.feature/UserSkills_DELETE.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.087 s |
| 4 | And userSkills users check the Database to validate deletion from "InputData_UserSkills_DELETE" sheet and 4 row | SKIPPED | 0.001 s |

(F)- To check The GET method for UserSkills




(S)- Validate GET all UserSkills



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.005 s |
| 2 | When userSkills User sends GET request | PASSED | 0.063 s |
| 3 | Then userSkills User validates StatusCode | PASSED | 0.001 s |
| 4 | And userSkills JSON schema is valid <pre>java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: instance type (string) does not match any allowed primitive type (allowed: ["integer"]) level: "error" schema: {"loadingURI":"file:/C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/target/test-classes/JSON_Schemas/user_skill_schema_GET_all.json#","pointer":"/properties/UserSkillMapping/items/0/properties/Skill_id"} instance: {"pointer":"/UserSkillMapping/0/Skill_id"} domain: "validation" keyword: "type" found: "string" expected: ["integer"] error: instance type (string) does not match any allowed primitive type (allowed: ["integer"]) level: "error" schema: {"loadingURI":"file:/C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/target/test-classes/JSON_Schemas/user_skill_schema_GET_all.json#","pointer":"/properties/UserSkillMapping/items/0/properties/months_of_exp"} instance: {"pointer":"/UserSkillMapping/0/months_of_exp"} domain: "validation" keyword: "type" found: "string" expected: ["integer"] Actual: { "UserSkillMapping": [{ "user_skill_id": "US01", "user_id": "U01", "Skill_id": "2", "months_of_exp": "24" }, { "user_skill_id": "US02", "user_id": "U02", "Skill_id": "1", "months_of_exp": "36" }, { "user_skill_id": "US03", "user_id": "U03", "Skill_id": "2", "months_of_exp": "12" }, { "user_skill_id": "US05", "user_id": "U05", "Skill_id": "5", "months_of_exp": "12" }, { "user_skill_id": "US04", "user_id": "U04", "Skill_id": "6", "months_of_exp": "36" }, { "user_skill_id": "US06", "user_id": "U06", "Skill_id": "5", "months_of_exp": "12" }, { "user_skill_id": "US07", "user_id": "U07", "Skill_id": "2", "months_of_exp": "12" }, { "user_skill_id": "US09", "user_id": "U09", "Skill_id": "3", "months_of_exp": "36" }, { "user_skill_id": "US10", "user_id": "U10", "Skill_id": "2", "months_of_exp": "10" }, { "user_skill_id": "US08", "user_id": "U08", "Skill_id": "1", "months_of_exp": "30" }, { "user_skill_id": "US12", "user_id": "U08", "Skill_id": "4", "months_of_exp": "12" }] } at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:83) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:77) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:238)</pre> | FAILED | 0.086 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:250) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:494) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:656) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:210) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:59) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:169) at io.restassured.internal.ResponseSpecificationImpl.content(ResponseSpecificationImpl.groovy:97) at io.restassured.specification.ResponseSpecification\$content\$0.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at io.restassured.specification.ResponseSpecification\$content\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:256) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:268) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/util.JSON_Schema_Validation.cls_JSON_SchemaValidation(JSON_Schema_Validation.java:29) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.UserSkills.userSkills_json_schema_is_valid(UserSkills.java:193) at ?.userSkills JSON schema is valid(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/userSkills.feature/UserSkills_GET.feature:7) * Not displayable characters are replaced by '?'. </pre> | | |
| 5 | And check the Database for userSkills | SKIPPED | 0.000 s |


(S)- Validate UserSkills Api with specific ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.006 s |
| 2 | When userSkills User sends GET request on id from "InputData_UserSkills_GET" and 0 | PASSED | 0.237 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_GET" sheet and 0 row | PASSED | 0.061 s |
| 4 | And userSkills JSON schema is valid for "GET" | PASSED | 0.040 s |
| 5 | And check the Database | PASSED | 1.031 s |

(S)- Validate UserSkills Api with specific ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.006 s |
| 2 | When userSkills User sends GET request on id from "InputData_UserSkills_GET" and 1 | PASSED | 0.080 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_GET" sheet and 1 row | PASSED | 0.073 s |
| 4 | And userSkills JSON schema is valid for "GET" | PASSED | 0.000 s |
| 5 | And check the Database | PASSED | 0.656 s |


(S)- Validate UserSkills Api with specific ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.006 s |
| 2 | When userSkills User sends GET request on id from "InputData_UserSkills_GET" and 2 | PASSED | 0.100 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_GET" sheet and 2 row | PASSED | 0.097 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 4 | And userSkills JSON schema is valid for "GET" | PASSED | 0.000 s |
| 5 | And check the Database | PASSED | 0.718 s |

(S)- Validate UserSkills Api with specific ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.004 s |
| 2 | When userSkills User sends GET request on id from "InputData_UserSkills_GET" and 3 | PASSED | 0.153 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_GET" sheet and 3 row | PASSED | 0.344 s |
| 4 | And userSkills JSON schema is valid for "GET" | PASSED | 0.003 s |
| 5 | And check the Database | PASSED | 0.792 s |


(S)- Validate UserSkills Api with specific ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.004 s |
| 2 | When userSkills User sends GET request on id from "InputData_UserSkills_GET" and 4 | PASSED | 0.179 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_GET" sheet and 4 row | PASSED | 0.071 s |
| 4 | And userSkills JSON schema is valid for "GET" | PASSED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|------------------------|--------|----------|
| 5 | And check the Database | PASSED | 0.870 s |

(S)- Validate UserSkills Api with specific ID




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.007 s |
| 2 | When userSkills User sends GET request on id from "InputData_UserSkills_GET" and 5 | PASSED | 0.137 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_GET" sheet and 5 row java.lang.AssertionError: expected object to not be null at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.assertNotNull(Assert.java:686) at org.testng.Assert.assertNotNull(Assert.java:671) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.UserSkills.userSkills_user_receives_status_code_with(UserSkills.java:258) at ?.userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_GET" sheet and 5 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/userSkills.feature/UserSkills_GET.feature:12) * Not displayable characters are replaced by '?'. | FAILED | 0.090 s |
| 4 | And userSkills JSON schema is valid for "GET" | SKIPPED | 0.001 s |
| 5 | And check the Database | SKIPPED | 0.000 s |

(F)- To check The POST method for UserSkills




(S)- Validate POST all UserSkills

| | | | | |
|---|---------------------------|--|---|---|
| PASSED | DURATION - 1.826 s |  | Steps Total - 6 Pass - 3 Fail - 1 Skip - 2 |  |
| / 9:06:18.315 PM // 9:06:20.141 PM / | | | | |
| To check The POST method for UserSkills | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.005 s |
| 2 | When userSkills User sends POST request body from "InputData_UserSkills_POST" and 0 with valid JSON Schema | PASSED | 0.635 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_POST" sheet and 0 row | PASSED | 0.130 s |
| 4 | And userSkills JSON schema is valid for "POST" | PASSED | 0.015 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_POST" and 0 | PASSED | 0.183 s |
| 6 | And check the Database | PASSED | 0.852 s |


(S)- Validate POST all UserSkills

| | | | | |
|---|---------------------------|---|---|--|
| PASSED | DURATION - 1.022 s |  | Steps Total - 6 Pass - 4 Fail - 1 Skip - 1 |  |
| / 9:06:20.177 PM // 9:06:21.199 PM / | | | | |
| To check The POST method for UserSkills | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.004 s |
| 2 | When userSkills User sends POST request body from "InputData_UserSkills_POST" and 1 with valid JSON Schema | PASSED | 0.105 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_POST" sheet and 1 row | PASSED | 0.092 s |
| 4 | And userSkills JSON schema is valid for "POST" | PASSED | 0.001 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_POST" and 1 | PASSED | 0.082 s |


| # | Step / Hook Details | Status | Duration |
|---|------------------------|--------|----------|
| 6 | And check the Database | PASSED | 0.734 s |

(S)- Validate POST all UserSkills



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.006 s |
| 2 | When userSkills User sends POST request body from "InputData_UserSkills_POST" and 2 with valid JSON Schema | PASSED | 0.207 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_POST" sheet and 2 row | PASSED | 0.083 s |
| 4 | And userSkills JSON schema is valid for "POST" | PASSED | 0.001 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_POST" and 2 | PASSED | 0.109 s |
| 6 | And check the Database | PASSED | 0.665 s |


(S)- Validate POST all UserSkills



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.009 s |
| 2 | When userSkills User sends POST request body from "InputData_UserSkills_POST" and 3 with valid JSON Schema | PASSED | 0.097 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_POST" sheet and 3 row | PASSED | 0.075 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 4 | And userSkills JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_POST" and 3 | PASSED | 0.070 s |
| 6 | And check the Database | PASSED | 0.758 s |

(S)- Validate POST all UserSkills




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.005 s |
| 2 | When userSkills User sends POST request body from "InputData_UserSkills_POST" and 4 with valid JSON Schema | PASSED | 0.111 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_POST" sheet and 4 row | PASSED | 0.070 s |
| 4 | And userSkills JSON schema is valid for "POST" | PASSED | 0.001 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_POST" and 4 | PASSED | 0.066 s |
| 6 | And check the Database | PASSED | 0.642 s |

(S)- Validate POST all UserSkills




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.005 s |
| 2 | When userSkills User sends POST request body from "InputData_UserSkills_POST" and 5 with valid JSON Schema | PASSED | 0.107 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_POST" sheet and 5 row | PASSED | 0.080 s |
| 4 | And userSkills JSON schema is valid for "POST" | PASSED | 0.002 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_POST" and 5 | PASSED | 0.082 s |
| 6 | And check the Database | PASSED | 0.588 s |

(S)- Validate POST all UserSkills




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.005 s |
| 2 | When userSkills User sends POST request body from "InputData_UserSkills_POST" and 6 with valid JSON Schema | PASSED | 0.113 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_POST" sheet and 6 row | PASSED | 0.089 s |
| 4 | And userSkills JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_POST" and 6 | PASSED | 0.109 s |
| 6 | And check the Database | PASSED | 0.767 s |

(S)- Validate POST all UserSkills

| | | | | |
|---|---------------------------|--|---|---|
| PASSED | DURATION - 0.805 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:06:26.374 PM // 9:06:27.179 PM / | | | | |
| To check The POST method for UserSkills | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.005 s |
| 2 | When userSkills User sends POST request body from "InputData_UserSkills_POST" and 7 with valid JSON Schema | PASSED | 0.090 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_POST" sheet and 7 row | PASSED | 0.065 s |
| 4 | And userSkills JSON schema is valid for "POST" | PASSED | 0.003 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_POST" and 7 | PASSED | 0.068 s |
| 6 | And check the Database | PASSED | 0.570 s |


(S)- Validate POST all UserSkills

| | | | | |
|---|---------------------------|---|---|--|
| PASSED | DURATION - 1.254 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:06:27.221 PM // 9:06:28.475 PM / | | | | |
| To check The POST method for UserSkills | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.006 s |
| 2 | When userSkills User sends POST request body from "InputData_UserSkills_POST" and 8 with valid JSON Schema | PASSED | 0.113 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_POST" sheet and 8 row | PASSED | 0.064 s |
| 4 | And userSkills JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_POST" and 8 | PASSED | 0.086 s |

| # | Step / Hook Details | Status | Duration |
|---|------------------------|--------|----------|
| 6 | And check the Database | PASSED | 0.980 s |

(F)- To check The PUT method for UserSkills




(S)- Validate PUT method for UserSkills





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.032 s |
| 2 | When userSkills User sends PUT request on id and request body from "InputData_UserSkills_PUT" and 0 with valid JSON schema | PASSED | 0.282 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_PUT" sheet and 0 row | PASSED | 0.054 s |
| 4 | And userSkills JSON schema is valid for "PUT" | PASSED | 0.042 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_PUT" and 0 | PASSED | 0.057 s |
| 6 | And check the Database | PASSED | 0.620 s |

(S)- Validate PUT method for UserSkills

| PASSED | DURATION - 1.076 s |  <table border="1"> <thead> <tr> <th>Step</th> <th>Status</th> </tr> </thead> <tbody> <tr><td>1</td><td>Fail</td></tr> <tr><td>2</td><td>Pass</td></tr> <tr><td>3</td><td>Pass</td></tr> <tr><td>4</td><td>Skip</td></tr> <tr><td>5</td><td>Pass</td></tr> <tr><td>6</td><td>Pass</td></tr> </tbody> </table> | Step | Status | 1 | Fail | 2 | Pass | 3 | Pass | 4 | Skip | 5 | Pass | 6 | Pass | <p>Steps Total - 6 Pass - 6 Fail - 0 Skip - 0</p>  |
|--------------------------------------|--|---|------|--------|---|------|---|------|---|------|---|------|---|------|---|------|---|
| Step | Status | | | | | | | | | | | | | | | | |
| 1 | Fail | | | | | | | | | | | | | | | | |
| 2 | Pass | | | | | | | | | | | | | | | | |
| 3 | Pass | | | | | | | | | | | | | | | | |
| 4 | Skip | | | | | | | | | | | | | | | | |
| 5 | Pass | | | | | | | | | | | | | | | | |
| 6 | Pass | | | | | | | | | | | | | | | | |
| / 9:06:29.646 PM // 9:06:30.722 PM / | To check The PUT method for UserSkills | | | | | | | | | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.007 s |
| 2 | When userSkills User sends PUT request on id and request body from "InputData_UserSkills_PUT" and 1 with valid JSON schema | PASSED | 0.198 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_PUT" sheet and 1 row | PASSED | 0.085 s |
| 4 | And userSkills JSON schema is valid for "PUT" | PASSED | 0.001 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_PUT" and 1 | PASSED | 0.084 s |
| 6 | And check the Database | PASSED | 0.696 s |


(S)- Validate PUT method for UserSkills

| PASSED | DURATION - 0.940 s |  <table border="1"> <thead> <tr> <th>Step</th> <th>Status</th> </tr> </thead> <tbody> <tr><td>1</td><td>Fail</td></tr> <tr><td>2</td><td>Pass</td></tr> <tr><td>3</td><td>Pass</td></tr> <tr><td>4</td><td>Skip</td></tr> <tr><td>5</td><td>Pass</td></tr> <tr><td>6</td><td>Pass</td></tr> </tbody> </table> | Step | Status | 1 | Fail | 2 | Pass | 3 | Pass | 4 | Skip | 5 | Pass | 6 | Pass | <p>Steps Total - 6 Pass - 6 Fail - 0 Skip - 0</p>  |
|--------------------------------------|--|--|------|--------|---|------|---|------|---|------|---|------|---|------|---|------|--|
| Step | Status | | | | | | | | | | | | | | | | |
| 1 | Fail | | | | | | | | | | | | | | | | |
| 2 | Pass | | | | | | | | | | | | | | | | |
| 3 | Pass | | | | | | | | | | | | | | | | |
| 4 | Skip | | | | | | | | | | | | | | | | |
| 5 | Pass | | | | | | | | | | | | | | | | |
| 6 | Pass | | | | | | | | | | | | | | | | |
| / 9:06:30.756 PM // 9:06:31.696 PM / | To check The PUT method for UserSkills | | | | | | | | | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.005 s |
| 2 | When userSkills User sends PUT request on id and request body from "InputData_UserSkills_PUT" and 2 with valid JSON schema | PASSED | 0.207 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_PUT" sheet and 2 row | PASSED | 0.071 s |
| 4 | And userSkills JSON schema is valid for "PUT" | PASSED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_PUT" and 2 | PASSED | 0.072 s |
| 6 | And check the Database | PASSED | 0.581 s |

(S)- Validate PUT method for UserSkills




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.007 s |
| 2 | When userSkills User sends PUT request on id and request body from "InputData_UserSkills_PUT" and 3 with valid JSON schema | PASSED | 0.268 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_PUT" sheet and 3 row | PASSED | 0.075 s |
| 4 | And userSkills JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_PUT" and 3 | PASSED | 0.125 s |
| 6 | And check the Database | PASSED | 0.827 s |

(S)- Validate PUT method for UserSkills



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.004 s |
| 2 | When userSkills User sends PUT request on id and request body from "InputData_UserSkills_PUT" and 4 with valid JSON schema | PASSED | 0.182 s |
| 3 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_PUT" sheet and 4 row | PASSED | 0.057 s |
| 4 | And userSkills JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And userSkills User should receive a list of users with skills in JSON body with the fields like user_skill_id,user_id,Skill_Id, months_of_exp from "InputData_UserSkills_PUT" and 4 | PASSED | 0.065 s |
| 6 | And check the Database | PASSED | 0.542 s |


(S)- Validate creation time & modification time for PUT method for UserSkills




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given userSkills User is on Endpoint: url/UserSkills with valid username and password | PASSED | 0.005 s |
| 2 | When userSkills User check the database for creation time & modification time of a user with specified UserSkillsId from "InputData_UserSkills_PUT" and 0 | PASSED | 0.768 s |
| 3 | And userSkills User sends PUT request on id and request body from "InputData_UserSkills_PUT" and 0 with valid JSON schema | PASSED | 0.243 s |
| 4 | Then userSkills User validates StatusCode and StatusMessage from "InputData_UserSkills_PUT" sheet and 0 row | PASSED | 0.049 s |
| 5 | And userSkills User check the database for new creation time & modification time of a user with specified UserSkillsId from "InputData_UserSkills_PUT" and 0 | PASSED | 0.727 s |
| 6 | And userSkills User check that the creation time is same but modification is different. java.lang.AssertionError: expected [2022-01-27 21:06:34.972053] but found [2022-01-27 21:06:28.827274] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:453) at org.testng.Assert.assertEquals(Assert.java:463) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.UserSkills. | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre>user_skills_user_check_that_the_creation_time_is_same_but_modification_is_different(UserSkills.java:485) at ?.userSkills User check that the creation time is same but modification is different.(file:///C:/@Ruchira/Workspace/ LMS_API_HACKATHON2122/src/test/resources/userSkills.feature/UserSkills_PUT.feature:26) * Not displayable characters are replaced by '?'.</pre> | | |

(F)- To check The GET method for UserSkillsMap API




(S)- Validate GET all User-to-skill mappings




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UserSkillsMap User is on Endpoint: url/UserSkillsMap with valid username and password | PASSED | 0.007 s |
| 2 | When UserSkillsMap User sends GET request | PASSED | 0.081 s |
| 3 | Then UserSkillsMap User validates StatusCode | PASSED | 0.000 s |
| 4 | And UserSkillsMap JSON schema is valid | PASSED | 0.068 s |

(S)- Validate GET one particular User-to-skill mappings with specific user ID

| | | | | |
|---|--------------------|--|--|---|
| PASSED | DURATION - 0.246 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 9:06:37.020 PM // 9:06:37.266 PM / | | | | |
| To check The GET method for UserSkillsMap API | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UserSkillsMap User is on Endpoint: url/UserSkillsMap with valid username and password | PASSED | 0.012 s |
| 2 | When UserSkillsMap_user User sends GET request on user id from "InputData_UserSkillsMap_userGET" and 0 | PASSED | 0.144 s |
| 3 | Then UserSkillsMap_user User validates StatusCode and StatusMessage from "InputData_UserSkillsMap_userGET" sheet and 0 row | PASSED | 0.048 s |
| 4 | And UserSkillsMap JSON schema is valid | PASSED | 0.028 s |

(S)- Validate GET one particular User-to-skill mappings with specific user ID

| | | | | |
|---|--------------------|---|--|--|
| PASSED | DURATION - 0.205 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 9:06:37.326 PM // 9:06:37.531 PM / | | | | |
| To check The GET method for UserSkillsMap API | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UserSkillsMap User is on Endpoint: url/UserSkillsMap with valid username and password | PASSED | 0.038 s |
| 2 | When UserSkillsMap_user User sends GET request on user id from "InputData_UserSkillsMap_userGET" and 1 | PASSED | 0.108 s |
| 3 | Then UserSkillsMap_user User validates StatusCode and StatusMessage from "InputData_UserSkillsMap_userGET" sheet and 1 row | PASSED | 0.055 s |
| 4 | And UserSkillsMap JSON schema is valid | PASSED | 0.001 s |

(S)- Validate GET one particular User-to-skill mappings with specific user ID

| | | | | |
|---|--------------------|--|---|--|
| PASSED | DURATION - 0.143 s | | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 | |
| / 9:06:37.557 PM // 9:06:37.700 PM / | | | | |
| To check The GET method for UserSkillsMap API | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UserSkillsMap User is on Endpoint: url/UserSkillsMap with valid username and password | PASSED | 0.006 s |
| 2 | When UserSkillsMap_user User sends GET request on user id from "InputData_UserSkillsMap_userGET" and 2 | PASSED | 0.075 s |
| 3 | Then UserSkillsMap_user User validates StatusCode and StatusMessage from "InputData_UserSkillsMap_userGET" sheet and 2 row | PASSED | 0.060 s |
| 4 | And UserSkillsMap JSON schema is valid | PASSED | 0.000 s |

(S)- Validate GET one particular User-to-skill mappings with specific user ID

| | | | | |
|---|--------------------|--|---|--|
| PASSED | DURATION - 0.127 s | | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 | |
| / 9:06:37.737 PM // 9:06:37.864 PM / | | | | |
| To check The GET method for UserSkillsMap API | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UserSkillsMap User is on Endpoint: url/UserSkillsMap with valid username and password | PASSED | 0.008 s |
| 2 | When UserSkillsMap_user User sends GET request on user id from "InputData_UserSkillsMap_userGET" and 3 | PASSED | 0.071 s |
| 3 | Then UserSkillsMap_user User validates StatusCode and StatusMessage from "InputData_UserSkillsMap_userGET" sheet and 3 row | PASSED | 0.044 s |
| 4 | And UserSkillsMap JSON schema is valid | PASSED | 0.000 s |

(S)- Validate GET one particular Skill-to-users mappings with specific skill ID

| | | | | |
|---|---------------------------|--|---|---|
| PASSED | DURATION - 0.163 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| <i>/ 9:06:37.908 PM // 9:06:38.071 PM /</i> | | | | |
| To check The GET method for UserSkillsMap API | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UserSkillsMap User is on Endpoint: url/UserSkillsMap with valid username and password | PASSED | 0.005 s |
| 2 | When UserSkillsMap_skill User sends GET request on user id from "InputData_UserSkillsMap_skilGET" and 0 | PASSED | 0.094 s |
| 3 | Then UserSkillsMap_skill User validates StatusCode and StatusMessage from "InputData_UserSkillsMap_skilGET" sheet and 0 row | PASSED | 0.043 s |
| 4 | And UserSkillsMap_skill JSON schema is valid | PASSED | 0.019 s |

(S)- Validate GET one particular Skill-to-users mappings with specific skill ID

| | | | | |
|---|---------------------------|---|---|--|
| PASSED | DURATION - 0.193 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| <i>/ 9:06:38.129 PM // 9:06:38.322 PM /</i> | | | | |
| To check The GET method for UserSkillsMap API | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UserSkillsMap User is on Endpoint: url/UserSkillsMap with valid username and password | PASSED | 0.007 s |
| 2 | When UserSkillsMap_skill User sends GET request on user id from "InputData_UserSkillsMap_skilGET" and 1 | PASSED | 0.125 s |
| 3 | Then UserSkillsMap_skill User validates StatusCode and StatusMessage from "InputData_UserSkillsMap_skilGET" sheet and 1 row | PASSED | 0.059 s |
| 4 | And UserSkillsMap_skill JSON schema is valid | PASSED | 0.001 s |

(S)- Validate GET one particular Skill-to-users mappings with specific skill ID

| | | | | |
|---|---------------------------|--|---|---|
| PASSED | DURATION - 0.134 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 9:06:38.356 PM // 9:06:38.490 PM / | | | | |
| To check The GET method for UserSkillsMap API | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UserSkillsMap User is on Endpoint: url/UserSkillsMap with valid username and password | PASSED | 0.007 s |
| 2 | When UserSkillsMap_skill User sends GET request on user id from "InputData_UserSkillsMap_skilGET" and 2 | PASSED | 0.072 s |
| 3 | Then UserSkillsMap_skill User validates StatusCode and StatusMessage from "InputData_UserSkillsMap_skilGET" sheet and 2 row | PASSED | 0.052 s |
| 4 | And UserSkillsMap_skill JSON schema is valid | PASSED | 0.000 s |

(S)- Validate GET one particular Skill-to-users mappings with specific skill ID


| | | | | |
|---|---------------------------|---|---|--|
| PASSED | DURATION - 0.154 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 9:06:38.515 PM // 9:06:38.669 PM / | | | | |
| To check The GET method for UserSkillsMap API | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UserSkillsMap User is on Endpoint: url/UserSkillsMap with valid username and password | PASSED | 0.006 s |
| 2 | When UserSkillsMap_skill User sends GET request on user id from "InputData_UserSkillsMap_skilGET" and 3 | PASSED | 0.077 s |
| 3 | Then UserSkillsMap_skill User validates StatusCode and StatusMessage from "InputData_UserSkillsMap_skilGET" sheet and 3 row | PASSED | 0.068 s |
| 4 | And UserSkillsMap_skill JSON schema is valid | PASSED | 0.001 s |

(F)- Delete Users details




(S)- Validate the delete method for Users




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.007 s |
| 2 | When UsersAPI user sends request id ON DELETE Method from "InputData_Users_POST" and 0 | PASSED | 0.175 s |
| 3 | <p>Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_DELETE" sheet and 0 row</p> <pre>java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:237) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_DELETE" sheet and 0 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature:Users_DELETE.feature:7)</pre> <p>* Not displayable characters are replaced by '?'.</p> | FAILED | 0.194 s |

(S)- Validate the delete method for Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI user sends request id ON DELETE Method from "InputData_Users_DELETE" and 1 | PASSED | 0.213 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_DELETE" sheet and 1 row | PASSED | 0.126 s |

(S)- Validate the delete method for Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.008 s |
| 2 | When UsersAPI user sends request id ON DELETE Method from "InputData_Users_DELETE" and 2 | PASSED | 0.197 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_DELETE" sheet and 2 row | PASSED | 0.185 s |

(S)- Validate the delete method for Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI user sends request id ON DELETE Method from "InputData_Users_DELETE" and 3 | PASSED | 0.193 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_DELETE" sheet and 3 row | PASSED | 0.141 s |

(S)- Validate the delete method for Users




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.007 s |
| 2 | When UsersAPI user sends request id ON DELETE Method from "InputData_Users_DELETE" and 4 | PASSED | 0.187 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_DELETE" sheet and 4 row java.lang.AssertionError: expected object to not be null at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.assertNotNull(Assert.java:686) at org.testng.Assert.assertNotNull(Assert.java:671) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:240) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_DELETE" sheet and 4 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/Users_DELETE.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.113 s |

(F)- To check The GET method for Users




(S)- Validate GET all Users




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends GET request | PASSED | 0.020 s |
| 3 | Then UsersAPI User validates StatusCode | PASSED | 0.000 s |
| 4 | And UsersAPI JSON schema is valid <code>java.lang.NullPointerException</code> <code>at java.base/java.util.Objects.requireNonNull(Objects.java:221)</code> <code>at java.base/java.lang.ClassLoader.getResource(ClassLoader.java:1392)</code> <code>at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117)</code> <code>at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/util.JSON_Schema_Validation.cls_JSON_SchemaValidation(JSON_Schema_Validation.java:29)</code> <code>at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_json_schema_is_valid(Users.java:160)</code> <code>at ?.UsersAPI JSON schema is valid(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/</code> <code>Users_GET.feature:9)</code> <code>* Not displayable characters are replaced by '?'.</code> | FAILED | 0.001 s |
| 5 | And check the Database for all users | SKIPPED | 0.000 s |

(S)- Validate Users Api with specific ID





| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends GET request on userid from "InputData_User_GET" and 0 | PASSED | 0.209 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_User_GET" sheet and 0 row | PASSED | 0.134 s |
| 4 | And UsersAPI JSON schema is valid for "GET" java.lang.NullPointerException at java.base/java.util.Objects.requireNonNull(Objects.java:221) at java.base/java.lang.ClassLoader.getResource(ClassLoader.java:1392) at io.restassured.module.json.JsonSchemaValidator.matchesJsonSchemaInClasspath(JsonSchemaValidator.java:117) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/util.JSON_Schema_Validation.cls_JSON_SchemaValidation(JSON_Schema_Validation.java:29) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_json_schema_is_valid_for(Users.java:185) at ?.UsersAPI JSON schema is valid for "GET"(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/Users_GET.feature:15) * Not displayable characters are replaced by '?'. | FAILED | 0.003 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_User_GET" and 0 | SKIPPED | 0.001 s |
| 6 | And UsersAPI check the Database | SKIPPED | 0.000 s |

(S)- Validate Users Api with specific ID

| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| PASSED | DURATION - 1.291 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:06:43.275 PM // 9:06:44.566 PM / | | | | |
| To check The GET method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.024 s |
| 2 | When UsersAPI User sends GET request on userid from "InputData_User_GET" and 1 | PASSED | 0.156 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_User_GET" sheet and 1 row | PASSED | 0.318 s |
| 4 | And UsersAPI JSON schema is valid for "GET" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_User_GET" and 1 | PASSED | 0.173 s |
| 6 | And UsersAPI check the Database | PASSED | 0.615 s |


(S)- Validate Users Api with specific ID

| | | | | |
|--------------------------------------|---------------------------|---|---|--|
| PASSED | DURATION - 1.115 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:06:44.599 PM // 9:06:45.714 PM / | | | | |
| To check The GET method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.007 s |
| 2 | When UsersAPI User sends GET request on userid from "InputData_User_GET" and 2 | PASSED | 0.158 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_User_GET" sheet and 2 row | PASSED | 0.120 s |
| 4 | And UsersAPI JSON schema is valid for "GET" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_User_GET" and 2 | PASSED | 0.240 s |


| # | Step / Hook Details | Status | Duration |
|---|---------------------------------|--------|----------|
| 6 | And UsersAPI check the Database | PASSED | 0.587 s |

(S)- Validate Users Api with specific ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends GET request on userid from "InputData_User_GET" and 3 | PASSED | 0.175 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_User_GET" sheet and 3 row | PASSED | 0.144 s |
| 4 | And UsersAPI JSON schema is valid for "GET" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_User_GET" and 3 | PASSED | 0.131 s |
| 6 | And UsersAPI check the Database | PASSED | 0.469 s |


(S)- Validate Users Api with specific ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.003 s |
| 2 | When UsersAPI User sends GET request on userid from "InputData_User_GET" and 4 | PASSED | 0.140 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_User_GET" sheet and 4 row | PASSED | 0.104 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 4 | And UsersAPI JSON schema is valid for "GET" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_User_GET" and 4 | PASSED | 0.108 s |
| 6 | And UsersAPI check the Database | PASSED | 0.555 s |

(S)- Validate Users Api with specific ID




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends GET request on userid from "InputData_User_GET" and 5 | PASSED | 0.167 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_User_GET" sheet and 5 row java.lang.AssertionError: expected object to not be null at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.assertNotNull(Assert.java:686) at org.testng.Assert.assertNotNull(Assert.java:671) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:240) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_User_GET" sheet and 5 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/Users_GET.feature:14) * Not displayable characters are replaced by '?'. | FAILED | 0.144 s |
| 4 | And UsersAPI JSON schema is valid for "GET" | SKIPPED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_User_GET" and 5 | SKIPPED | 0.000 s |
| 6 | And UsersAPI check the Database | SKIPPED | 0.000 s |

(F)- To check The POST method for Users




(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 0 with valid JSON Schema | PASSED | 0.260 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 0 row | PASSED | 0.179 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.034 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 0 | PASSED | 0.164 s |
| 6 | And UsersAPI check the Database | PASSED | 0.651 s |

(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 1 with valid JSON Schema | PASSED | 0.358 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 1 row | PASSED | 0.142 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 1 | PASSED | 0.293 s |
| 6 | And UsersAPI check the Database | PASSED | 1.162 s |

(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.006 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 2 with valid JSON Schema | PASSED | 0.189 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 2 row | PASSED | 0.145 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 2 | PASSED | 0.171 s |
| 6 | And UsersAPI check the Database | PASSED | 0.653 s |

(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 3 with valid JSON Schema | PASSED | 0.197 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 3 row | PASSED | 0.137 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 3 | PASSED | 0.313 s |
| 6 | And UsersAPI check the Database | PASSED | 0.906 s |

(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.003 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 4 with valid JSON Schema | PASSED | 0.191 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 4 row | PASSED | 0.180 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 4 | PASSED | 0.158 s |
| 6 | And UsersAPI check the Database | PASSED | 0.616 s |

(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 5 with valid JSON Schema | PASSED | 0.224 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 5 row | PASSED | 0.134 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.015 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 5 | PASSED | 0.181 s |
| 6 | And UsersAPI check the Database | PASSED | 0.458 s |

(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 6 with valid JSON Schema | PASSED | 0.118 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 6 row | PASSED | 0.121 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.010 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 6 | PASSED | 0.127 s |
| 6 | And UsersAPI check the Database | PASSED | 0.592 s |

(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 7 with valid JSON Schema | PASSED | 0.126 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 7 row | PASSED | 0.080 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.005 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 7 | PASSED | 0.101 s |
| 6 | And UsersAPI check the Database | PASSED | 0.484 s |

(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 8 with valid JSON Schema | PASSED | 0.124 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 8 row | PASSED | 0.089 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 8 | PASSED | 0.110 s |
| 6 | And UsersAPI check the Database | PASSED | 0.615 s |

(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.014 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 9 with valid JSON Schema | PASSED | 0.224 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 9 row | PASSED | 0.164 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.021 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 9 | PASSED | 0.133 s |
| 6 | And UsersAPI check the Database | PASSED | 0.607 s |

(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.003 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 10 with valid JSON Schema | PASSED | 0.142 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 10 row java.lang.AssertionError: expected [400] but found [201] at org.testng.Assert.failAssert.java:96) at org.testng.Assert.failNotEqualsAssert.java:776) at org.testng.Assert.assertEqualsImplAssert.java:137) at org.testng.Assert.assertEqualsAssert.java:118) at org.testng.Assert.assertEqualsAssert.java:652) at org.testng.Assert.assertEqualsAssert.java:662) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:237) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 10 row(file:///C:/@Ruchira/ Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/Users_POST.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.129 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | SKIPPED | 0.001 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 10 | SKIPPED | 0.001 s |
| 6 | And UsersAPI check the Database | SKIPPED | 0.000 s |


(S)- Validate POST Users



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.025 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 11 with valid JSON Schema | PASSED | 0.140 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 11 row java.lang.AssertionError: expected [400] but found [201] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:237) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 11 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/Users_POST.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.107 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | SKIPPED | 0.001 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 11 | SKIPPED | 0.001 s |
| 6 | And UsersAPI check the Database | SKIPPED | 0.000 s |



(S)- Validate POST Users

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.006 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 12 with valid JSON Schema | PASSED | 0.159 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 12 row | PASSED | 0.183 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.010 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 12 | PASSED | 0.120 s |
| 6 | And UsersAPI check the Database | PASSED | 0.445 s |

(S)- Validate POST Users



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 13 with valid JSON Schema | PASSED | 0.133 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 13 row | PASSED | 0.115 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.009 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 13 | PASSED | 0.100 s |
| 6 | And UsersAPI check the Database | PASSED | 0.543 s |

(S)- Validate POST Users

| | | | | |
|---|---------------------------|--|---|---|
| PASSED | DURATION - 0.903 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| <i>/ 9:07:03.009 PM // 9:07:03.912 PM /</i> | | | | |
| To check The POST method for Users | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.025 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 14 with valid JSON Schema | PASSED | 0.176 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 14 row | PASSED | 0.117 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 14 | PASSED | 0.142 s |
| 6 | And UsersAPI check the Database | PASSED | 0.441 s |

(S)- Validate POST Users

| | | | | |
|---|---------------------------|---|---|--|
| PASSED | DURATION - 0.961 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| <i>/ 9:07:03.943 PM // 9:07:04.904 PM /</i> | | | | |
| To check The POST method for Users | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.006 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 15 with valid JSON Schema | PASSED | 0.102 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 15 row | PASSED | 0.079 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 15 | PASSED | 0.124 s |
| 6 | And UsersAPI check the Database | PASSED | 0.648 s |

(S)- Validate POST Users


| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| PASSED | DURATION - 1.609 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:07:04.944 PM // 9:07:06.553 PM / | | | | |
| To check The POST method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 16 with valid JSON Schema | PASSED | 0.281 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 16 row | PASSED | 0.189 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 16 | PASSED | 0.265 s |
| 6 | And UsersAPI check the Database | PASSED | 0.865 s |


(S)- Validate POST Users

| | | | | |
|--------------------------------------|---------------------------|---|---|--|
| PASSED | DURATION - 0.987 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:07:06.624 PM // 9:07:07.611 PM / | | | | |
| To check The POST method for Users | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.008 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 17 with valid JSON Schema | PASSED | 0.154 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 17 row | PASSED | 0.139 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 17 | PASSED | 0.110 s |
| 6 | And UsersAPI check the Database | PASSED | 0.571 s |

(S)- Validate POST Users


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 18 with valid JSON Schema | PASSED | 0.124 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 18 row java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:237) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 18 row(file:///C:/@Ruchira/ Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/Users_POST.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.090 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | SKIPPED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 18 | SKIPPED | 0.000 s |
| 6 | And UsersAPI check the Database | SKIPPED | 0.000 s |

(S)- Validate POST Users


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 19 with valid JSON Schema | PASSED | 0.096 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 19 row | PASSED | 0.088 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 19 | PASSED | 0.108 s |
| 6 | And UsersAPI check the Database | PASSED | 0.457 s |

(S)- Validate POST Users


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.003 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 20 with valid JSON Schema | PASSED | 0.116 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 20 row | PASSED | 0.121 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 20 | PASSED | 0.107 s |
| 6 | And UsersAPI check the Database | PASSED | 0.556 s |

(S)- Validate POST Users


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 21 with valid JSON Schema | PASSED | 0.108 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 21 row | PASSED | 0.092 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 21 | PASSED | 0.114 s |
| 6 | And UsersAPI check the Database | PASSED | 0.453 s |

(S)- Validate POST Users

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.002 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 22 with valid JSON Schema | PASSED | 0.118 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 22 row | PASSED | 0.090 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.010 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 22 | PASSED | 0.146 s |
| 6 | And UsersAPI check the Database | PASSED | 0.618 s |

(S)- Validate POST Users


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.009 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 23 with valid JSON Schema | PASSED | 0.165 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 23 row | PASSED | 0.084 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.009 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 23 | PASSED | 0.120 s |
| 6 | And UsersAPI check the Database | PASSED | 0.943 s |

(S)- Validate POST Users

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 24 with valid JSON Schema | PASSED | 0.309 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 24 row <code>java.lang.AssertionError: expected [400] but found [201] at org.testng.Assert.failAssert.java:96) at org.testng.Assert.failNotEqualsAssert.java:776) at org.testng.Assert.assertEqualsImplAssert.java:137)</code> | FAILED | 0.222 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:237) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 24 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/Users_POST.feature:7) * Not displayable characters are replaced by '?'. 4 And UsersAPI JSON schema is valid for "POST" 5 And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 24 6 And UsersAPI check the Database | | |
| 4 | And UsersAPI JSON schema is valid for "POST" | SKIPPED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 24 | SKIPPED | 0.002 s |
| 6 | And UsersAPI check the Database | SKIPPED | 0.001 s |


(S)- Validate POST Users



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 25 with valid JSON Schema | PASSED | 0.287 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 25 row java.lang.AssertionError: expected [Failed to create-invalida data] but found [Failed to create-invalid data] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:442) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:242) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 25 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/Users_POST.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.168 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | SKIPPED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 25 | SKIPPED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---------------------------------|---------|----------|
| 6 | And UsersAPI check the Database | SKIPPED | 0.000 s |

(S)- Validate POST Users




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.009 s |
| 2 | When UsersAPI User sends POST request body from "InputData_Users_POST" and 26 with valid JSON Schema | PASSED | 0.296 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 26 row <i>java.lang.AssertionError: expected [Failed to create-invalida data] but found [Failed to create-invalid data]</i> at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:442) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:242) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_POST" sheet and 26 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature:Users_POST.feature:7) * Not displayable characters are replaced by '?'. | FAILED | 0.200 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | SKIPPED | 0.002 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "InputData_Users_POST" and 26 | SKIPPED | 0.002 s |
| 6 | And UsersAPI check the Database | SKIPPED | 0.001 s |

(S)- Validate POST Users


| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| PASSED | DURATION - 1.248 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:07:14.718 PM // 9:07:15.966 PM / | | | | |
| To check The POST method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.012 s |
| 2 | When UsersAPI User sends POST request body from "location_POST" and 0 with valid JSON Schema | PASSED | 0.220 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "location_POST" sheet and 0 row | PASSED | 0.106 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.003 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "location_POST" and 0 | PASSED | 0.189 s |
| 6 | And UsersAPI check the Database | PASSED | 0.713 s |


(S)- Validate POST Users

| | | | | |
|--------------------------------------|---------------------------|---|---|--|
| PASSED | DURATION - 1.640 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:07:15.999 PM // 9:07:17.639 PM / | | | | |
| To check The POST method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends POST request body from "time_zone_POST" and 0 with valid JSON Schema | PASSED | 0.205 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "time_zone_POST" sheet and 0 row | PASSED | 0.472 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "time_zone_POST" and 0 | PASSED | 0.215 s |
| 6 | And UsersAPI check the Database | PASSED | 0.741 s |


(S)- Validate POST Users

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends POST request body from "linkedin_url_POST" and 0 with valid JSON Schema | PASSED | 0.165 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "linkedin_url_POST" sheet and 0 row | PASSED | 0.145 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "linkedin_url_POST" and 0 | PASSED | 0.168 s |
| 6 | And UsersAPI check the Database | PASSED | 0.869 s |

(S)- Validate POST Users


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends POST request body from "education_ug_POST" and 0 with valid JSON Schema | PASSED | 0.176 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "education_ug_POST" sheet and 0 row | PASSED | 0.129 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.007 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "education_ug_POST" and 0 | PASSED | 0.141 s |
| 6 | And UsersAPI check the Database | PASSED | 0.606 s |

(S)- Validate POST Users

| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| PASSED | DURATION - 1.289 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:07:20.172 PM // 9:07:21.461 PM / | | | | |
| To check The POST method for Users | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.008 s |
| 2 | When UsersAPI User sends POST request body from "education_pg_POST" and 0 with valid JSON Schema | PASSED | 0.408 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "education_pg_POST" sheet and 0 row | PASSED | 0.121 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "education_pg_POST" and 0 | PASSED | 0.134 s |
| 6 | And UsersAPI check the Database | PASSED | 0.614 s |

(S)- Validate POST Users

| | | | | |
|--------------------------------------|---------------------------|---|---|--|
| PASSED | DURATION - 1.057 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:07:21.499 PM // 9:07:22.556 PM / | | | | |
| To check The POST method for Users | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends POST request body from "visa_status_POST" and 0 with valid JSON Schema | PASSED | 0.172 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "visa_status_POST" sheet and 0 row | PASSED | 0.124 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "visa_status_POST" and 0 | PASSED | 0.104 s |
| 6 | And UsersAPI check the Database | PASSED | 0.647 s |

(S)- Validate POST Users

| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| PASSED | DURATION - 0.916 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:07:22.600 PM // 9:07:23.516 PM / | | | | |
| To check The POST method for Users | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.008 s |
| 2 | When UsersAPI User sends POST request body from "comments_POST" and 0 with valid JSON Schema | PASSED | 0.130 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "comments_POST" sheet and 0 row | PASSED | 0.134 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "comments_POST" and 0 | PASSED | 0.109 s |
| 6 | And UsersAPI check the Database | PASSED | 0.534 s |

(S)- Validate POST Users


| | | | | |
|--------------------------------------|---------------------------|---|---|--|
| PASSED | DURATION - 0.720 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:07:23.564 PM // 9:07:24.284 PM / | | | | |
| To check The POST method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.003 s |
| 2 | When UsersAPI User sends POST request body from "Invalid_Content" and 0 with valid JSON Schema | PASSED | 0.094 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "Invalid_Content" sheet and 0 row | PASSED | 0.089 s |
| 4 | And UsersAPI JSON schema is valid for "POST" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive the user details in JSON body from "Invalid_Content" and 0 | PASSED | 0.079 s |
| 6 | And UsersAPI check the Database | PASSED | 0.452 s |

(F)- To check The PUT method for Users




(S)- Validate PUT method for Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 0 with valid JSON schema | PASSED | 0.280 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 0 row | PASSED | 0.096 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.022 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 0 | PASSED | 0.133 s |
| 6 | And UsersAPI check the Database | PASSED | 0.537 s |

(S)- Validate PUT method for Users

| | | | | |
|---|---------------------------|--|---|---|
| PASSED | DURATION - 0.949 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| <i>/ 9:07:25.434 PM // 9:07:26.383 PM /</i> | | | | |
| To check The PUT method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 1 with valid JSON schema | PASSED | 0.189 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 1 row | PASSED | 0.089 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 1 | PASSED | 0.100 s |
| 6 | And UsersAPI check the Database | PASSED | 0.563 s |


(S)- Validate PUT method for Users

| | | | | |
|---|---------------------------|---|---|--|
| PASSED | DURATION - 1.011 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| <i>/ 9:07:26.422 PM // 9:07:27.433 PM /</i> | | | | |
| To check The PUT method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 2 with valid JSON schema | PASSED | 0.231 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 2 row | PASSED | 0.091 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 2 | PASSED | 0.119 s |


| # | Step / Hook Details | Status | Duration |
|---|---------------------------------|--------|----------|
| 6 | And UsersAPI check the Database | PASSED | 0.562 s |

(S)- Validate PUT method for Users



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 3 with valid JSON schema | PASSED | 0.266 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 3 row | PASSED | 0.108 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 3 | PASSED | 0.196 s |
| 6 | And UsersAPI check the Database | PASSED | 0.992 s |



(S)- Validate PUT method for Users



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 4 with valid JSON schema | PASSED | 0.241 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 4 row | PASSED | 0.085 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 4 | PASSED | 0.109 s |
| 6 | And UsersAPI check the Database | PASSED | 0.460 s |

(S)- Validate PUT method for Users

| | | | | |
|--------|-----------------------------------|--|---|---|
| PASSED | DURATION - 1.176 s |  / 9:07:30.006 PM // 9:07:31.182 PM / | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| | To check The PUT method for Users | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.011 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 5 with valid JSON schema | PASSED | 0.193 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 5 row | PASSED | 0.112 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 5 | PASSED | 0.158 s |
| 6 | And UsersAPI check the Database | PASSED | 0.697 s |

(S)- Validate PUT method for Users

| | | | | |
|--------|-----------------------------------|--|---|---|
| PASSED | DURATION - 1.138 s |  / 9:07:31.217 PM // 9:07:32.355 PM / | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| | To check The PUT method for Users | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.027 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 6 with valid JSON schema | PASSED | 0.289 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 6 row | PASSED | 0.104 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 6 | PASSED | 0.125 s |
| 6 | And UsersAPI check the Database | PASSED | 0.589 s |

(S)- Validate PUT method for Users




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 7 with valid JSON schema | PASSED | 0.358 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 7 row | PASSED | 0.119 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 7 | PASSED | 0.144 s |
| 6 | And UsersAPI check the Database | PASSED | 0.637 s |

(S)- Validate PUT method for Users

| | | | | |
|---|---------------------------|--|---|---|
| PASSED | DURATION - 2.025 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| <i>/ 9:07:33.687 PM // 9:07:35.712 PM /</i> | | | | |
| To check The PUT method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 8 with valid JSON schema | PASSED | 0.524 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 8 row | PASSED | 0.165 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 8 | PASSED | 0.231 s |
| 6 | And UsersAPI check the Database | PASSED | 1.097 s |


(S)- Validate PUT method for Users

| | | | | |
|---|---------------------------|---|---|--|
| PASSED | DURATION - 1.229 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| <i>/ 9:07:35.769 PM // 9:07:36.998 PM /</i> | | | | |
| To check The PUT method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.006 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 9 with valid JSON schema | PASSED | 0.373 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 9 row | PASSED | 0.131 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 9 | PASSED | 0.148 s |


| # | Step / Hook Details | Status | Duration |
|---|---------------------------------|--------|----------|
| 6 | And UsersAPI check the Database | PASSED | 0.569 s |

(S)- Validate PUT method for Users



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 10 with valid JSON schema | PASSED | 0.324 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 10 row | PASSED | 0.131 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 10 | PASSED | 0.126 s |
| 6 | And UsersAPI check the Database | PASSED | 0.663 s |


(S)- Validate PUT method for Users



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 11 with valid JSON schema | PASSED | 0.179 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 11 row | PASSED | 0.083 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.016 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 11 | PASSED | 0.076 s |
| 6 | And UsersAPI check the Database | PASSED | 0.537 s |

(S)- Validate PUT method for Users




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.006 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 12 with valid JSON schema | PASSED | 0.249 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 12 row | PASSED | 0.118 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.017 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 12 | PASSED | 0.124 s |
| 6 | And UsersAPI check the Database | PASSED | 0.587 s |

(S)- Validate PUT method for Users




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 13 with valid JSON schema | PASSED | 0.279 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 13 row | PASSED | 0.092 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.014 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 13 | PASSED | 0.074 s |
| 6 | And UsersAPI check the Database | PASSED | 0.572 s |

(S)- Validate PUT method for Users





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.007 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 14 with valid JSON schema | PASSED | 0.266 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 14 row | PASSED | 0.089 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.011 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 14 | PASSED | 0.099 s |
| 6 | And UsersAPI check the Database | PASSED | 0.452 s |

(S)- Validate PUT method for Users

| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| PASSED | DURATION - 0.907 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:07:42.420 PM // 9:07:43.327 PM / | | | | |
| To check The PUT method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 15 with valid JSON schema | PASSED | 0.186 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 15 row | PASSED | 0.092 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 15 | PASSED | 0.085 s |
| 6 | And UsersAPI check the Database | PASSED | 0.537 s |


(S)- Validate PUT method for Users

| | | | | |
|--------------------------------------|---------------------------|---|---|--|
| FAILED | DURATION - 0.342 s |  | Steps Total - 6 Pass - 2 Fail - 1 Skip - 3 |  |
| / 9:07:43.362 PM // 9:07:43.704 PM / | | | | |
| To check The PUT method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 16 with valid JSON schema | PASSED | 0.233 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 16 row java.lang.AssertionError: expected [400] but found [201] at org.testng.Assert.failAssert.java:96) at org.testng.Assert.failNotEqualsAssert.java:776) | FAILED | 0.102 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:237) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 16 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/Users_PUT.feature:8) * Not displayable characters are replaced by '?'.</pre> | | |
| 4 | And UsersAPI JSON schema is valid for "PUT" | SKIPPED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 16 | SKIPPED | 0.000 s |
| 6 | And UsersAPI check the Database | SKIPPED | 0.000 s |

(S)- Validate PUT method for Users




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.003 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 17 with valid JSON schema | PASSED | 0.189 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 17 row | PASSED | 0.088 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.006 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 17 | PASSED | 0.096 s |
| 6 | And UsersAPI check the Database | PASSED | 0.480 s |

(S)- Validate PUT method for Users

| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| PASSED | DURATION - 0.978 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:07:44.635 PM // 9:07:45.613 PM / | | | | |
| To check The PUT method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 18 with valid JSON schema | PASSED | 0.200 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 18 row | PASSED | 0.092 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 18 | PASSED | 0.106 s |
| 6 | And UsersAPI check the Database | PASSED | 0.571 s |


(S)- Validate PUT method for Users

| | | | | |
|--------------------------------------|---------------------------|---|---|--|
| PASSED | DURATION - 0.843 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 9:07:45.649 PM // 9:07:46.492 PM / | | | | |
| To check The PUT method for Users | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.003 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 19 with valid JSON schema | PASSED | 0.174 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 19 row | PASSED | 0.081 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 19 | PASSED | 0.080 s |


| # | Step / Hook Details | Status | Duration |
|---|---------------------------------|--------|----------|
| 6 | And UsersAPI check the Database | PASSED | 0.504 s |

(S)- Validate PUT method for Users



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 20 with valid JSON schema | PASSED | 0.265 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 20 row | PASSED | 0.128 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 20 | PASSED | 0.128 s |
| 6 | And UsersAPI check the Database | PASSED | 0.540 s |



(S)- Validate PUT method for Users



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.003 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 21 with valid JSON schema | PASSED | 0.190 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 21 row | PASSED | 0.106 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.001 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 21 | PASSED | 0.101 s |
| 6 | And UsersAPI check the Database | PASSED | 0.597 s |

(S)- Validate PUT method for Users

| | | | | | | | | | | | | | | | | |
|--------------------------------------|--------------------|--|-----|-----|-----|---|---|---|-----|-----|-----|-----|-----|-----|--|---|
| PASSED | DURATION - 1.026 s |  <table border="1"> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td></tr> <tr><td>0.8</td><td>0.6</td><td>0.4</td><td>0.2</td><td>0.0</td><td>0.6</td></tr> </table> | 1 | 2 | 3 | 4 | 5 | 6 | 0.8 | 0.6 | 0.4 | 0.2 | 0.0 | 0.6 | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| 1 | 2 | 3 | 4 | 5 | 6 | | | | | | | | | | | |
| 0.8 | 0.6 | 0.4 | 0.2 | 0.0 | 0.6 | | | | | | | | | | | |
| / 9:07:48.686 PM // 9:07:49.712 PM / | | | | | | | | | | | | | | | | |
| To check The PUT method for Users | | | | | | | | | | | | | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 22 with valid JSON schema | PASSED | 0.233 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 22 row | PASSED | 0.105 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 22 | PASSED | 0.102 s |
| 6 | And UsersAPI check the Database | PASSED | 0.580 s |

(S)- Validate PUT method for Users

| | | | | | | | | | | | | | | | | |
|--------------------------------------|--------------------|--|-----|-----|-----|---|---|---|-----|-----|-----|-----|-----|-----|--|---|
| FAILED | DURATION - 0.335 s |  <table border="1"> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td></tr> <tr><td>0.3</td><td>0.2</td><td>0.1</td><td>0.0</td><td>0.0</td><td>0.0</td></tr> </table> | 1 | 2 | 3 | 4 | 5 | 6 | 0.3 | 0.2 | 0.1 | 0.0 | 0.0 | 0.0 | Steps Total - 6 Pass - 2 Fail - 1 Skip - 3 |  |
| 1 | 2 | 3 | 4 | 5 | 6 | | | | | | | | | | | |
| 0.3 | 0.2 | 0.1 | 0.0 | 0.0 | 0.0 | | | | | | | | | | | |
| / 9:07:49.748 PM // 9:07:50.083 PM / | | | | | | | | | | | | | | | | |
| To check The PUT method for Users | | | | | | | | | | | | | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.004 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 23 with valid JSON schema | PASSED | 0.236 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 23 row java.lang.AssertionError: expected [400] but found [201] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:237) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 23 row(file:///C:/@Ruchira/Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/Users_PUT.feature:8) * Not displayable characters are replaced by '?'. | FAILED | 0.090 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | SKIPPED | 0.001 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 23 | SKIPPED | 0.000 s |
| 6 | And UsersAPI check the Database | SKIPPED | 0.000 s |

(S)- Validate PUT method for Users



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.003 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 24 with valid JSON schema | PASSED | 0.256 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 24 row | PASSED | 0.203 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | PASSED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 24 | PASSED | 0.258 s |
| 6 | And UsersAPI check the Database | PASSED | 1.130 s |

(S)- Validate PUT method for Users



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given UsersAPI User is on Endpoint: url/Users with valid username and password | PASSED | 0.005 s |
| 2 | When UsersAPI User sends PUT request on id and request body from "InputData_Users_PUT" and 25 with valid JSON schema | PASSED | 0.481 s |
| 3 | Then UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 25 row java.lang.AssertionError: expected [0] but found [404] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:652) at org.testng.Assert.assertEquals(Assert.java:662) at LMS.API.HACKATHON2122@0.0.1-SNAPSHOT/step_definition.Users.UsersAPI_user_receives_status_code_with(Users.java:237) at ?.UsersAPI User validates StatusCode and StatusMessage from "InputData_Users_PUT" sheet and 25 row(file:///C:/@Ruchira/ Workspace/LMS_API_HACKATHON2122/src/test/resources/users.feature/Users_PUT.feature:8) * Not displayable characters are replaced by '?'. | FAILED | 0.183 s |
| 4 | And UsersAPI JSON schema is valid for "PUT" | SKIPPED | 0.000 s |
| 5 | And UsersAPI User should receive a list of user in JSON body with the fields like user_id,name,phone_number,location, time_zone,linkedin_url from "InputData_Users_PUT" and 25 | SKIPPED | 0.001 s |
| 6 | And UsersAPI check the Database | SKIPPED | 0.000 s |