

Abstract

Status of This Memo

This document describes the author's viewpoint. This does not represent the ideas of the Free Software Foundation or any other entity. Distribution of this memo is unlimited.

1.	Introduction	1
2.	Justification	2
3.	Current Practices	4
4.	Technical Limitations	5
5.	Reputation	5
6.	Conclusion	5
7.	FSF Considerations	5
8.	Normative References	5
9.	Informative References	5
	Acknowledgements	5
	Contributors	6
	Author's Address	6

Readers of this memo probably understand the ideals of the Free Software Movement, and avoid proprietary software when possible. However, as most outsiders are unaware and are deeply buried inside the proprietary dystopia created by mostly multibillion-dollar technology corporations, our methods of communicating with the masses are ineffective.

In February 2022, the author decided to permit limited usage of nonfree chat platforms to hopefully spread our ideas to the general public. This was attempted by registering a Discord account, creating a Guild called "Free Software Introductions", and setting up a basic Discord-to-IRC relay to #fsi on both `irc.andrewyu.org` and `irc.libera.chat`.

One of the communities that he knows about, the VF-Technic Minetest community, primarily uses Discord as a means of communication by players not in-game. As the users inside are Minetest players, a Free Software voxel sandbox game, similar to but much more flexible and freedom-respecting than Minecraft, it is believed that the users have some contact with Free Software, although they might not understand the freedom part of the issue, i.e. they might be thinking in terms of "open source" instead, and do not understand the harms of nonfree JavaScript and services like Discord. After sharing the invite link in the VF-Technic Guild, some people joined, and we've partially converted two users.

2. Justification

There are numerous free replacements to proprietary services such as Discord, such as Internet Relay Chat, the Extensible Messaging and Presence Protocol, the Matrix protocol, and email. As Free Software activists, we generally prefer these protocols over nonfree services. This section explains the reasons to consider nonfree services and protocols.

Generally, users on IRC and XMPP have a fair understanding of the Free Software Movement, and it is quick and easy to inform them what we mean by "free", "the four freedoms", and similar ideas. For users on the Libera Chat IRC network, which by far has the most users of any network, it is exceptionally easy to introduce a user into the #fsf channel for discussions with people supporting Free Software. Introducing ignorant users on these protocols and platforms are a day-to-day simple task. Furthermore, the amount of users we can reach on these protocols are rather limiting. Libera has around forty thousand users according to the `LUSERS` command, and considering the fact that around 90% of these people aren't ignorant, there isn't much we can do.

Matrix users, in particular users of the matrix.org homeserver, typically know but don't completely understand Free Software. Rather than using Matrix IDs to identify users, the Matrix specification specifies that third-party platform identities, such as email and GitHub, are how users should be referenced both internally by servers and shown to other users. This is obviously an incredibly foolish idea, especially considering the use of centralized identity servers (similar to X509 certificate authorities) for 3PIDs. These are our first targets, but these should also be easy to get the idea across.

It is true that Libera Chat and similar IRC networks, though multi-centered in a technical way (i.e. multiple IRC servers form an IRC network), the network is politically centralized, controlled by one entity, Libera. The Internet Relay Chat server-to-server protocol implies that servers fully trust each other and are expected to not send damaging commands, which in turn implies full trust between server operators, no federation, and political centralization. The privacy policy and network policy of Libera Chat are non-intrusive, therefore the use of which is acceptable and is promoted by the FSF. (Obviously, most methods of using IRC do not involve nonfree software.)

We currently find it hard to continue spreading basic knowledge among the masses through free communication protocols.

Those that have never touched Free Software are often on giant proprietary platforms, and take these as universal methods of communication. Many people go months before checking their mailbox (physical or electronic), refuse to use XMPP or IRC for its age.

There is one special case where using some nonfree software, and even urging others to use it, can be a positive thing. That's when the use of the nonfree software aims directly at putting an end to the use of that very same nonfree software.[RMSGP] The author believes that the following fall within this scope:

- * Developing a free project that requires nonfree environments to bootstrap;
- * To spread awareness of software freedom issues to users in nonfree environments.

As almost all types of development can be done on most types of BSD and GNU operating systems, the author hasn't found any software that fit this category. Extending the interpretation allows for using nonfree software's behavior as a reference in Free Software development, though an arguable programming practice, may help the community to progress by understanding common features that users of nonfree services use.

The latter is more interesting, as explained above our methods of spreading awareness is limited. Conservative usage of nonfree platforms may bring us more users, and chances for more of the general public to be enlightened.

3. Current Practices

Activists **MUST NOT** list such nonfree services in "Contact Information" pages on their website or similar sources, unless followed by an explanation that the purpose of the nonfree platform is to introduce users thereof onto free protocols and to eventually exterminate the nonfree platform. Whenever these references to nonfree platforms appear, the author **MUST** present free methods of communication. Activists **SHOULD** pragmatically use as many of the popular free protocols as possible, to ensure that opportunities of introductions are not lost. In cases involving competition between free and nonfree protocols and platforms, ethical concerns (i.e. enabling talking to a new user on any ethical platform) **MUST** take precedence over technical concerns (such as disliking the XMPP protocol for its inefficient use of XML) whenever possible.

Communities for introducing users to Free Software on nonfree platforms **MUST** be bridged to a free protocol in some obvious way, in order to minimize the usage of nonfree platforms even for the purpose of communicating ideology to new users and allow members of the Free Software community refusing to use nonfree platforms in any way to participate. Usages of nonfree platforms, besides part of the user-introduction process that must happen on the nonfree platform, **SHOULD** be avoided. Free clients, if available, **SHOULD** be used, although many times usage is technically cumbersome.

When both (all) sides of the communication are happy using a free protocol, proprietary platforms **MUST NOT** be used.

During communications with users of nonfree platforms, activists **SHOULD** ask them what features of the nonfree platforms are attractive to the user, besides having more users. This allows the community to take usage by the general population into account when developing new software or specifications.

For example, the author created a Discord Guild called Free Software Introductions, which is one-way-puppeted to #fsi on irc.andrewyu.org, which is then one-way-puppeted to Libera. The relay system is sort-of messed up, but it's working. Inviting new users to it via <https://discord.gg/7CYp7ntww7> (<https://discord.gg/7CYp7ntww7>) is good, but as the author has made his own sacrifice already, there exists no need for other existing Free Software activists to join and use it instead of IRC.

4. Technical Limitations

The old and centralized nature of IRC, the insane 3PID recommendation of Matrix, the bad routing and efficiency of XMPP, and the lack of documentation on PSYC, has led us to develop a new protocol, Internet Delay Chat[IDC], which aims to be free, modern (i.e. support for channel groups and shared permission sets, non-text data with MIME types), sane (i.e. TCP, UDP and SCTP-based, instead of HTTP POST APIs) and simple.

5. Reputation

Outsiders may point at these actions as cringeworthy because we are depending on things we are against to achieve our goals. In this situation, showing them this RFD should suffice.

6. Conclusion

The Free Software Community is constantly evolving; the majority of computer users haven't heard of us. While we improve our software, it is important that our ideology and philosophy is sent out of our internal circle. This demonstrates the necessity for momentarily sacrificing our own principle for the greater good while minimizing the harms of such pragmatic usage of nonfree software.

7. FSF Considerations

It is RECOMMENDED that the FSF understands the use of nonfree software in these situations and acknowledge its pragmatic use.

8. Normative References

[RMSGP] Stallman, R., "Is It Ever a Good Thing to Use a Nonfree Program?", September 2013, <<http://www.gnu.org/philosophy/is-ever-good-use-nonfree-program.en.html>>.

9. Informative References

[IDC] Yu, A., "Internet Delay Chat", April 2022, <<https://git.andrewyu.org/internet-delay-chat>>.

Acknowledgements

iShareFreedom's absolute standpoint in #fsf that we can spread awareness effectively through free methods exclusively has led to this RFD.

Contributors

Many thanks to everyone who has contributed to this document by supplying ideas, correcting typos or spreading the word, including but not limited to DiffieHellman, Leah Rowe, Noisytoot and fluxionary.

Author's Address

Andrew Yu
The 2nd School Aff. to FDU
Email: andrew@andrewyu.org
URI: <https://www.andrewyu.org/>