# Rajalakshmi Engineering College

Name: Rupakanthan A

Email: 240701444@rajalakshmi.edu.in

Roll no: 240701444 Phone: 9342869897

Branch: REC

Department: I CSE FE

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 1\_CY

Attempt : 1 Total Mark : 40 Marks Obtained : 40

Section 1: Coding

# 1. Problem Statement

Liam and his friends are sharing the cost of a group purchase. The total cost of the purchase is subject to a 10% discount. One of the friends receives a 35% bonus, which means they will pay a larger portion of the discounted cost. The remaining cost is then divided equally among the other friends.

# Write a program to:

Calculate the total cost after applying a 10% discount. Determine the amount paid by the friend who receives a 35% bonus. Calculate the amount each of the other friends will pay.

# **Input Format**

The first line of input consists of a float value f, representing the total cost.

The second line contains an integer value n, representing the total number of friends.

# **Output Format**

The first line of output displays "Cost after a 10% discount: " followed by the discounted cost of the ticket package as a float value formatted to two decimal places.

The second line displays "Friend with a 35% bonus pays: " followed by the amount paid by the friend with the bonus as a float value formatted to two decimal places.

The third line displays "Each of the other friends pays: " followed by the individual share of the remaining cost as a float value formatted to two decimal places.

Refer to the sample output for the formatting specifications.

# Sample Test Case

Input: 10000.0

5

Output: Cost after a 10% discount: 9000.00 Friend with a 35% bonus pays: 3150.00 Each of the other friends pays: 1462.50

# Answer

```
f = float(input())
n = int(input())
totalcost=f-(f/10)
amountpaid=totalcost*(35/100)
cost=totalcost-amountpaid
r=cost/(n-1)
print("cost after a 10% discount:","%.2f"%totalcost)
print("Friend with a 35% bonus pays:","%.2f"%amountpaid)
print("Each of the other friends pays:","%.2f"%r)
```

Status: Correct Marks: 10/10

Olivia is creating a wellness dashboard for her new fitness app, FitTrack.

She needs a program that can capture and display key details at user's workout. The program steps they ran, the energy they expended in kilojoules, and the duration of their workout in hours. After collecting this information, the program will generate a detailed summary of the user's fitness activity.

Your task is to guide Olivia through the program.

# **Input Format**

The first line of input consists of a string, representing the user's name.

The second line consists of an integer, representing the total steps taken.

The third line consists of a float value, representing the calories burned.

The fourth line consists of a float value, representing the workout duration in hours.

# **Output Format**

The first line of output prints "User Name: " followed by the user's name.

The second line prints "Total Steps: " followed by the total steps.

The third line prints "Calories Burned: " followed by the calories burned, rounded off to one decimal place.

The fourth line prints "Workout Duration: X hours" where X is the workout duration, rounded off to one decimal place.

Refer to the sample output for formatting specifications.

# Sample Test Case

Input: Alex 10000

```
350.5
1.5
```

Output: User Name: Alex Total Steps: 10000

Calories Burned: 350.5 Workout Duration: 1.5 hours

#### Answer

```
a=input()
b=int(input())
c=float(input())
d=float(input())
print("User Name:",a);
print("Total Steps:",b)
print("Calories Burned:",c)
print("Workout Duration:",d,"hours")
```

Status: Correct Marks: 10/10

#### 3. Problem Statement

John is developing a financial application to help users manage their investment portfolios. As part of the application, he needs to write a program that receives the portfolio's main value and the values of two specific investments as inputs. The program should then display these values in reverse order for clear visualization.

Help John achieve this functionality by writing the required program.

## **Input Format**

The first line of input consists of a float, representing the first investment value.

The second line of input consists of a float, representing the second investment value.

The third line of input consists of an integer, representing the portfolio ID.

# **Output Format**

The first line of output prints "The values in the reverse order:".

24070144

The second line prints the integer, representing the portfolio ID.

The third line prints the second float, representing the second investment value.

The fourth line prints the first float, representing the first investment value.

Refer to the sample output for the formatting specifications.

# Sample Test Case

```
Input: 35.29
9374.11
48
Output: The values in the reverse order:
48
9374.11
35.29

Answer
investment1 = float(input())
investment2 = float(input())
portfolio_id = int(input())

print("The values in the reverse order:")
print(portfolio_id)
print(investment2)
print(investment1)
```

Status: Correct Marks: 10/10

## 4. Problem Statement

Emily is organizing a taco party and needs to determine the total number of tacos required and the total cost. Each attendee at the party will consume 2 tacos. To ensure there are enough tacos:

If there are 10 or more attendees, Emily will need to provide an additional 5

tacos.If there are fewer than 10 attendees, Emily must ensure a minimum of 20 tacos are provided.

The cost of each taco is \$25. Write a program that calculates both the total number of tacos required and the total cost based on the number of attendees.

## **Input Format**

The input consists of an integer n, representing the number of attendees.

# **Output Format**

The first line prints "Number of tacos needed: " followed by an integer representing the number of tacos needed for n attendees.

The second line prints "Total cost: " followed by an integer representing the total cost.

Refer to the sample output for the formatting specifications.

# Sample Test Case

```
Input: 10
Output: Number of tacos needed: 25
Total cost: 625

Answer
n = int(input())
tacos_needed = n * 2

if n >= 10:
    tacos_needed += 5
elif tacos_needed < 20:
    tacos_needed = 20

cost_per_taco = 25
total_cost = tacos_needed * cost_per_taco
```

print("Number of tacos needed:",tacos\_needed)

print("Total cost:",total\_cost)

Status: Correct Status : Correct

Marks : 10/10