

Soil pollution



What is Soil Pollution?

- Soil pollution refers to the contamination of soil with anomalous concentrations of toxic substances.
- For example, exposure to soil containing high concentrations of benzene increases the risk of contracting leukaemia.

The root cause of soil pollution

- Agriculture (excessive/improper use of pesticides)
- Excessive industrial activity
- Poor management or inefficient disposal of waste

Pollutants that Contaminate Soil:

- Some of the most hazardous soil pollutants are xenobiotics: substances that are not naturally found in nature and are synthesized by human beings. The term 'xenobiotic' has Greek roots – 'Xenos' (foreigner), and 'Bios' (life). Several xenobiotics are known to be carcinogens.

Detailing major soil pollutants is provided below.



Heavy Metals

- Heavy metals (such as **lead and mercury**, in abnormally high concentrations) in soils can cause it to become highly toxic to human beings. Some metals that can be classified as soil pollutants are tabulated below.
- Toxic Metals that Cause Soil Pollution are Arsenic, Mercury, Lead, Antimony, Zinc, Nickel Cadmium, Selenium, Beryllium, Thallium, Chromium, Copper

- These metals can originate from several sources such as mining activities, agricultural activities, electronic waste (e-waste), and medical waste.

Polycyclic Aromatic Hydrocarbons

Polycyclic aromatic hydrocarbons (PAHs) are organic compounds that:

- Contain only carbon and hydrogen atoms.
- Contain more than one aromatic ring in their chemical structures

- Common examples of PAHs include naphthalene, anthracene, and phenalene. These organic compounds can cause cardiovascular diseases, cancer in humans.
- Soil pollution due to PAHs can be sourced to coke (coal) processing, vehicle emissions, cigarette smoke, and the extraction of shale oil.

Industrial Waste

- Chlorinated industrial solvents
- Dioxins produced from the manufacture of pesticides and the incineration of waste.
- Plasticizers/dispersants
- Polychlorinated biphenyls (PCBs)
- The petroleum industry creates many petroleum hydrocarbon waste products. Some of these wastes, such as benzene and methylbenzene, are known to be carcinogenic in nature.

Pesticides

□ Pesticides are substances (or mixtures of substances) that are used to kill or inhibit the growth of pests. Common types of pesticides used in agriculture include:

- Herbicides – used to kill/control weeds and other unwanted plants.

Ex. Triazines, Carbamates, Amides, Phenoxyalkyl acids, Aliphatic acids

- Insecticides – used to kill insects.

Ex. Organophosphates, Chlorinated hydrocarbons, Arsenic-containing compounds, Pyrethrum

- Fungicides – used to kill parasitic fungi or inhibit their growth.

Ex. Mercury-containing compounds, Thiocarbamates

- However, the unintentional diffusion of pesticides into the environment (commonly known as ‘**pesticide drift**’) poses a variety of environmental concerns such as water pollution and soil pollution.

- These also pose several health risks to humans. Examples of health hazards related to pesticides include diseases of the central nervous system, immune system diseases, cancer, and birth defects.

Soil pollution can be broadly classified into two categories –

- Naturally caused soil pollution
- Anthropogenic soil pollution (caused by human activity)

Natural Pollution of Soil

- In some extremely rare processes, some pollutants are naturally accumulated in soils.
- This can occur due to the differential deposition of soil by the atmosphere. Another manner in which this type of soil pollution can occur is via the transportation of soil pollutants with precipitation water.

- An example of natural soil pollution is the accumulation of compounds containing the **perchlorate anion** (ClO_4^-) in some dry, arid ecosystems.
- It is important to note that some contaminants can be naturally produced in the soil under the effect of certain environmental conditions. For example, **perchlorates can be formed in soils containing chlorine and certain metals during a thunderstorm.**

Anthropogenic Soil Pollution

- Almost all cases of soil pollution are anthropogenic in nature.
- The demolition of old buildings can involve the contamination of nearby soil with asbestos.
- Usage of lead-based paint during construction activities can also pollute the soil with hazardous concentrations of lead.
- Spillage of petrol and diesel during transportation can contaminate soils with the hydrocarbons found in petroleum.
- Activities associated with metal casting factories (foundries) often cause the dispersion of metallic contaminants into the nearby soils.
- Underground mining activities can cause the contamination of land with heavy metals.

- Improper disposal of highly toxic industrial/chemical waste can severely pollute the soil.
- For example, the storage of toxic wastes in landfills can result in the seepage of the waste into the soil. This waste can go on to pollute groundwater as well.
- Chemical pesticides contain several hazardous substances. Excessive and inefficient use of chemical pesticides can result in severe soil pollution.

- Sewage produced in urbanized areas can also contaminate soil (if not disposed of correctly). These wastes may also contain several carcinogenic substances.
- Other forms of waste that can pollute soil include nuclear waste, e-waste, and coal ash.

What are the Negative Consequences of Soil Pollution?

- Soil pollution harbours a broad spectrum of negative consequences that affect plants, animals, humans, and the ecosystem as a whole. Since children are more susceptible to diseases, polluted soil poses a greater threat to them.

Effects on Human Beings

- Soil contaminants can exist in all three phases (solid, liquid, and gaseous). Therefore, these contaminants can find their way into the human body via several channels such as **direct contact with the skin or through the inhalation of contaminated soil dust.**

The short term effects of human exposure to polluted soil include:

- Headaches, nausea, and vomiting.
- Coughing, pain in the chest, and wheezing.
- Irritation of the skin and the eyes.
- Fatigue and weakness.

A variety of long-term ailments have been linked to soil pollution.

Some such diseases are listed below:

- Exposure to high levels of lead can result in **permanent damage to the nervous system**. Children are particularly vulnerable to lead.
- Depression of the CNS (Central Nervous System).
- Damage to vital organs such as the kidney and the liver.
- Higher risk of developing cancer.
- It can be noted that many soil pollutants such as petroleum hydrocarbons and industrial solvents have been linked to congenital disorders in humans.

Effects on Plants and Animals

- Since soil pollution is often accompanied by a decrease in the availability of nutrients, plant life ceases to thrive in such soils.
- Soils contaminated with inorganic aluminium can prove toxic to plants.
- Also, this type of pollution often increases the salinity of the soil, making it inhospitable for the growth of plant life.

- Plants that are grown in polluted soil may accumulate high concentrations of soil pollutants through a process known as bioaccumulation.
- When these plants are consumed by herbivores, all the accumulated pollutants are passed up the food chain.
- This can result in the loss/extinction of many desirable animal species. Also, these pollutants can eventually make their way to the top of the food chain and manifest as diseases in human beings.

Effects on the Ecosystem

- Since the volatile contaminants in the soil can be carried away into the atmosphere by winds or can seep into underground water reserves, soil pollution can be a direct contributor to air and water pollution.
- It can also contribute towards acid rain (by releasing huge quantities of ammonia into the atmosphere).
- Acidic soils are inhospitable to several microorganisms that improve soil texture and help in the decomposition of organic matter.
- Crop yield is greatly affected by this form of pollution. In China, over 12 million tons of grain (worth approximately 2.6 billion USD) is found to be unfit for human consumption due to contamination with heavy metals.

How can Soil Pollution be Controlled?

Several technologies have been developed to tackle soil remediation.

- Excavation and subsequent transportation of polluted soils to remote, uninhabited locations.
- Extraction of pollutants via thermal remediation – the temperature is raised in order to force the contaminants into the vapour phase, after which they can be collected through vapour extraction.
- Bioremediation or phytoremediation involves the use of microorganisms and plants for the decontamination of soil.
- **Mycoremediation** involves the use of fungi for the accumulation of heavy metal contaminants

□ Surfactant leaching (decontamination)

[It involves mixing of contaminated water or soil with surfactants with the subsequent leaching of emulsified contaminants]

□ Remediation of oil contaminated sediments with self-collapsing air microbubbles.

□ Extraction of groundwater or soil vapor with an active electromechanical system, with subsequent stripping of the contaminants from the extract

Thank you