			Standardised Mean			
Study	SMD	SE(SMD)	Difference	SMD	95%-CI	Weight
GuYY_2017_Acarbose_D90	0.6300	0.1100	-	0.63	[0.41; 0.85]	13.0%
ZhangXY_2021_Acarbose_D168	0.6300	0.1900	-	- 0.63	[0.26; 1.00]	10.3%
ZhangYF_2020_Berberine_D84	0.7400	0.0900		0.74	[0.56; 0.92]	13.6%
WuH_2017_Metformin_D60	0.4600	0.1200		0.46	[0.22; 0.70]	12.7%
WuH_2017_Metformin_D120	0.3500	0.1400	- - 	0.35	[0.08; 0.62]	12.0%
RenHH_2023_Metformin_D90	0.2800	0.1400		0.28	[0.01; 0.55]	12.0%
ZhangXY_2021_Vlidagliptin_D168	0.8600	0.0800		0.86	[0.70; 1.02]	13.9%
GuYY_2017_Glipizide_D90	-0.0200	0.1200	-	-0.02	[-0.26; 0.22]	12.7%
Random effects model (HK) Prediction interval				0.50	[0.26; 0.74] [-0.24; 1.23]	100.0%
Frediction interval				7	[-0.24, 1.23]	
			-1 -0.5 0 0.5	1		
Heterogeneity: $I^2 = 86\%$, $\tau^2 = 0.0786$,	<i>p</i> < 0.01		K00005			