REACH SVHC Test Report

Report No. : AGC16823251001-001

SAMPLE NAME : Ruuvi Air

MODEL NAME : Ruuvi Air

APPLICANT : Ruuvi Innovations Ltd.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Oct. 24, 2025

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.

Applicant Ruuvi Innovations Ltd.

Address Hameenkatu 10 B 132, RIIHIMAKI 11100, Finland

Test Site 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street,

Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name Ruuvi Air Model Ruuvi Air Brand Ruuvi

Manufacturer Ruuvi Innovations Ltd.

Address Hameenkatu 10 B 132, RIIHIMAKI 11100, Finland

Factory Ruuvi Innovations Ltd.

Address Hameenkatu 10 B 132, RIIHIMAKI 11100, Finland

Sample Received Date Oct. 20, 2025

Testing Period Oct. 20, 2025 to Oct. 23, 2025

Test Requested Selected test(s) as requested by client.

Test Requested: Conclusion

EU Regulation (EC) No 1907/2006 (REACH)

- 250 Substances of Very High Concern (SVHC) analysis based on the Candidate List published by

See Summary European Chemicals Administration (ECHA)

- 5 Public Consultations Substances

Summary:

The concentrations of tested SVHC are $\leq 0.1\%$ (W/W) in the tested sample.

Pass


Approved by:

Suhongliang

Technical Director


Report Revise Record

| Report Version | Issued Date | Valid Version | Notes |
|----------------|---------------|---------------|-----------------|
| / | Oct. 24, 2025 | Valid | Initial release |



The photo of the sample






The photo of AGC16823251001-001 is for use only with the original report.

Test Point Description

| Test point | Test point description |
|------------|------------------------|
| Ruuvi Air | |
| 1-1 | Metal mixed |
| 1-2 | Nonmetal mixed |



Test Results:

Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1 mg/kg = 0.0001%, N/A= Not Applicable

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

| Part No. | Substances Name | CAS No. | Test Result (%) | | RL (%) | |
|----------|----------------------------|---------|-----------------|-----------|---------|-------|
| Fait No. | Substances Name | CAS No. | Test Data | The Whole | KL (70) | |
| 1-1 | All test SVHC in candidate | | N.D. | N.D. | 0.005 | |
| 1-2 | list | | | N.D. | N.D. | 0.005 |
| 1-1 | Public Consultations | | N.D. | N.D. | 0.005 | |
| 1-2 | Substances | | N.D. | N.D. | 0.005 | |

Remark:

1. As specified by client, the submitted samples were mixed to test, the test points: 1-1,1-2

Remarks:

- 1. If a SVHC found over 0.1%, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.
- 2. The report limit (RL)= Results below this value will be stated as N.D.
- 3. N.D.=Not Detected (<report limit)

Test Method: Refer to in-house method

Equipment: GC-MS/ ICP-OES/ HPLC/ IC/ UV-Vis/ GC-FID/ LC-MS-MS

Substance information:

| | a information; | CACN | EGN |
|------------|---|--|------------------------|
| No. | Substance Name(s) | CAS No. | EC No. |
| First bate | h | | |
| 1 | Anthracene | 120-12-7 | 204-371-1 |
| 2 | 4,4'-Diaminodiphenylmethane | 101-77-9 | 202-974-4 |
| 3 | Dibutyl phthalate (DBP) | 84-74-2 | 201-557-4 |
| 4 | Bis(2-ethylhexyl)phthalate (DEHP) | 117-81-7 | 204-211-0 |
| 5 | Ben <mark>zyl b</mark> utyl phthalate (BBP) | 85-68-7 | 201-622-7 |
| 6 | Bis(tributyltin)oxide (TBTO) | 56-35-9 | 200-268-0 |
| 7 | 5-tert-butyl-2,4,6-trinitro-m-xylene | 81-15-2 | 201-329-4 |
| 8 | Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified:(α-HBCDD, β-HBCDD,γ-HBCDD) | 25637-99-4 3194-55-6 (134237-51-7 134237-50-6 134237-52-8) | 247-148-4 221-695-9 |

| Substance Name(s) | CAS No. | EC No. |
|--|---|--|
| | | 287-476-5 |
| | | 232-064-2 |
| | | 427-700-2 |
| • | | 215-116-9 |
| • | | 215-481-4 |
| | | 231-589-4 |
| | 7789-12-0 | 234-190-3 |
| | 10588-01-9 | 234-190-3 |
| | 00640.00.5 | 202 (02 7 |
| | | 292-602-7 |
| | 91995-17-4 | 295-278-5 |
| [®] Anthracene oil, anthracene paste, anthracene fraction | 91995-15-2 | 295-275-9 |
| ^① Anthracene oil, anthracene-low | 90640-82-7 | 292-604-8 |
| ^① Anthracene oil, anthracene paste | 90640-81-6 | 292-603-2 |
| Diisobutyl phthalate (DIBP) | 84-69-5 | 201-553-2 |
| 2,4-Dinitrotoluene (2,4-DNT) | 121-14-2 | 204-450-0 |
| [®] Lead chromate | 7758-97-6 | 231-846-0 |
| [©] Lead chromate molybdatesulphate red (C.I. Pigment Red 104) *** | 12656-85-8 | 235-759-9 |
| [©] Lead sulfochromate yellow(C.I. Pigment Yellow 34) | 1344-37-2 | 215-693-7 |
| [®] Pitch, coal tar, high temp. | 65996-93-2 | 266-028-2 |
| Tris(2-chloroethyl)phosphate(TCEP) | 115-96-8 | 204-118-5 |
| Acrylamide | 79-06-1 | 201-173-7 |
| tch | | |
| Trichloroethylene | 79-01-6 | 201-167-4 |
| Boric acid* | 10043-35-3 11113-50-1 | 233-139-2 234-343-4 |
| Disodi <mark>um</mark> tetraborate, anhydrous* | 1330-43-4 12179-04-3 1303-96-4 | 215-540-4 |
| Tetraboron disodium heptaoxide, hydrate* | 12267-73-1 | 235-541-3 |
| Sodium chromate* | 7775-11-3 | 231-889-5 |
| Potassium chromate* | 7789-00-6 | 232-140-5 |
| Ammonium dichromate* | 7789-09-5 | 232-143-1 |
| | ©Anthracene oil, anthracene paste Diisobutyl phthalate (DIBP) 2,4-Dinitrotoluene (2,4-DNT) ©Lead chromate ©Lead chromate molybdatesulphate red (C.I. Pigment Red 104) *** ©Lead sulfochromate yellow(C.I. Pigment Yellow 34) ©Pitch, coal tar, high temp. Tris(2-chloroethyl)phosphate(TCEP) Acrylamide tch Trichloroethylene Boric acid* Disodium tetraborate, anhydrous* Tetraboron disodium heptaoxide, hydrate* Sodium chromate* Potassium chromate* | Alkanes, C10-13 chloro (short chain chlorinated paraffins, SCCP) Lead hydrogen arsenate* Triethyl arsenate* Diarsenic pentaoxide * Diarsenic trioxide* Cobalt dichloride* Sodium dichromate* OAnthracene oil Anthracene oil, anthracene paste, distn. Lights Anthracene oil, anthracene paste, anthracene fraction Anthracene oil, anthracene paste Diisobutyl phthalate (DIBP) Lead chromate (2,4-DNT) Lead chromate will-balte (C.I. Pigment Red 104) **** Lead sulfochromate yellow(C.I. Pigment Yellow 34) Tris(2-chloroethyl)phosphate(TCEP) Acrylamide Tetraboron disodium heptaoxide, hydrate* Potassium chromate* Potassium chromate* T7789-00-6 Potassium chromate* 77789-00-6 Read chromate 7798-00-6 Read chromate willow(C.I. Pigment Yellow 34) Arylamide 79-06-1 Tris(1-2-chloroethyl)phosphate(TCEP) Acrylamide 79-01-6 Rodium chromate willow(C.I. Pigment Yellow 34) Tris(2-chloroethyl)phosphate(TCEP) Tris(30-43-43-11113-50-11330-96-44) Tetraboron disodium heptaoxide, hydrate* Tris(1-2-67-73-11-3) Potassium chromate* 77789-00-6 |

| No. | Substance Name(s) | CAS No. | EC No. |
|----------|--|-------------------------|------------------------|
| 36 | Potassium dichromate* | 7778-50-9 | 231-906-6 |
| Fourth b | patch | | |
| 37 | Chromium trioxide* | 1333-82-0 | 215-607-8 |
| 38 | 2-Methoxyethanol | 109-86-4 | 203-713-7 |
| 39 | 2-Ethoxyethanol | 110-80-5 | 203-804-1 |
| 40 | Cobalt(II) diacetate* | 71-48-7 | 200-755-8 |
| 41 | Cobalt(II) carbonate* | 513-79-1 | 208-169-4 |
| 42 | Cobalt(II) dinitrate* | 10141-05-6 | 233-402-1 |
| 43 | Cobalt(II) sulphate* | 10124-43-3 | 233-334-2 |
| 44 | Acids generated from chromium trioxide and their oligomers Group containing: Chromic acid*, Dichromic acid*, Oligomers of chromic acid and dichromic acid* | 7738-94-5 13530-68-2 | 231-801-5 236-881-5 |
| Fifth ba | tch | | |
| 45 | 2-ethoxyethyl acetate | 111-15-9 | 203-839-2 |
| 46 | Strontium chromate * | 7789-06-2 | 232-142-6 |
| 47 | [®] 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) | 68515-42-4 | 271-084-6 |
| 48 | Hydrazine | 7803-57-8 302- 01-2 | 206-114-9 |
| 49 | 1-methyl-2-pyrrolidone | 872-50-4 | 212-828-1 |
| 50 | 1,2,3-trichloropropane | 96-18-4 | 202-486-1 |
| 51 | [®] 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) | 71888-89-6 | 276-158-1 |
| Sixth ba | | | |
| 52 | Dichromiumtris(chromate) * | 24613-89-6 | 246-356-2 |
| 53 | Potassium hydroxyoctaoxodizincate di-chromate* | 11103-86-9 | 234-329-8 |
| 54 | Pentazine chromate octahydroxide *** | 49663-84-5 | 256-418-0 |
| 55 | Formaldehyde, oligomeric reaction products with aniline (technical MDA) | 25214-70-4 | 500-036-1 |
| 56 | Bis(2-methoxyethyl) phthalate (DMEP) | 117-82-8 | 204-212-6 |
| 57 | 2-Methoxyaniline; o-Anisidine | 90-04-0 | 201-963-1 |
| 58 | 4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol) | 140-66-9 | 205-426-2 |
| 59 | 1,2-Dichloroethane | 107-06-2 | 203-458-1 |
| 60 | Bis(2-methoxyethyl) ether | 111-96-6 | 203-924-4 |

| Report No.: AGC16823251001-00 | | | | |
|-------------------------------|--|------------|-----------|--|
| No. | Substance Name(s) | CAS No. | EC No. | |
| 61 | Arsenic acid* | 7778-39-4 | 231-901-9 | |
| 62 | Calcium arsenate* | 7778-44-1 | 231-904-5 | |
| 63 | Trileaddiarsenate* | 3687-31-8 | 222-979-5 | |
| 64 | N,N-dimethylacetamide (DMAC) | 127-19-5 | 204-826-4 | |
| 65 | Phenolphthalein | 77-09-8 | 201-004-7 | |
| 66 | 2,2'-dichloro-4,4'-methylenedianiline (MOCA) | 101-14-4 | 202-918-9 | |
| 67 | Lead azide; Lead diazide* | 13424-46-9 | 236-542-1 | |
| 68 | Lead styphnate* | 15245-44-0 | 239-290-0 | |
| 69 | Lead dipicrate* | 6477-64-1 | 229-335-2 | |
| 70 | [®] Aluminosilicate Refractory Ceramic Fibres (RCF)** | - | - | |
| 71 | [®] Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF)** | - | - | |
| Seventh | batch | | | |
| 72 | 1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme) | 112-49-2 | 203-977-3 | |
| 73 | 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) | 110-71-4 | 203-794-9 | |
| 74 | Diboron trioxide* | 1303-86-2 | 215-125-8 | |
| 75 | Lead(II)bis(methanesulfonate)* | 17570-76-2 | 401-750-5 | |
| 76 | Formamide | 75-12-7 | 200-842-0 | |
| 77 | 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione (TGIC) | 2451-62-9 | 219-514-3 | |
| 78 | 1,3,5-tris[(2S and2R)-2,3-epoxypropyl]-1,3,5-triazine- 2,4,6-(1H,3H,5H)-trione (β-TGIC) | 59653-74-6 | 423-400-0 | |
| 79 | 4,4'-bis(dimethylamino)benzophenone (Michler's ketone) | 90-94-8 | 202-027-5 | |
| 80 | N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) | 101-61-1 | 202-959-2 | |
| 81 | [4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa- 2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] | 548-62-9 | 208-953-6 | |
| 82 | [4-[[4-anilino-1-naphthyl]][4- (dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] | 2580-56-5 | 219-943-6 | |
| 83 | α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] | 6786-83-0 | 229-851-8 | |
| 84 | 4,4'-bis(dimethylamino)-4"-(methylamino)trityl alcohol with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2) | 561-41-1 | 209-218-2 | |

| No. | Substance Name(s) | CAS No. | EC No. |
|----------|---|--|--|
| Eighth b | atch | 1 | |
| 85 | Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE) | 1163-19-5 | 214-604-9 |
| 86 | Pentacosafluorotridecanoic acid | 72629-94-8 | 276-745-2 |
| 87 | Tricosafluorododecanoic acid | 307-55-1 | 206-203-2 |
| 88 | Henicosafluoroundecanoic acid | 2058-94-8 | 218-165-4 |
| 89 | Heptacosafluorotetradecanoic acid | 376-06-7 | 206-803-4 |
| 90 | [®] 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues] | - | - |
| 91 | [®] 4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] | - | - |
| 92 | Diazene-1,2- dicarboxamide (C,C'-azodi(formamide) | 123-77-3 | 204-650-8 |
| 93 | Hexahydromethylphthalic anhydride Hexahydro-4-methylphthalic anhydride Hexahydro-1-methylphthalic anhydride Hexahydro-3-methylphthalic anhydride | 25550-51-0 19438-60-9 48122-14-1 57110-29-9 | 247-094-1 243-072-0 256-356-4 260-566-1 |
| 94 | Cyclohexane-1,2-dicarboxylic anhydride | 85-42-7, 13149- 00-3, 14166-21- 3 | 201-604-9, 236- 086-3, 238-009-9 |
| 95 | Methoxy acetic acid | 625-45-6 | 210-894-6 |
| 96 | 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear | 84777-06-0 | 284-032-2 |
| 97 | Diisopentylphthalate(DIPP) | 605-50-5 | 210-088-4 |
| 98 | N-pentyl-isopentylphtalate | 776297-69-9 | - |
| 99 | 1,2-diethoxyethane | 629-14-1 | 211-076-1 |
| 100 | N,N-dimethylformamide | 68-12-2 | 200-679-5 |
| 101 | Dibutyltin dichloride (DBTC) | 683-18-1 | 211-670-0 |
| 102 | Acetic acid, lead salt, basic* | 51404-69-4 | 257-175-3 |
| 103 | Trilead <mark>bis(</mark> carbonate) dihydroxide* | 1319-46-6 | 215-290-6 |
| 104 | Lead oxide sulfate* | 12036-76-9 | 234-853-7 |
| 105 | [Phthalato(2-)]dioxotrilead * | 69011-06-9 | 273-688-5 |
| 106 | Dioxobis(stearato)trilead * | 12578-12-0 | 235-702-8 |
| 107 | Fatty acids, C16-18, lead salts* | 91031-62-8 | 292-966-7 |
| 108 | Lead bis(tetrafluoroborate)* | 13814-96-5 | 237-486-0 |

| No. | Substance Name(s) | CAS No. | EC No. |
|-------------|--|-------------|-----------|
| 109 | Lead cynamidate* | 20837-86-9 | 244-073-9 |
| 110 | Lead dinitrate* | 10099-74-8 | 233-245-9 |
| 111 | Lead oxide (lead monoxide)* | 1317-36-8 | 215-267-0 |
| 112 | Lead tetroxide (orange lead)* | 1314-41-6 | 215-235-6 |
| 113 | Lead titanium trioxide* | 12060-00-3 | 235-038-9 |
| 114 | Lead Titanium Zirconium Oxide* | 12626-81-2 | 235-727-4 |
| 115 | [®] Pentaleadtetraoxidesulphate* | 12065-90-6 | 235-067-7 |
| 116 | [®] Pyrochlore, antimony lead yellow * | 8012-00-8 | 232-382-1 |
| 117 | [®] Silicic acid, barium salt, lead-doped* | 68784-75-8 | 272-271-5 |
| 118 | Silicic acid, lead salt* | 11120-22-2 | 234-363-3 |
| 119 | Sulfurous acid, lead salt, dibasic* | 62229-08-7 | 263-467-1 |
| 120 | Tetraethyllead* | 78-00-2 | 201-075-4 |
| 121 | Tetralead trioxide sulphate* | 12202-17-4 | 235-380-9 |
| 122 | Trilead dioxide phosphonate* | 12141-20-7 | 235-252-2 |
| 123 | Furan | 110-00-9 | 203-727-3 |
| 124 | Methyloxirane (Propylene oxide) | 75-56-9 | 200-879-2 |
| 125 | Diethyl sulphate | 64-67-5 | 200-589-6 |
| 126 | Dimethyl sulphate | 77-78-1 | 201-058-1 |
| 127 | 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine | 143860-04-2 | 421-150-7 |
| 128 | Dinoseb | 88-85-7 | 201-861-7 |
| 129 | 4,4'-methylenedi-o-toluidine | 838-88-0 | 212-658-8 |
| 130 | 4,4'-oxydianiline and its salts | 101-80-4 | 202-977-0 |
| 131 | 4-aminoazobenzene | 60-09-3 | 200-453-6 |
| 132 | 4-methyl- <i>m</i> -phenylenediamine (toluene-2,4-diamine) | 95-80-7 | 202-453-1 |
| 133 | 6-methoxy- <i>m</i> -toluidine (p-cresidine) | 120-71-8 | 204-419-1 |
| 134 | Biphenyl-4-ylamine | 92-67-1 | 202-177-1 |
| 135 | o-aminoazot <mark>olue</mark> ne [(4-o-tolylazo-o-toluidine] | 97-56-3 | 202-591-2 |
| 136 | o-toluidine | 95-53-4 | 202-429-0 |
| 137 | N-methylacetamide | 79-16-3 | 201-182-6 |
| 138 | 1-bromopropane (n-propyl bromide) | 106-94-5 | 203-445-0 |
| Ninth batcl | h | • | |

| | T | Report No.: A | .GC16823251001-001 |
|----------|--|---------------|------------------------|
| No. | Substance Name(s) | CAS No. | EC No. |
| 139 | [®] 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof] | - | - |
| 140 | Cadmium | 7440-43-9 | 231-152-8 |
| 141 | Cadmium oxide* | 1306-19-0 | 215-146-2 |
| 142 | Ammonium pentadecafluorooctanoate (APFO) | 3825-26-1 | 223-320-4 |
| 143 | Pentadecafluorooctanoic acid (PFOA) | 335-67-1 | 206-397-9 |
| 144 | Dipentyl phthalate (DPP) | 131-18-0 | 205-017-9 |
| Tenth ba | atch | | |
| 145 | Cadmium sulphide * | 1306-23-6 | 215-147-8 |
| 146 | Dihexyl phthalate(DnHP) | 84-75-3 | 201-559-5 |
| 147 | Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)] bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) | 573-58-0 | 209-358-4 |
| 148 | Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo] [1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38) | 1937-37-7 | 217-710-3 |
| 149 | Imidazolidine-2-thione; 2-imidazoline-2-thiol | 96-45-7 | 202-506-9 |
| 150 | Trixylyl phosp <mark>hate</mark> | 25155-23-1 | 246-677-8 |
| 151 | Lead di(acetate) * | 301-04-2 | 206-104-4 |
| Eleventl | h batch | | |
| 152 | 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear | 68515-50-4 | 271-093-5 |
| 153 | Cadmium chloride* | 10108-64-2 | 233-296-7 |
| 154 | Sodium perborate; perboric acid, sodium salt* | - | 239-172-9 234-390-0 |
| 155 | Sodium peroxometaborate* | 7632-04-4 | 231-556-4 |
| Twelfth | batch | | |
| 156 | 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) | 25973-55-1 | 247-384-8 |
| 157 | 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) | 3846-71-7 | 223-346-6 |
| 158 | 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5- dithia-4-stannatetradecanoate (DOTE) | 15571-58-1 | 239-622-4 |
| 159 | Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) | - | - |
| 160 | Cadmium fluoride* | 7790-79-6 | 232-222-0 |
| | | | |

| | T | Report No.: A | GC16823251001-00 |
|-----------|---|--------------------------------------|------------------------|
| No. | Substance Name(s) | CAS No. | EC No. |
| 161 | Cadmium sulphate* | 10124-36-4 31119-53-6 | 233-331-6 |
| Thirteen | th batch | | |
| | 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; | | |
| 162 | 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyldiesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5) | 68515-51-5 68648-93-1 | 271-094-0 272-013-1 |
| 163 | 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof] | - | - |
| Fourteen | nth batch | | |
| 164 | 1,3-propanesultone | 1120-71-4 | 214-317-9 |
| 165 | 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327) | 3864-99-1 | 223-383-8 |
| 166 | 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350) | 36437-37-3 | 253-037-1 |
| 167 | Nitrobenzene | 98-95-3 | 202-716-0 |
| 168 | Perfluorononan-1-oic acid (2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluorononanoic acid and its sodium and ammonium salts | 375-95-1, 21049-39-8 4149-60-4 | 206-801-3 |
| Fifteent | h batch | | |
| 169 | Benzo[def]chrysene (Benzo[a]pyrene) | 50-32-8 | 200-028-5 |
| Sixteent | h batch | | |
| 170 | 4,4'-isopropylidenediphenol (bisphenol A) | 80-05-7 | 201-245-8 |
| 171 | 4-tert-pentylphenol (PTAP) | 80-46-6 | 201-280-9 |
| 172 | 4-Heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] | - | - |
| 173 | Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts | 3108-42-7 335-76-2 | 206-400-3 |
| Sevente | enth batch | 3830-45-3 | 221-470-5 |
| 174 | Perfluorohexane-1-sulphonic acid and its salts | 355-46-4 | 206-587-1 |
| | nth batch | 355 10 1 | 200 207 1 |
| Ligitical | 1,6,7,8,9,14,15,16,17,17,18,18- | | |
| 175 | Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("DechloranePlus"TM) [covering any of its individual antiand syn-isomers or any combination thereof] | - | - |
| 176 | Benz[a]anthracene | 56-55-3 | 200-280-6 |
| | I | | |

| | Report No.: AGC16823251001-00 | | | | |
|----------|--|------------|-----------|--|--|
| No. | Substance Name(s) | CAS No. | EC No. | | |
| 177 | Cadmium nitrate* | 10325-94-7 | 233-710-6 | | |
| 178 | Cadmium carbonate* | 513-78-0 | 208-168-9 | | |
| 179 | Cadmium hydroxide* | 21041-95-2 | 244-168-5 | | |
| 180 | Chrysene | 218-01-9 | 205-923-4 | | |
| 181 | Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with \geq 0.1% w/w 4-heptylphenol, branched and linear] | - | - | | |
| Nineteen | nth batch | | | | |
| 182 | Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA) | 552-30-7 | 209-008-0 | | |
| 183 | Dicyclohexyl phthalate (DCHP) | 84-61-7 | 201-545-9 | | |
| 184 | Benzo[ghi]perylene | 191-24-2 | 205-883-8 | | |
| 185 | Decamethylcyclopentasiloxane (D5) | 541-02-6 | 208-764-9 | | |
| 186 | Disodium octaborate* | 12008-41-2 | 234-541-0 | | |
| 187 | Dodecamethylcyclohexasiloxane (D6) | 540-97-6 | 208-762-8 | | |
| 188 | Ethylenediamine | 107-15-3 | 203-468-6 | | |
| 189 | Lead | 7439-92-1 | 231-100-4 | | |
| 190 | Octamethylcyclotetrasiloxane (D4) | 556-67-2 | 209-136-7 | | |
| 191 | Terphenyl hydrogenated | 61788-32-7 | 262-967-7 | | |
| Twentie | th batch | | | | |
| 192 | 1,7,7-trimethyl-3-(phenylmethylen e)bicyclo[2,2.1]heptan-2-one (3-benzylidene camphor) | 15087-24-8 | 239-139-9 | | |
| 193 | 2,2-bis(4'-hydroxyphenyl)-4-methylpentane | 6807-17-6 | 401-720-1 | | |
| 194 | Benzo[k]fluoranthene | 207-08-9 | 205-916-6 | | |
| 195 | Fluoranthene | 206-44-0 | 205-912-4 | | |
| 196 | Phenanthrene | 85-01-8 | 201-581-5 | | |
| 197 | Pyrene | 129-00-0 | 204-927-3 | | |
| Twenty- | -first batch | | | | |
| 198 | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) HFPO-DA | - | - | | |
| 199 | 2-methoxyethyl acetate | 110-49-6 | 203-772-9 | | |
| 200 | tris(4-nonylphenyl, branched) phosphite | - | 701-028-2 | | |
| 201 | p-tert-Butylphenol,4-t-Butylphenol (PTBP) | 98-54-4 | 202-679-0 | | |
| | | | | | |

| | | Report No.: AGC16823251001-00 | |
|---------|--|---|-------------------------------------|
| No. | Substance Name(s) | CAS No. | EC No. |
| Twenty- | second batch | | |
| 202 | Diisohexyl phthalate | 71850-09-4 | 276-090-2 |
| 203 | 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone | 119313-12-1 | 404-360-3 |
| 204 | 2-methyl-1-(4-methylthiophenyl)-2- morpholinopropan-1-one | 71868-10-5 | 400-600-6 |
| 205 | Perfluorobutane sulfonic acid (PFBS) and its salts | - | - |
| Twenty- | third batch | | |
| 206 | 1-vinylimidazole | 1072-63-5 | 214-012-0 |
| 207 | 2-methylimidazole | 693-98-1 | 211-765-7 |
| 208 | Butyl 4-hydroxybenzoate | 94-26-8 | 202-318-7 |
| 209 | Dibutylbis(pentane-2,4-dionato-O,O')tin | 22673-19-4 | 245-152-0 |
| Twenty- | fourth batch | 1 | |
| 210 | bis(2-(2-methoxyethoxy)ethyl) ether | 143-24-8 | 205-594-7 |
| 211 | Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety | - | - |
| Twenty- | fifth batch | | |
| 212 | 1,4-dioxane | 123-91-1 | 204-661-8 |
| 213 | 2,2-bis(bromomethyl)propane1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3- bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA) | 3296-90-0 36483-57-5 1522-92-5 96-13-9 | 221-967-7 253-057-0 202-480-9 |
| 214 | 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers | - | - |
| 215 | 4,4'-(1-methylpropylidene)bisphenol; (bisphenol B) | 77-40-7 | 201-025-1 |
| 216 | Glutaral | 111-30-8 | 203-856-5 |
| 217 | Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17] | - | - |
| 218 | Orth <mark>obor</mark> ic acid, sodium salt* | 13840-56-7 | 237-560-2 |
| 219 | Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) | - | - |
| Twenty- | sixth batch | | |

| No. | Substance Name(s) | CAS No. | GC16823251001-00 EC No. |
|-----------|---|-------------|----------------------------|
| 110. | (±)-1,7,7-trimethyl-3-[(4- | CAS 110. | EC 110. |
| 220 | methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any | - | - |
| | of the individual isomers and/or combinations thereof (4-MBC) | | |
| 221 | 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC) | 119-47-1 | 204-327-1 |
| 222 | S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate | 255881-94-8 | 401-850-9 |
| 223 | tris(2-methoxyethoxy)vinylsilane | 1067-53-4 | 213-934-0 |
| Twenty- | seventh batch | <u>'</u> | |
| 224 | N-(hydroxymethyl)acrylamide | 924-42-5 | 213-103-2 |
| Twenty- | eighth | 1 | |
| 225 | 1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene] | 37853-59-1 | 253-692-3 |
| 226 | 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol | 79-94-7 | 201-236-9 |
| 227 | 4,4'-sulphonyldiphenol | 80-09-1 | 201-250-5 |
| 228 | Barium diboron tetraoxide * | 13701-59-2 | 237-222-4 |
| 229 | Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof | 1 | - |
| 230 | Isobutyl 4-hydroxybenzoate | 4247-02-3 | 224-208-8 |
| 231 | Melamine | 108-78-1 | 203-615-4 |
| 232 | Perfluoroheptanoic acid and its salts | - | - |
| 233 | reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine | - | 473-390-7 |
| Twenty- | ninth batch | | |
| 234 | bis(4-chlorophenyl) sulphone | 80-07-9 | 201-247-9 |
| 235 | Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 75980-60-8 | 278-355-8 |
| Thirtieth | n batch | | |
| 236 | 2,4,6-tri-tert-butylphenol | 732-26-3 | 211-989-5 |
| 237 | 2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol | 3147-75-9 | 221-573-5 |
| 238 | 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one | 119344-86-4 | 438-340-0 |
| 239 | Bumetrizole | 3896-11-5 | 223-445-4 |
| 240 | Oligomerisation and alkylation reaction products of 2- phenylpropene and phenol | - | 700-960-7 |
| Thirty-fi | irst batch | | |

| No. | Substance Name(s) | CAS No. | EC No. |
|-----------|--|--------------|-----------|
| 241 | Bis(α,α-dimethylbenzyl) peroxide | 80-43-3 | 201-279-3 |
| Thirty-fi | rst batch | | |
| 242 | Triphenyl phosphate (TPP) | 115-86-6 | 204-112-2 |
| Thirty-se | econd batch | | |
| 243 | reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives | 192268-65-8 | 421-820-9 |
| 244 | Perfluamine | 338-83-0 | 206-420-2 |
| 245 | Octamethyltrisiloxane | 107-51- 7 | 203-497-4 |
| 246 | O,O,O-triphenyl phosphorothioate | 597-82-0 | 209-909-9 |
| 247 | 6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid | 2156592-54-8 | 701-118-1 |
| Thirty-th | nird batch | , | |
| 248 | tetra(sodium/potassium) 7-[(E)-{2-acetamido-4-[(E)-(4-{[4-chloro-6-({2-[(4-fluoro-6-{[4-(vinylsulfonyl) phenyl]amino}-1,3,5-triazine-2-yl)amino]propyl}amino)-1,3,5-triazine-2-yl]amino}-5-sulfonato-1-naphthyl)diazenyl]-5-methoxyphenyl}diazenyl]-1,3,6-naphthalenetrisulfonate; Reactive Brown 51 | | 466-490-7 |
| 249 | Decamethyltetras <mark>iloxa</mark> ne | 141-62-8 | 205-491-7 |
| 250 | 1,1,1,3,5,5,5-heptamethyl-3-[(trimethylsilyl)oxy]trisiloxane | 17928-28-8 | 241-867-7 |
| Consulta | ntions Substances | | |
| 1 | Resorcinol | 108-46-3 | 203-585-2 |
| 2 | 1,1'-(ethane-1,2-diyl)bis[pentabromobenze | 84852-53-9 | 284-366-9 |
| 3 | N-hexane | 110-54-3 | 203-777-6 |
| 4 | 4,4'-methylenediphenol | 620-92-8 | 210-658-2 |
| 5 | 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol and its salts | - | - |

Note:


^{-*:} Inorganic SVHC compounds are obtained by converting the test results of cobalt, chloride, sodium, arsenic, chromium, potassium, lead, boron, zirconium, titanium, phosphorus, calcium, zinc, strontium, molybdenum, aluminum and cadmium elements, and confirmed through the appropriate solvent extraction. At the same time, customers are suggested to check the chemical formula table, to further confirm whether above materials are contained.

^{-**:} All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex VI of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation (Regulation(EC) No 1272/2008).

^{-***:} C.I.:Colour Index

- -***: Light fractions from distillation
- -①: In view of the substances are established as UVCB substances (substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances.
- -2: In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of the representative compounds are calculated based on the result of specified heavy metal elements.

Test Flow Chart of REACH SVHC



Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

 7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***