Electric Force

1 Coulomb's Law

Magnitude

$$F_{1 ext{ on } 2} = F_{2 ext{ on } 1} = k rac{|q_1 q_2|}{r^2}$$

where r is the distance between q_1 and q_2 . To simplify notation, we are using k in place of $1/4\pi\epsilon_o$. Note that by definition, the magnitude of a vector is positive, which is the reason for the use of the absolute value.

Direction

Along line that connects q_1 and q_2 . Direction depends on signs of q_1 and q_2 . (Likes repel, opposites attract.).

2 Example

Charge q_1 is at (x, y) = (-a, -a) and charge q_2 is at (a, a). Both charges have a charge of q.


- 1. Find the magnitude and direction of the force of q_1 on q_2 .
- 2. Write the force of q_1 on q_2 in the form $\vec{\mathbf{F}} = F_x \hat{\boldsymbol{\imath}} + F_y \hat{\boldsymbol{\jmath}}$.
- 3. If the charges have opposite signs, how will your answers to 1. and 2. change?


Solution

1. The distance between the charges is $r = \sqrt{(2a)^2 + (2a)^2} = 2\sqrt{2}a$, so


$$F_{1 ext{ on } 2} = k rac{|q_1 q_2|}{r^2} = rac{k |qq|}{(2 \sqrt{2} a)^2} = rac{k q^2}{8 a^2}$$


The charges will repel each other, so the direction of forces of one on the other will be as shown in the diagram. The direction of the force vector on q_2 is shown in the following diagram.





- 2. Let $F = F_{1 \text{ on } 2}$ from part 1. to simplify notation. The diagram on the right shows the calculation of the components F_x and F_y , from which it follows that $\vec{\mathbf{F}} = F \cos 45^{\circ} \hat{\imath} + F \sin 45^{\circ} \hat{\jmath}$.
- 3. The magnitude will not change (it is by definition a positive number). The force vectors will reverse direction as shown on the left in the following diagram. The diagram on the right shows the calculation of $\vec{\mathbf{F}}_{1 \text{ on } 2}$, from which it follows that $\vec{\mathbf{F}}_{1 \text{ on } 2} = -F \cos 45^{\circ} \hat{\imath} F \sin 45^{\circ} \hat{\jmath}$.






3 Problem I

Charge q_1 is at (x, y) = (-a, a) and charge q_2 is at (a, -a). Both charges have a charge of q. Draw this charge configuration and then using the steps in the previous example,


- 1. Find the magnitude and direction of the force of q_1 on q_2 .
- 2. Write the force of q_1 on q_2 in the form $\vec{\mathbf{F}} = F_x \hat{\boldsymbol{\imath}} + F_y \hat{\boldsymbol{\jmath}}$.
- 3. If the charges have opposite signs, how will your answers to 1. and 2. change?



4 Problem II

Charge q_1 is at (x, y) = (-a, a) and charge q_2 is at (a, 0). Charge q_1 has a charge of +q. Charge q_2 has a charge of -q, where q is a positive number. Draw this charge configuration and then using the steps in the previous example,

- 1. Find the magnitude and direction of the force of q_1 on q_2 .
- 2. Write the force of q_1 on q_2 in the form $\vec{\mathbf{F}} = F_x \hat{\boldsymbol{\imath}} + F_y \hat{\boldsymbol{\jmath}}$.
- 3. If the charges have opposite signs, how will your answers to 1. and 2. change?



5 Problem III

Charge q_1 is at (x,y)=(-a,a) and charge q_2 is at (a,0). Charge q_1 has a charge of +q. Charge q_2 has a charge of -q, where q is a positive number. Draw this charge configuration and then using the steps in the previous example,

- 1. Find the magnitude and direction of the force of q_1 on q_2 .
- 2. Write the force of q_1 on q_2 in the form $\vec{\mathbf{F}} = F_x \hat{\boldsymbol{\imath}} + F_y \hat{\boldsymbol{\jmath}}$.
- 3. If the charges have opposite signs, how will your answers to 1. and 2. change?

