MIDI Remote for the Mackie C4 (Version 1.02)

This script has been tested on an eLogic Mackie C4 that has version 1.02 firmware installed, and using Cubase Professional 12.0.20 and the E-mu 1x1 midi interface.

It has not been tested on a Mackie C4-Pro but since the protocol is the same, then other than potential detection issues, it should work.

Installation

- Create folder structure "mackie/c4" inside "../MIDI Remote/Driver Scripts/Local" folder.
- Copy the mackie_c4.js file inside c4 folder.
- Connect your device.
- Start Cubase/Nuendo.

Since the midi name will likely be different for other users, the .expectInputNameEquals and .expectOutputNameEquals were commented out of the mackie_c4.js script and the user may want to uncomment them and change for their own interface as seen below:

```
this.deviceDriver.makeDetectionUnit().detectPortPair(this.midiInput,this.midiOutput)
.expectInputNameEquals('E-MU XMidi1X1')
.expectOutputNameEquals('E-MU XMidi1X1')
```

As of Cubase version 12.0.10, the script can be added via the "+" button, and MIDI ports can be assigned manually.

When your unit its detected, the serial number and version of the firmware should print out in the MIDI Remote Script Console.

Mackie C4 Pages

As of version 1.02, the following pages have been implemented:

- Equalizer Mixer Mode Page

Equalizer Mixer Mode Page

This page implements the ability to control the parameters of the four equalizer bands on each of the mixer channels as pictured in Figure 1.

Controls

- Row 1 Knobs Change the frequency in Hz of the selected equalizer on the selected channel.
- Row 2 Knobs Change the gain in decibels of the selected equalizer on the selected channel.
- Row 3 Knobs Change the Q factor of the selected equalizer on the selected channel.
- Row 3 Knobs Change the Q filter type of the selected equalizer on the selected channel.
- Row 3 Buttons Toggles the on/off state of the selected equalizer on the selected channel.
- Next Bank Select the next bank of 8 channels.
- Previous Bank Select the previous bank of 8 channels.
- Next Channel (Single Right) Shift by one to the next channel.
- Previous Channel (Single Left) Shift by one to the previous channel.
- Next Equalizer Band (Slot Up) Select the next equalizer band.
- Previous Equalizer Band (Slot Down) Select the previous equalizer band.




Figure 1 - Mackie C4 Equalizer Mixer Page

Known Issues:

- When a value is changed withing Cubase, the LED updates to the correct position but the display value on the Mackie C4 does not. It the corresponding knob is nudged (one click to the right then left) the values will sync up. A fix is being investigated.
- As of 12.0.20, after the script is refreshed, the first bank change will result in empty display values. Subsequent bank changes will operate normally.

Changelog:

- V 1.00 4/22/2022 Initial Release
- V 1.01 4/26/2022 Fixed issue making updates more responsive.
- V 1.02 5/05/2022 Fixed startup issue introduced with Cubase 12.0.20

Script written by Ron Garrison

Contact: ron.garrison@gmail.com