

Comparative Genomics

Comparative Genomics Basics

VectorBase has protein and DNA comparisons:


- Protein comparisons are done for all genes in all VectorBase genomes. These alignments are the input to generate the gene trees. With the gene trees we can infer homologous relationships, paralogues and orthologues genes.
- DNA comparisons are done for the closely-related (selected genome) species, these are pairwise alignments for both coding and non-coding regions, not ideal for fragmented genomes.

Statement	True	False
The power and resolution of comparative genomics pre-calculated analyses is more with a very fragmented genome (with many supercontigs)		
VectorBase has a pipeline to annotate genomes using automatic computational approaches and similarity based evidence.		
Similarity data (for genome annotation), comes from both previously sequenced genomes and experimental evidence for the species under study such as RNAseq.		
VectorBase gene annotation pipeline is 100% accurate to find genes: - if there are mistakes or gaps in the assembly, - if the genes in question are rapidly evolving and very different from the ones of previous species, - or if they have no experimental evidence available.		
Is not necessary to work in the improvement of genome assemblies and gene sets, they do not improve comparative genomics computed data		


Part I: Gene trees, orthology and paralogy

1. Finding gene Orthologues

Use AAEL006498 (*Ae. aegypti* opsin 1, GPRop1) in a VectorBase Search. Click on the top hit. Once in the genome browser, click on the "orthologues" link of the gene-based display menu




See counts of orthologues in various clades. Select Culicinae for the display



How many <i>Aedes albopictus</i> orthologues are predicted for AAEL006498? Give its gene				


2. Finding gene Paralogues Click on Paralogues.



Based on the paralogues table, are GPRop4 and GPRop5 in the same supercontig?

	True	False
Yes, and the supercontigs are AAEL005625 and AAEL005621		
Yes, and the supercontig is 1.165		
No, these genes are not in the same supercontig		

6. Click on Gene tree to have a visual representation of AAEL006498 homolog genes




7. Click on the collapsed node called "Stegomyia: 2 homologs". In the pop out select "Image expand this sub-tree". What are the two species and their gene IDs and/or gene
symbol?

Part II: Genomic alignments

8. Go back again to the Orthologues display of AAEL006498 and again select Culicinae In the "Orthologue" column, click on *Ae. albopictus* "Compare Regions" link

Selected orthologues



Which Genome Browser page (or tab) is the display showing?

9. Go back to the Orthologues display in the Gene page or tab

Click on 'View Sequence Alignments'. What are the target and query percentage of identity between the two proteins?

What is the length of the proteins? Hint: Click on 'View sequence alignment'

10. In the Orthologue alignment display, there is a table and below its alignment.

Orthologue alignment @



Type: 1-to-1 orthologues


Species	Gene ID	Peptide ID	Peptide length	% identity (Protein)	% coverage	Genomic location
Aedes aegypti	AAEL006498	AAEL006498-PA	373 aa	94 %	99 %	supercont1.208:1715269-1716390
Aedes albopictus	AALF009534	AALF009534-PA	373 aa	94 %	99 %	JXUM01S002072:69808-70929

CLUSTAL W(1.81) multiple sequence alignment

AAEL006498-PA/1-373 AALF009534-PA/1-373

click on the link of the "Ge which species?	enomic location" column. You are now in the genome browser of
In this new page select "Al alignments?	lignments (image)". Which species is available to do the
Location-based displays	
Whole genome Chromosome summary	
Region overview Region in detail	
Comparative Genomics Synteny Alignments (image) Alignments (text) Region Comparison Markers	
, ,	Select the available species for the alignment and click 'GO'. nent". List three of the available formats to download the

11. Close the pop out window. Go back to *Aedes aegypti* AAEL006498 gene page or tab and click on "Genomic alignments".





Unlike the previous ones, these are not proteins alignments, these are DNA alignments. Which species is/are available to do the alignments?

12. Let's go to *Anopheles merus* from the top left hand side navigation bar, clicking on the arrow head




Select the example under the Search box with the supercontig and base pair range





You arrive to the Location page. Although the synteny link is not functional (is greyed out), you can still visualize some syntenic regions using the three different "Region" links. Click on "Region Comparison".

Click on "select species or regions". Select all available species. Save and close. Explore the three panels available for the region: SuperContig (top panel), Region comparison (middle) and a much detailed view at the bottom.



Using the "Configure this image" gear icon,



you can add select the "Comparative features" -> "Join genes" option - which draws lines between orthologs.



How this might be useful for locating "missing genes"? (i.e., those that have not yet been annotated by VectorBase or the community, but are expected to be present in the genome).

Statement	True	False
A strategy to find 'missing genes' is with VectorBase pre aligned DNA data/results.		

If you need help with any question and its answer contact us at info@vectorbase.org. Because VectorBase data, tools and resources are updated every two months (6 release cycles per year), answers to these exercises will change too.