

STUDENT ID NO									

# **MULTIMEDIA UNIVERSITY**

# FINAL EXAMINATION

**TRIMESTER 2, 2016/2017** 

# PMT0101 - MATHEMATICS I

(Foundation in Information Technology)

27 FEBRUARY 2017 9.00 a.m. – 11.00 a.m. (2 Hours)

#### INSTRUCTIONS TO STUDENT

- 1. This question paper consists of 6 pages with **FIVE** questions.
- 2. Attempt **ALL** five questions. All questions carry equal marks and the distribution of the marks for each question is given.
- 3. Please write all your answers in the answer booklet provided. All necessary working steps **MUST** be shown.
- 4. No calculators are allowed.

# No calculators are allowed.

# You are required to write proper steps.

### Question 1 [10 marks]

a) Simplify the expression and write your final expression as a fraction with positive exponents.

$$\frac{\left(2a^{\frac{2}{3}}b^{-1}\right)^{3}}{2ab^{-1}}$$
 (2 marks)

- b) Rationalize the denominator for  $\frac{\sqrt{2}-3}{3+\sqrt{2}}$  and simplify. (2 marks)
- c) Simplify the expression  $\frac{x^3 64}{x 4}$  to the lowest term. (3 marks)
- d) Given a complex number,  $z = \frac{4i}{4+3i}$ .
  - i) Express z in the form a + bi, where a and b are real numbers.
  - ii) Find the conjugate of z, denoted as  $\overline{z}$ .

(3 marks)

Continued ...

JMJ 1/6

# Question 2 [10 marks]

a) A quadratic equation  $2x^2 + (2+h)x + 2 = 0$  has exactly one real solution. Find the values of h.

(2 marks)

b) i) Solve the inequality  $\frac{x+5}{x-1} \le 0$ .

Show clearly your Sign Diagram and give your final answer in interval notation.

ii) Hence, find the domain of  $h(x) = \sqrt{\frac{x+5}{x-1}}$ .

Give your final answer in interval notation.

(3 marks)

- c) i) Find the value of  $|3 \pi|$ . Leave your answer in terms of  $\pi$ .
  - ii) Solve the equation  $|x \pi| = 3$ . Leave your answer in terms of  $\pi$ .

(2 marks)

d) Solve the equation  $\sqrt{15-2x} = x$ . Remember to check your answers.

(3 marks)

Continued ...

JMJ 2/6

#### Question 3 [10 marks]

a)

- i) Use long division to find the quotient and remainder when the polynomial  $P(x) = 3x^3 7x^2 + 4$  is divided by (x 2). You are required to state clearly what the quotient and the remainder are.
- ii) Factorize completely  $P(x) = 3x^3 7x^2 + 4$ .
- iii) Solve P(x) = 0.

(5 marks)

- b) Given a polynomial function  $f(x) = (x+2)^2(x-1)^2(x-4)$ .
  - i) What is the degree of f?
  - ii) Find the zeros of f and their multiplicities. At each zero, determine whether the graph of f crosses or touches the x-axis.
  - iii) Find the y-intercept of the graph of f.
  - iv) Determine the end behavior of f.
  - Sketch the graph of the function f.
    Make sure your graph shows all intercepts and exhibits the proper end behaviour.

(5 marks)

Continued ...

JMJ 3/6

#### Question 4 [10 marks]

a) Diagram 1 shows a relation in the form of a set of ordered pairs.

$$\{(3, 1), (5, 3), (4, 5), (6, 5), (5, 11)\}$$

#### Diagram 1

- i) Find the image of 3.
- ii) Write down the domain of the relation.

(1 mark)

- b) Given the functions  $f(x) = \sqrt{x-3}$ ,  $x \ge 3$  and  $g(x) = x^2 + 5$ .
  - i) Evaluate  $(f \circ g)(2)$ .
  - ii) Find  $f^{-1}(x)$ .
  - iii) State the domain and range of  $f^{-1}$ . Leave your answer in interval notation.

(4 marks)

c) The graph of a function  $f(x) = \ln(x - k) - 1$  passes through the point (3, -1). Find the value of k.

(2 marks)

d) Solve the equation  $2^{2x+3} = 16$ .

(1 mark)

e) Given  $\log_3 x = 2 - 3\log_3 y$ , express x in terms of y.

(2 marks)


Continued ...

JMJ 4/6

# Question 5 [10 marks]

a) The diagram below shows a straight line PQ that has an equation  $\frac{x}{8} + \frac{y}{t} = 1$  with slope  $-\frac{1}{4}$ .

PQ intersects the x-axis at point P and intersects the y-axis at point Q.



- i) Find the value of t.
- ii) Find an equation of the straight line that passes through P and is **perpendicular** to PQ.

Leave your answer in the form y = mx + b where m is the slope and b is the y-intercept.

- iii) A point *T* lies internally on the line PQ such that QT : TP = 2:1. Find the coordinates of point *T*.
- iv) A point S(x, y) moves such that its distance is always 5 units from point P. Find an equation of the locus of S.

Express your final answer in the form  $x^2 + y^2 + bx + cy + d = 0$  where b, c and d are real numbers.

(6 marks)


Continued ...

JMJ 5/6

b) Two variables x and y are related by an equation y = pq + px, where p and q are constants.

The diagram below shows a straight line obtained after plotting  $Y \left( = \frac{y}{x} \right)$  against

$$X\left(=\frac{1}{x}\right)$$



- i) Find the slope and the *Y*-intercept of the line.
- ii) Find the values of p and q.

(4 marks)

End of Page.

JMJ 6/6