

## Step-1

Let matrix  $A$  is defined as follows:

$$A = \begin{bmatrix} 0 & -i & 0 \\ i & 1 & i \\ 0 & -i & 0 \end{bmatrix}$$

## Step-2

Find the Eigen values and Eigen vectors of matrix  $A$ . Also find the property expected for the Eigen vectors. Is it true in the case of matrix  $A$ ?

Firstly find the Eigen values and Eigen vectors of matrix  $A$ . Do the following calculations:

$$A - \lambda I = \begin{bmatrix} 0 - \lambda & -i & 0 \\ i & 1 - \lambda & i \\ 0 & -i & 0 - \lambda \end{bmatrix}$$

$$\det(A - \lambda I) = 0$$

$$(-\lambda) \left[ -(1 - \lambda) \lambda + i^2 \right] + i(-i\lambda) = 0$$

$$-\lambda^3 + \lambda^2 + 2\lambda = 0$$

After solving following values are obtained. Therefore, Eigen values are:

$$\begin{array}{l} \lambda_1 = 0 \\ \lambda_2 = -1 \\ \lambda_3 = 2 \end{array}$$

## Step-3

To calculate Eigen vectors do the following calculations:

$$(A - \lambda_1 I)x = 0$$
$$\begin{bmatrix} 0 - \lambda & -i & 0 \\ i & 1 - \lambda & i \\ 0 & -i & 0 - \lambda \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$
$$\begin{bmatrix} 1 & -i & 0 \\ i & 2 & i \\ 0 & -i & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$

On solving values of  $x$ ,  $y$  and  $z$  corresponding to  $\lambda = -1$  is as follows:

$$x_1 = \begin{bmatrix} x \\ y \\ z \end{bmatrix}$$

$$= \begin{bmatrix} 1 \\ -i \\ 1 \end{bmatrix}$$

## Step-4

Similarly, Eigen vectors corresponding to Eigen value  $\lambda = 0$  is as follows:

$$(A - \lambda I)x = 0$$

$$\begin{bmatrix} 0-\lambda & -i & 0 \\ i & 1-\lambda & i \\ 0 & -i & 0-\lambda \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$

$$\begin{bmatrix} 0 & -i & 0 \\ i & 1 & i \\ 0 & -i & 0 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$

On solving the above matrix equation following values of  $x, y$  and  $z$  are obtained:

$$x_2 = \begin{bmatrix} x \\ y \\ z \end{bmatrix}$$

$$= \begin{bmatrix} -1 \\ 0 \\ 1 \end{bmatrix}$$

## Step-5

Similarly, Eigen vectors corresponding to Eigen value  $\lambda = 2$  is as follows:

$$(A - \lambda I)x = 0$$

$$\begin{bmatrix} 0-\lambda & -i & 0 \\ i & 1-\lambda & i \\ 0 & -i & 0-\lambda \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$

$$\begin{bmatrix} -2 & -i & 0 \\ i & -1 & i \\ 0 & -i & -2 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$

On solving the above matrix equation following values of  $x$ ,  $y$  and  $z$  are obtained:

$$x_3 = \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 2i \\ 1 \end{bmatrix}$$

## Step-6

Therefore Eigen vectors are:

$$x_1 = \begin{bmatrix} 1 \\ -i \\ 1 \end{bmatrix}$$

$$x_2 = \begin{bmatrix} -1 \\ 0 \\ 1 \end{bmatrix}$$

$$x_3 = \begin{bmatrix} 1 \\ 2i \\ 1 \end{bmatrix}$$

## Step-7

Matrix  $A$  is Hermitian matrix as:

$$A^H = \begin{bmatrix} 0 & -i & 0 \\ i & 1 & i \\ 0 & -i & 0 \end{bmatrix} = A$$

So, Eigen values of matrix  $A$  must be real values and Eigen vectors must be orthogonal to each other, if they come from different Eigen values.

Here, all Eigen vectors coming from different non-repeated Eigen values are orthogonal to each other.

## Step-8

Therefore, the property is true in the case of matrix  $A$ .