Step-1

Given Fibonacci's matrix is $A = \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix}$.

We have to verify the Cayley-Hamilton Theorem on the given Fibonacci's matrix.

Step-2

The characteristic equation of A is

$$|A - \lambda I| = 0$$

$$\Rightarrow \begin{vmatrix} 1 - \lambda & 1 \\ 1 & -\lambda \end{vmatrix} = 0$$

$$\Rightarrow -\lambda(1-\lambda)-1=0$$

$$\Rightarrow \lambda^2 - \lambda - 1 = 0$$

Therefore $\det(A-\lambda I) = \lambda^2 - \lambda - 1$

Step-3

By Cayley – theorem, every square matrix satisfies its characteristic equation.

Therefore, $A^2 - A - I = 0$

To prove this $A = \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix}$

$$A^{2} = \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix} \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix}$$
$$= \begin{bmatrix} 1(1) + 1(1) & 1(1) + 1(0) \\ 1(1) + 0(1) & 1(1) + 0(0) \end{bmatrix}$$
$$= \begin{bmatrix} 2 & 1 \\ 1 & 1 \end{bmatrix}$$

Step-4

Therefore,

$$A^{2} - A - I = \begin{bmatrix} 2 & 1 \\ 1 & 1 \end{bmatrix} - \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix} - \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$
$$= \begin{bmatrix} 2 - 2 - 1 & 1 - 1 - 0 \\ 1 - 1 - 0 & 1 - 0 - 1 \end{bmatrix}$$
$$= \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$$
$$= 0$$

Hence the given Fibonacci matrix satisfies the Cayley-Hamilton theorem.