

## Step-1

If we consider a Pascal matrix, its determinant is always 1.

Consider

$$\begin{vmatrix} 1 & 1 \\ 1 & 2 \end{vmatrix} = 2 - 1 \\ = 1$$
$$\begin{vmatrix} 1 & 1 & 1 \\ 1 & 2 & 3 \\ 1 & 3 & 6 \end{vmatrix} = 1 \begin{vmatrix} 2 & 3 \\ 3 & 6 \end{vmatrix} - 1 \begin{vmatrix} 1 & 3 \\ 1 & 6 \end{vmatrix} + 1 \begin{vmatrix} 1 & 2 \\ 1 & 3 \end{vmatrix}$$
$$= 1(12 - 9) - 1(6 - 3) + 1(3 - 2)$$
$$= 3 - 3 + 1$$
$$= 1$$

## Step-2

In any  $n \times n$  Pascal matrix, the largest entry is  $a_{nn}$ . If we remove the  $n^{\text{th}}$  column and  $n^{\text{th}}$  row from an  $n \times n$  Pascal matrix, the remaining matrix is also Pascal matrix of order  $n-1 \times n-1$ . Therefore, the determinant of the matrix, obtained by removing the  $n^{\text{th}}$  row and column from the  $n \times n$  Pascal matrix is also 1.

Let the element in the last row be denoted by  $a_{n1}, a_{n2}, \dots, a_{nn}$ . The cofactors of these elements be denoted by  $A_{n1}, A_{n2}, \dots, A_{nn}$ .

Note that  $\det(A_{nn}) = 1$ .

## Step-3

If  $A$  is the Pascal matrix of order  $n$  by  $n$ , we get

$$1 = \det(A) \\ = a_{n1}A_{n1} + a_{n2}A_{n2} + \dots + a_{nn}A_{nn} \\ = a_{n1}A_{n1} + a_{n2}A_{n2} + \dots + (a_{nn} - 1 + 1)A_{nn} \\ = a_{n1}A_{n1} + a_{n2}A_{n2} + \dots + (a_{nn} - 1)A_{nn} + A_{nn}$$

But then  $A_{nn} = 1$ . Therefore,

$$1 = a_{n1}A_{n1} + a_{n2}A_{n2} + \dots + (a_{nn} - 1)A_{nn} + A_{nn} \\ = a_{n1}A_{n1} + a_{n2}A_{n2} + \dots + (a_{nn} - 1)A_{nn} + 1 \\ 0 = a_{n1}A_{n1} + a_{n2}A_{n2} + \dots + (a_{nn} - 1)A_{nn}$$

## Step-4

Thus, if we make decrease the largest entry of the Pascal matrix by 1, the resultant matrix always has the determinant zero.