

Step-1

Consider the following matrices:

$$A = \begin{bmatrix} 0 & 1-i \\ i+1 & 1 \end{bmatrix}$$
$$K = \begin{bmatrix} 0 & -1+i \\ 1+i & i \end{bmatrix}$$

Diagonalize it to reach $A = U \Lambda U^H$ and $K = U \Lambda U^H$.

Step-2

First step is to find the Eigen values and Eigen vectors of matrix A . To calculate the Eigen values do the following calculations;

$$A - \lambda I = \begin{bmatrix} 0-\lambda & 1-i \\ i+1 & 1-\lambda \end{bmatrix}$$
$$\det(A - \lambda I) = 0$$
$$(1-\lambda)(-\lambda) - (1-i^2) = 0$$
$$(\lambda^2 - \lambda - 2) = 0$$

After solving following values are obtained:

$$\lambda_1 = 2$$
$$\lambda_2 = -1$$

Step-3

To calculate Eigen vectors do the following calculations:

$$(A - \lambda I)x = 0$$
$$\begin{bmatrix} 0-2 & 1-i \\ i+1 & 1-2 \end{bmatrix} \begin{bmatrix} y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$
$$\begin{bmatrix} -2 & 1-i \\ i+1 & -1 \end{bmatrix} \begin{bmatrix} y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$

On solving, values of y and z corresponding to $\lambda = 2$ are as follows:

$$x_1 = \begin{bmatrix} y \\ z \end{bmatrix} \\ = \begin{bmatrix} 1 \\ 1+i \end{bmatrix}$$

Step-4

Similarly, Eigen vectors corresponding to Eigen value $\lambda = -1$ is as follows:

$$(A - \lambda I)x = 0 \\ \begin{bmatrix} 0+1 & 1-i \\ i+1 & 1+1 \end{bmatrix} \begin{bmatrix} y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix} \\ \begin{bmatrix} 1 & 1-i \\ i+1 & 2 \end{bmatrix} \begin{bmatrix} y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$

On solving values of y and z are as follows:

$$x_2 = \begin{bmatrix} y \\ z \end{bmatrix} \\ = \begin{bmatrix} -1+i \\ 1 \end{bmatrix}$$

Step-5

To put the Eigen vectors in unitary matrix make them orthonormal by dividing the length of the vector.

$$\|x\|^2 = |(1)^2| + |(1+i)^2| \\ = |1| + |(2i)| \\ = 3$$

Let the length be L . So $L = \sqrt{3}$.

Step-6

Now, the diagonalization of the matrix can be written as follows:

$$A = U \Lambda U^H \\ = \frac{1}{L} \begin{bmatrix} 1 & -1+i \\ 1+i & 1 \end{bmatrix} \begin{bmatrix} 2 & 0 \\ 0 & -1 \end{bmatrix} \frac{1}{L} \begin{bmatrix} 1 & 1-i \\ -1-i & 1 \end{bmatrix}$$

Here, $L = \sqrt{3}$

Step-7

Therefore, matrix A is diagonalize to reach $A = U \Lambda U^H$.

Step-8

To diagonalize matrix K , do the following calculations. First step is to find the Eigen values and Eigen vectors of matrix K . To calculate the Eigen values do the following calculations;

$$K - \lambda I = \begin{bmatrix} 0 - \lambda & -1 + i \\ 1 + i & i - \lambda \end{bmatrix}$$
$$\det(K - \lambda I) = 0$$
$$(i - \lambda)(-\lambda) - (-1 + i^2) = 0$$
$$(\lambda^2 - i\lambda + 2) = 0$$

After solving following values are obtained:

$$\lambda_1 = 2i$$
$$\lambda_2 = -i$$

Step-9

To calculate Eigen vectors do the following calculations:

$$(K - \lambda I)x = 0$$
$$\begin{bmatrix} 0 - 2i & -1 + i \\ 1 + i & i - 2i \end{bmatrix} \begin{bmatrix} y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$
$$\begin{bmatrix} -2i & -1 + i \\ 1 + i & -i \end{bmatrix} \begin{bmatrix} y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$

On solving, values of y and z corresponding to $\lambda = 2i$ are as follows:

$$x_1 = \begin{bmatrix} y \\ z \end{bmatrix}$$
$$= \begin{bmatrix} 1 \\ 1 - i \end{bmatrix}$$

Step-10

Similarly, Eigen vectors corresponding to Eigen value $\lambda = -i$ is as follows:

$$(K - \lambda I)x = 0$$

$$\begin{bmatrix} 0+i & -1+i \\ 1+i & i+i \end{bmatrix} \begin{bmatrix} y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$

$$\begin{bmatrix} i & -1+i \\ 1+i & 2i \end{bmatrix} \begin{bmatrix} y \\ z \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$

On solving values of y and z are as follows:

$$x_2 = \begin{bmatrix} y \\ z \end{bmatrix}$$

$$= \begin{bmatrix} -1-i \\ 1 \end{bmatrix}$$

Step-11

To put the Eigen vectors in unitary matrix make them orthonormal by dividing the length of the vector.

$$\|x\|^2 = \left| (1)^2 \right| + \left| (1-i)^2 \right|$$

$$= |1| + \left| (-2i) \right|$$

$$= 3$$

Let the length be L . So $L = \sqrt{3}$.

Step-12

Now, the diagonalization of the matrix can be written as follows:

$$K = U \Lambda U^H$$

$$= \frac{1}{L} \begin{bmatrix} 1 & -1-i \\ 1-i & 1 \end{bmatrix} \begin{bmatrix} 2i & 0 \\ 0 & -i \end{bmatrix} \frac{1}{L} \begin{bmatrix} 1 & 1+i \\ -1+i & 1 \end{bmatrix}$$

Here, $L = \sqrt{3}$

Step-13

Therefore, matrix K is diagonalize to reach $\boxed{K = U \Lambda U^H}$.