


Enabling participatory interactions at
live music performances using digital technology

by

Ryan Maksymic



A thesis submitted to OCAD University in partial fulfillment of the
requirements for the degree of Master of Design in Digital Futures

Toronto, Ontario, Canada, April 2014

© Ryan Maksymic 2014

This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0
Unported License. To see the license go to <http://creativecommons.org/licenses/by-nc-sa/3.0/> or write to Creative Commons, 171 Second Street, Suite 300, San Francisco, California
94105, USA.

Copyright Notice

This document is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License. <http://creativecommons.org/licenses/by-nc-sa/3.0/>

You are free:

to Share – to copy, distribute and transmit the work

to Remix – to adapt the work

Under the following conditions:

Attribution – You must attribute the work in the manner specified by the author or licensor (but not in any way that suggests that they endorse you or your use of the work).

Noncommercial – You may not use this work for commercial purposes.

Share Alike – If you alter, transform, or build upon this work, you may distribute the resulting work only under the same or similar license to this one.

With the understanding that:

Waiver – Any of the above conditions can be waived if you get permission from the copyright holder.

Public Domain – Where the work or any of its elements is in the public domain under applicable law, that status is in no way affected by the license.

Other Rights – In no way are any of the following rights affected by the license:

- Your fair dealing or fair use rights, or other applicable copyright exceptions and limitations;
- The author's moral rights;
- Rights other persons may have either in the work itself or in how the work is used, such as publicity or privacy rights.

Notice – For any reuse or distribution, you must make clear to others the license terms of this work. The best way to do this is with a link to this web page.

Author's Declaration

I hereby declare that I am the sole author of this thesis. This is a true copy of the thesis, including any required final revisions, as accepted by my examiners.

I authorize OCAD University to lend this thesis to other institutions or individuals for the purpose of scholarly research.

I understand that my thesis may be made electronically available to the public.

I further authorize OCAD University to reproduce this thesis by photocopying or by other means, in total or in part, at the request of other institutions or individuals for the purpose of scholarly research.

Signature _____

Enabling participatory interactions at live music performances using digital technology

Ryan Maksymic

Master of Design in Digital Futures

OCAD University, 2014

Abstract

Technology has long been used to improve the presentational aspects of a live music performance, but less often is it employed to encourage participation from audience members. This thesis investigates how digital technologies might be used to make traditional pop and rock concerts more participatory. A literature review and survey of related projects were first conducted. Preliminary research was then carried out, including interviews with both concertgoers and performers. Multiple prototypes were developed and tested with users, and, after analyzing the results, a refined device was created and implemented at a live music performance. The paper concludes with a discussion on the significance of the device and possible future directions.

Contents

1	Introduction	1
1.1	Motivation	2
1.2	Objectives	5
1.3	Overview	6
2	Background	8
2.1	Music and Performance	8
2.2	Evolution of the Presentational Performance	11
2.3	Return of the Participatory Performance	13
2.3.1	Audience as a Light Show: Wham City Lights, Xylobands, PixMob	17
2.3.2	Kasabian's 2011 Tour	18
2.3.3	Plastikman's SYNK	19
2.3.4	D'CUCKOO's MidiBall	19
2.4	Designing for Audiences	19
2.4.1	Maynes-Aminzade, Pausch, and Seitz	19
2.4.2	Ulyate and Bianciardi	20
2.4.3	Bongers	21
2.4.4	Barkhuus and Jorgensen	21
2.4.5	Tseng et al.	22
2.4.6	Reeves, Sherwood, and Brown	23
2.4.7	Gates, Subramanian, and Gutwin	24

2.4.8	Feldmeier, Paradiso	25
3	Research Question	26
3.1	Research Question	26
3.2	Approach	27
4	Ethnography	28
4.1	Audiences	28
4.2	Performers	30
4.2.1	The Performers	30
4.2.2	Audience Participation	31
4.2.3	Social Media	32
4.2.4	Participatory Technologies	33
4.3	Analysis	33
5	Prototype #1	35
5.1	Conception	35
5.2	Prototyping	36
5.3	Testing	40
5.4	Analysis	41
6	Prototype #2	42
6.1	Conception	42
6.2	Prototyping	43
6.3	Testing	44
6.4	Analysis	45
7	Prototype #3	46
7.1	Conception	46
7.2	Prototyping	46
7.3	Testing	46

7.4	Analysis	46
8	Conclusion	47
8.1	Discussion	47
8.2	Future Directions	47
8.3	Conclusion	47
	References	48

List of Figures

5.1	OSCulator software receiving data from one Wii controller	37
5.2	Testing simultaneous input from seven Wii controllers	38
5.3	Stills from the two clips used in the prototype	39
5.4	Wii controller VJ system	39
5.5	Prototype #1 Max patcher	40
6.1	Audience inputs	43
6.2	Audience inputs with seven users	43
6.3	Auto-play version for eLeo exhibit	44
6.4	The prototype on display at eLeo	44

List of Tables

Chapter 1

Introduction

At the 2011 Coachella Valley Music and Arts Festival, Montreal-based indie rock group Arcade Fire are about to play one of the final songs of their headlining set. The guitar riff from the band's hit song "Wake Up" is instantly recognized by the audience, who cheer loudly with excitement. The song reaches the first chorus, and, suddenly, one thousand white beach balls begin tumbling over the top of the stage and gently falling onto the crowd below. The cheers swell into a roar as the balls disperse over the mass of people. When the band hits the song's final chorus, to the spectators' surprise, the balls begin to light up – flashing different colours to the beat of the music. Arcade Fire finish their set, grins on the band members' faces, as they watch the glowing orbs bounce across the crowd. After the show, festivalgoers grab on to the beach balls; cars leaving the festival grounds are seen glowing with the light from what have now become souvenirs from an unforgettable live music experience.

This project was made possible by several teams that managed the logistics, developed the wireless LED devices, fabricated and tested hundreds of beach balls, and ultimately executed the launch¹. The result was an awe-inspiring, albeit momentary, event that extended a live music performance into the audience. Large rock concerts seem to be growing more technically complex and spectacular all the time. Powerful equipment makes shows

¹http://www.momentfactory.com/en/project/stage/Arcade_Fire

louder, larger, and flashier. Only recently, however, have many mainstream artists begun investigating how technology can benefit not just the performance on stage, but the interactions within the audience as well. This thesis examines these sorts of technologies, asking how they might be used to make conventional rock concerts more participatory.

1.1 Motivation

In his 2008 book *Music As Social Life*, musicologist and anthropologist Thomas Turino divides live music performances into two categories – presentational and participatory. In presentational performances, the artist prepares music and presents it to a separate group, the audience. An example of a presentational performance would be a typical rock concert; a band rehearses and plans a set list and then performs it for a generally attentive audience. Participatory performances, on the other hand, deal only with participants and potential participants, and there is no artist-audience distinction. Peruvian communities, for example, perform in large groups with each participant either dancing or playing a panpipe or flute. Contra dances in the midwestern United States can also be considered participatory performances, featuring musicians, pairs of dancers, and a “caller” that provides the dancers with instructions – each an integral part of the event.

Many technologies exist for creating enhanced presentational performances. In general, they are implemented to aid the artist in presenting their music to the audience. When The Beatles did their first tour in North America, for example, they had 100-watt amplifiers custom made to ensure their music could be heard over the incredibly loud cheers of the fans; ultimately, the equipment was not nearly loud enough to overpower the audience (citation). Today, a large arena rock show might implement sound systems demanding tens or hundreds of thousands of watts (citation), enough power to send strong vibrations through concertgoers’ bodies or even, after enough exposure, cause hearing damage. Performers may take advantage of enormous screens that provide far-away fans with close-up views of the show. Complex lighting rigs, laser arrays, and flashy visualizations are also common methods of turning a regular performance into an awe-inspiring spectacle. Recently,

CHAPTER 1. INTRODUCTION

improved webcasting technologies have allowed for the live streaming of concerts over the Internet; a U2 concert streaming on YouTube in 2009 generated ten million pageviews, vastly increasing the reach of their performance².

There is clearly a great deal invested in enhancing the presentational aspect of live music performances in Western culture. As Turino points out, when it comes to presentational performances, profit making is usually the primary goal. Louder speakers and bigger screens mean artists can play larger venues with more seats to sell to fans. On the other hand, Turino admits that participatory performance does not fit well within capitalist societies: “Participatory traditions tend to be relegated to special cultural cohorts that stand in opposition to the broader cultural formation” (p. 36). Why, then, might we want consider technologies that enhance the participatory aspect of performances? As stated by Turino, disregarding its potential financial value, it is music’s function as a social interaction that holds the most value for humans. Levitin (2008) agrees, stating that the social nature of music may have been an important evolutionary adaptation that helped early humans thrive in groups: “Singing around the ancient campfire might have been a way to stay awake, to ward off predators” (p. 258). Thus, while we may no longer depend on participatory performance to the degree that our ancestors did, it seems as though it is against human nature to continue widening the gap between audience and performer. Artists are placed on brightly lit stages with booming sound systems, allowing their voices to echo through stadiums; the voices of audience members, meanwhile, become meaningless noise as more and more people are packed into venues. How might technologies instead be used to embrace the social functions of music and let everyone – performer and audience – be a participant? This attitude is, fortunately, reflected in some of the ways we are using technology today.

The Internet has connected performer and audience in a new way. Social media allows for unique interactions between artists (big and small) and their fans. A small touring band, for example, might send out a message to their followers on Twitter asking for restaurant

²<http://www.wired.com/business/2009/11/4-ways-live-and-digital-music-are-teaming-up-to-rock-your-world>

CHAPTER 1. INTRODUCTION

suggestions in a town they are passing through. More well-known artists may have difficulty connecting to their growing fan base, but events like “Ask Me Anything” question-and-answer sessions on Reddit allow them to directly answer questions from their supporters. Beyond these social media interactions, the Internet is also continually supplying new ways for musicians and fans to connect. Crowdfunding platforms like Kickstarter rewards fans for directly funding artists’ projects by giving them exclusive gifts; Feedbands³ lets users vote for their favourite musicians each month, and the winning artist gets their record pressed on vinyl in a limited-edition run; using Alive⁴, Japanese promoters can ensure shows get adequate turnouts by having concertgoers commit to buying tickets before artists are even booked to play. The Internet has afforded many new types of participatory experiences for musicians and fans. Recently, digital technologies are being used increasingly to enhance this connection during live performances themselves.

As the music industry continues attempting to find its footing in the digital age, ticket prices for concerts are steadily increasing – seeing a 40% increase from 2000 to 2008, for example⁵. It seems then that, in order to ensure patrons are getting their money’s worth, it is important for performers to deliver a truly unforgettable show. Stages, lighting, and visuals are certainly becoming more extravagant. Some artists, however, are looking to more innovative solutions to wow their audiences. Arcade Fire and Coachella, as described above, succeeded in creating a memorable live music experience using hundreds of wirelessly controlled LEDs. Wham City Lights created a similar experience by using a smartphone application to turn audience members’ personal devices into a synchronized light show⁶. Other instances allow for more direct interactions. At a special performance by R&B artist Usher, for example, fans could send tweets about the performance that would appear on the large screen onstage and then morph into abstract animations⁷. Plastikman, alter ego

³<http://www.feedbands.com>

⁴<http://www.alive.mu>

⁵<http://www.musicthinktank.com/blog/the-beatles-tell-us-that-weve-hit-the-concert-price-ceiling.html>

⁶<http://whamcitylights.com>

⁷http://www.momentfactory.com/en/project/stage/Amex_Unstaged:_Usher

of Canadian DJ Richie Hawtin, released a smartphone app to accompany his 2010/2011 world tour; fans with the app could view a live video stream of the performer’s perspective, reorganize audio samples that Hawtin would use in his performances, and participate in a live chat with other users during the show⁸.

There are countless types of performance exhibited by the world’s various cultures – some more presentational, some more participatory. In Western cultures, presentational performances draw the biggest crowds, and technologies are being developed to make them larger, louder, and more lucrative. We must remember, however, that music is an inherently social activity; by continuing to separate performer and audience, we are potentially reducing its impact as an event that brings people together. Thus, it is valuable to consider how we might use technology to enhance not the presentational aspect of a concert, but the participatory. The popularity of the aforementioned internet services proves the public’s desire for deeper interactions with artists, and recent experiments with interactive systems at live performances have produced impressive results. Lastly, participatory technologies at rock music performances have yet to undergo an academic investigation. I believe, then, that it is worthwhile to survey this fledgling field and better understand its implications on the modern music performance.

1.2 Objectives

The goal of this thesis is to explore how digital technologies can be used to make live music performances more participatory experiences. I have divided this task into three objectives. The first objective is to study relevant literature and perform case studies on existing projects. Literature reviews will pull from works in musicology – to examine the nature of music as a social activity – and human-computer interaction – to understand how interactive systems can be designed for large groups of people. Precedent projects will be analyzed, observing what was done right and what issues are outstanding. After reflecting on what I have learned, my next objective is to identify questions that remain unanswered

⁸<http://hexler.net/software/synk>

and conduct my own primary research that addresses them. This will involve surveys and interviews with frequent concertgoers and performers themselves. The final objective is to determine the criteria for a successful participatory concert technology through multiple rounds of prototyping and user testing. A final version will be implemented at a live music performance, and its effectiveness will be evaluated.

This work brings up some other topics that, while interesting, will not be addressed here. For example, while there exist a wealth of music genres and performance styles, I will be focusing on Western rock concerts performed in standard venues. These environments are commonplace and can accommodate large audiences who are generally free to move around and be vocal; additionally, they are places that I feel comfortable and familiar with. Many of the projects I reference were dependant on a large budget, but, to avoid placing limitations on my own work, financial matters will not be considered. These sorts of issues are outside the scope of this project.

1.3 Overview

- **Chapter 2: Background**

This chapter will provide an overview of the history of music and performance and then contrast presentational and participatory performances types. I will examine how presentational performance has grown into what it is today and how rock music and modern technologies have been bringing participation back into live music. Lastly, work in human-computer interaction will be referenced to explore how a system might be best designed for a large group of simultaneous users.

- **Chapter 3: Research Question**

In this chapter, I will establish and justify my research question. I will then describe the approach I will be taking to answer this question.

- **Chapter 4: Prototype #1**

CHAPTER 1. INTRODUCTION

Here I will describe the production of my first prototype. This will include the objective of the prototype, the development process, and user testing, followed by a discussion reflecting on the work.

- **Chapter 5: Ethnography**

This chapter will examine the research questions from both the audience's and the performer's point of view. This will be accomplished through a survey for music fans and interviews with musicians.

- **Chapter 6: Prototype #2**

The second prototype, a collaboration with local musician Christian Hansen, is outlined in this chapter. Its conception and creation will be explained. I will then describe how the prototype was tested at a live performance and discuss the implications of the results.

- **Chapter 7: Conclusion**

To conclude, I will summarize the overall outcomes of my work and discuss possible future directions for the project.

Chapter 2

Background

This chapter will investigate music's history as a human activity, and the concepts of participatory and presentational performances will be explained. I will discuss how presentational performance has evolved into its current form and how rock music and technology are bringing participatory elements back into concerts. I will conduct case studies on some specific live music events that are closely related to my interests. Lastly, previous research investigating designing interactive systems for crowds will be reviewed.

2.1 Music and Performance

Music is a part of being human. "The archaeological record," Daniel Levitin (2006) explains, "shows an uninterrupted record of music making everywhere we find humans, and in every era" (p. 256). Early music making was purely rhythmic, with simple objects being used as percussion instruments. As primitive wind and string instruments were crafted, rhythm was joined by melody. Music making gradually evolved in cultures all over the world, and it has grown to serve many different purposes. In New Guinea it is a gift to one's host; in the Democratic Republic of the Congo it is used to settle lawsuits; Australian aborigines use music to tell intricate stories; and some African tribes believe repeating musical chants can draw harmful spirits out of inflicted individuals (Jourdain, 1997; Turner, 2011). In modern Western cultures, of course, music is everywhere – performed at live concerts, scoring film

CHAPTER 2. BACKGROUND

and television, being shared on the Internet. Regardless of culture, there is no denying that music is an inherently social activity.

Why did music evolve with humans? Anthropologists believe it may have initially been a tool for social bonding, or perhaps a clever survival method (Jourdain, 1997; Levitin, 2006). A drum circle around a fire could improve a group's coordination, but it may also serve to keep everyone awake and ward off predators. In less primitive societies, music is still valuable as a social activity. Musicologist Thomas Turino (2008) talks about the benefits of making music with others – what he calls “sonic bonding.” Referencing the work of anthropologist Gregory Bateson, Turino posits that such artistic experiences promote deep connections to others that are crucial for “social survival.” Thus, music making may be a strong tool in forming and developing rewarding relationships. Christopher Small (1998) suggests that live music performance forms communities that represent ideal relationships; perhaps, in the moment, participants forget reality and feel one with those around them. Anthropologist Edith Turner echoes this idea and gives it a name – *communitas*. “Communitas,” she explains, “occurs through the readiness of the people – perhaps from necessity – to rid themselves of their concern for status and dependence on structures, and see their fellows as they are” (p. 1). Turner identifies communitas at work at sporting events, in the workplace, and even during disasters, but she claims music to be the most reliable source of communitas. Music is ephemeral, emotional, and it cannot be constrained by rules. “Its life is synonymous with communism, which will spread to all participants and audiences when they get caught up in it” (p. 43). Though we cannot share our bodies with one another, Turner explains, music allows us to share time. It is clear that live music performances can be powerful events; it is important to realize, however, that not all performances are the same.

In his book *Music as Social Life: The Politics of Participation* (2008), Thomas Turino divides music performance into two categories – participatory and presentational. Most cultures exhibit some sort of participatory performance. Peruvian communities perform in large groups with each participant either dancing or playing a panpipe or flute; many

CHAPTER 2. BACKGROUND

different religious ceremonies involve singing in unison or in a call-and-response structure; line dancing in North America features choreography that is closely tied to the music. In general, the emphasis is on the intensity of the interactions over the quality of the performance, and participatory performances have characteristics that support this. In a purely participatory performance, Turino explains, “there are no artist-audience distinctions, only participants and potential participants performing different roles, and the primary goal is to involve the maximum number of people in some performance role” (p. 26). Equality among participants can lower self-consciousness and lead to a more relaxed atmosphere. Having different roles, on the other hand, allows individuals of different skill levels to contribute accordingly. “Core” and “elaboration” roles, in Turino’s words, cater to less- and more-advanced performers, respectively; core participants keep the performance moving along while elaboration participants add flourish. Another common feature of participatory performances is repetitiveness. This open form allows newcomer participants to easily join in. Additionally, Turino explains, there is a “security in constancy” that allows performers to become more comfortably immersed in the music. Performances may also incorporate loud volumes, densely overlapped sounds, and loosely tuned instruments as “cloaking function” to make individuals more comfortable participating. Solos are not common, although sequential soloing sections are sometimes included; karaoke is an example of sequential participatory performance. Overall, participatory performances allow all participants to feel as though they are contributing, and this makes them quite different from presentational performances.

The opposite of the participatory performance is the presentational performance. Here, the performer presents prepared music pieces to an audience that does not directly participate in the performance (Turino, 2008). A typical Western rock concert is a good example: a band on a stage performs rehearsed songs to an attentive audience whose main role is listening to the music. In contrast with the open form of participatory performances, here there is a focus on detail, smoothness, and coherence. These performances are generally closed form; the artist knows how the show will begin and end. While participatory performances

rely on constancy, planned contrasts are implemented in presentational performances in order to keep the audience’s attention. A rock band will often break up a song with a guitar solo, for instance. Participatory performances foster connections between participants, Turino explains, whereas presentational performances seem to tease a connection between artist and audience without ever realizing it: “leave them wanting more.” Indeed, the goal of a presentational performance is typically to sell as many tickets as possible. It is, in fact, this desire for profit that caused the evolution of presentational performances over the last few centuries.

2.2 Evolution of the Presentational Performance

Public concerts were virtually unheard of before the 1600s (Jourdain, 1997). Outside of church, commoners rarely had the opportunity to hear “serious” music, and any other music performance was relaxed and participatory in nature. The ‘professional’ musicians of this era, musicologist Christopher Small (1998) explains, were those hired by aristocrats to accompany them as they played. It was not until the time of the Industrial Revolution that savvy musicians realized that the middle class would see live performances as opportunities to display their newfound wealth. These “traveling virtuoso-entrepreneurs” made money touring from town to town and performing in local parlours for a fee. By the 1800s, ticketed events were gradually becoming more abundant and “art music” concerts began transforming the state of the live performance. These were seen as formal events, says Jourdain, and those wealthy enough to attend were expected to follow the established etiquette – sitting quietly and listening. Music listeners had been turned into consumers.

Music consumption in the last century has transformed due to a relatively recent development – recorded music. Wax cylinders, records, cassette tapes, compact discs, and digital files have allowed listeners to experience music performances from the comfort of their homes, and, today, a concert’s purpose is typically to ‘re-present’ these recordings. This does not, however, mean that performance has become subordinate to recorded music. Small (1998) maintains that “performance does not exist in order to present music works,

CHAPTER 2. BACKGROUND

but rather, musical works exist in order to give performers something to perform” (p. 8). Recordings are just blueprints for performance. He also suggests that, since technology now allows people to experience performances at home, the significance of a real live performance actually increases. There are certainly aspects of a live music performance that cannot come from recorded sound. Musicologist Jane Davidson (2006) explains, for instance, that many musicians seem to perform better when in front of an audience; thus, it is possible that the quality of a live performance often trumps that of a recorded performance. Live performances can also be great sources of cultural influence. Ian Inglis (2006), a sociologist studying music performance, agrees: “In its ability to simultaneously reflect and influence patterns of socio-cultural activity, it is one of the principal avenues along which musical change and innovation can be introduced and recognized” (p. xv). For example, an event as momentary as the 1965 Newport Folk Festival – where Bob Dylan first went electric – seemed to change the course of both folk and pop music (Marshall, 2006). The loud guitar startled audience members, and Dylan was booed as he left the stage. Little did that audience know just how plugged in music performances would eventually become.

Technology has been used to enhance presentational performances in many ways. Arena rock concerts make use of arrays of powerful speakers, dense lighting rigs, and multiple giant screens, sometimes also incorporating huge stage pieces and complex mechatronics. The main function of this equipment is to amplify the sights and sounds of the performance. As Kelly (2007) explains, however, it also serves to amplify the persona of the performer. Large screens may show closeups of the performers on stage, but they also often display video clips or abstract visuals designed to reflect the performer’s image and communicate underlying themes. Showing clips from Madonna’s music videos as she performs, for example, connects the performance to events of the past. This can unify audience members by creating a “shared past” amongst them, says Kelly. Similar technologies are being used in even more abstract ways by groups like Gorillaz – an alternative rock band fronted by cartoon characters. Live performances often feature real musicians silhouetted by projections of the fictional band members. German electronic band Kraftwerk has taken it a step

farther for live performances of their song “Robots,” leaving the stage entirely and being replaced by their ‘robotic’ analogues for the duration of the song. The fact that audiences will cheer for a stage void of the performers indicates the influence technologies has had on live performance.

So why have visuals become such an important part of rock concerts? As Philip Auslander (1999) explains, live performance and mass media are in competition, and, since mass media is dominating, live performance has responded by imitating its competitor. Live sporting events make use of big screens and instant replays, for instance, and television shows and movies are regularly adapted for the stage. Live music performances, similarly, have been greatly influenced by MTV. As Music Television reached the height of its popularity in the 80s and 90s, concerts began looking more and more like music videos. For example, Madonna’s live performance of “Like A Virgin” at the 1984 MTV Video Music Awards played out like a music video, the singer performing directly to the multiple television cameras and virtually ignoring the large audience beyond the stage (Burns, 2006). Jaap Kooijman (2006) points to Michael Jackson’s performance of “Billie Jean” at the 1983 *Motown 25* concert, where Jackson’s outfit and dancing directly referenced the song’s music video. The crowd cheered as Jackson exhibited his signature dancing style – never noticing, or perhaps never caring, that he was lip-synching the vocals throughout. It is clear that technology has been driving the evolution of presentational performance. Modern concerts have truly become spectacles; but should modern concertgoers only be treated like spectators?

2.3 Return of the Participatory Performance

The presentational aspects of a rock show are more spectacular than ever. What, then, has happened to the participatory nature in which music traditionally thrives? What is the role of the modern concertgoer? David Horn (2000) provides the following definition:

The popular music event is the sum of a number of smaller occurrences, which might include any or all of the following: the origination or the borrowing

CHAPTER 2. BACKGROUND

of a musical idea; the development of the idea; the conversion or arrangement of the idea into a performable piece; the participation of those (musicians, producers, technicians) whose task is to produce musical sound; the execution or performance of this task; the transmission of the resulting sounds; the hearing of those sounds (p. 28).

Out of all of the tasks associated with a live show, the audience is given one – “hearing.” This spectatorial role developed as performers began “dominating” over the audience, Jourdain (1997) explains. In the 1800s, conductors began locking latecomers out of the theatre, silencing applause, and ignoring popular requests. Musicians started dressing in matching uniforms, further setting themselves apart from the audience. Audiences may be further dominated by the booming speakers that drown out their voices and the bright lights that make the performer blind to them. Even the audience’s primary tool – applause – is losing its power. As Baz Kershaw (2001) explains, standing ovations, once rewards that had to be earned by performers, are today dispensed almost without question; the standing ovation is now “an orgasm of self-congratulation for money so brilliantly spent,” he says, rather than a democratic device (p. 144).

In the face of this established inequality, rock shows are usually environments that encourage audience involvement – presentational performances with participatory leanings. Crowds can join the music making by clapping or singing along, for example. They can add to the light show by holding up lighters or illuminated cellphones. Perhaps the simplest way for an audience member to become a participant is to move to the music; swaying, dancing, or joining the mosh pit are all methods concertgoers use to connect to performances. These activities may enhance the live experience for concertgoers, but they rarely have a significant impact on the performance as a whole. Some artists, though, go out of their way to allow the audience to affect the course of the performance. Elvis Costello has toured with a “Wheel of Songs,” for instance, inviting audience members to spin the wheel and determine what tune the band will play next. The Flaming Lips dress willing audience members in ridiculous costumes and let them dance on stage for entire concerts. Green Day, playing

CHAPTER 2. BACKGROUND

to thousands of fans, will pull a select few on stage and allow them to play the band's instruments for one song before sending them backstage to enjoy the after party. These are certainly exciting examples, but they are far from involving each and every member of the crowd. We might ask, then – how can the participatory spirit of the rock performance be amplified?

As with most things that need amplifying (see the previous section), it seems that technology can provide a solution. Although Jourdain (1997) may consider technology a contributing factor to the decrease in participatory performances, there are recent examples proving that it can do the opposite. Before exploring how technology can help connect artists and fans at live performances, however, it is useful to observe how it is helping connect them elsewhere – via social media.

Communication studies researcher Nancy Baym (2012) describes the traditional audience-performer relationship as “parasocial” – one-sided, with most information flowing from the performer to the audience. The notions of “rock gods” and “pop stars” framed musicians as superior beings. Today, however, increased connectivity on the Internet has brought the two parties closer together; some musicians, says Baym, even see their fans more as friends. A multitude of social media services allows performers and audiences to communicate and even collaborate, adding intriguing new dynamics to relationships that had gone unchanged for so long. Artists can directly respond to fan message on Facebook or Twitter, for example, or organize question-and-answer sessions with the Reddit community. Soundcloud allows listeners to post comments as they listen to a song, praising or critiquing certain parts of the track. Many artists invite fans to create remixes of their work, and new services like BLEND.IO facilitate this kind of collaboration. These types of interactions are mutually beneficial; the audience gets to go deeper into the artist’s world, and the artist gets to learn more about their listeners.

This connectedness is being increasingly utilized to alter live performances. A simple example is an online event page, where fans can learn more about an upcoming performance, see who else plans on attending, and communicate and share with other fans. Some artists

CHAPTER 2. BACKGROUND

reach out to attendees beforehand as well. For each of their tour dates, alternative rock band Wilco provides an online form where fans can send song requests along with a note or dedication. Experimental performer Rich Aucoin gathers names of concertgoers, promoters, and other artists that are on the bill and projects text on stage individually praising each of them before his show begins. Many music festivals make use of social media channels during performances, displaying messages or photos posted by audience members on Twitter or Instagram. Artists will often share comments or photos from shows as well; Toronto band Born Ruffians, for instance, usually take a photo of their audience from on stage and post it on Facebook, allowing attendees to find and tag their faces in the crowd. The practice of ‘bootlegging’ – recording concerts to be shared with other fans – has existed for decades in rock music. While this activity is surrounded by legal issues, many artists openly encourage it; the Grateful Dead and Phish are two well-known examples. Today, some artists, like Bruce Springsteen and the Red Hot Chili Peppers, are saving would-be bootleggers the trouble and providing free professional live recordings online after each show. Video recording is, to some degree, a contemporary version of this issue; fans film some or all of a performance on their personal devices and post the videos online. As with traditional bootleggers, there are musicians who are for and against this practice. It seems to be happening more and more often, for instance, that performers explicitly ask fans to keep their devices in their pockets. Radiohead and The Beastie Boys both embraced the concept, on the other hand, using fan-shot footage to create well-produced concert videos. While a performer’s opinions may vary on all of the above-mentioned uses of technology, it is clear that they all allow for new levels of connectedness at a live performance.

The above examples are complementing the traditional concert experience in interesting ways using already-available technologies. Some artists, though, are getting more experimental and developing their own systems to interact with live audiences in new ways. The following case studies examine some recent technologies that are promoting participation at rock shows.

2.3.1 Audience as a Light Show: Wham City Lights, Xylobands, PixMob

These projects extend light shows into the audience using different techniques...

Wham City Lights

Wham City Lights is a smartphone application that allows multiple devices to display light shows in sync during a concert. Audience members with an iOS or Android device can download the app before the show. Once the show has begun, an operator activates lighting cues by playing encoded, ultrasonic tones; devices with the app open “hear” these tones and perform the corresponding cues. This can be done at nearly any scale as long as every device is able to hear the tones. Users generally hold their devices up or wave them above their heads during the show. Light shows can be created live or programmed in advance using an online editor; cues include flashing colours, camera flashes, GIFs, text, and sound.

The concept was originally developed by US musician Dan Deacon. His intention was to prevent concertgoers from using their personal devices and disengaging during live performances. Deacon tested the app at his own shows and received a positive response. Today, Wham City Lights licenses their general-purpose app for different kinds of events; they also develop custom apps to include branding, tour dates, etc. Musicians and organizations like Brad Paisley, the Billboard Music Awards, and Intel have made use of this technology at their events.

Xylobands

Xylobands are controllable LED wristbands designed to be worn by potentially thousands of users at entertainment events. They are controlled using a proprietary piece of software downloaded to a laptop; the laptop must then be connected to a radio transmitter. With the software, an operator can turn the Xylobands on or off, select which colours are illuminated, and control the speed of the LEDs’ flashing. The transmitter has a range of around 300 meters. Each wristband contains a small printed circuit board that holds, among other

components, an RF receiver and an 8-bit microcontroller. The electronics are powered by three 3 V coin cell batteries.

The technology was originally developed for the band Coldplay, and wristbands were handed out to all concertgoers during their 2012 world tour. Giving the wristbands to each audience member at every performance reportedly cost the band €490 000 (around \$680 000 CAD) per night. UK-based toy development company RB Concepts Ltd. are the creators of the Xyloband. Their website advertises that Xylobands can be customized and used at concerts, festivals, sports stadiums, or corporate events.

PixMob

PixMob is a patented wireless technology that enables the control of multiple LED-embedded objects. By giving PixMob objects to spectators, concert producers can create a controllable LED light show within the audience. The objects are activated with signals from infrared transmitters. Like normal lighting fixtures, the transmitters' beams can be shaped with lenses and controlled via the DMX512 protocol. The objects light up when they are hit by a beam, so patterns of moving light can, in essence, be painted across the audience. Light shows are programmed, simulated, and controlled through a software package called LAVA; they can also be controlled in real time using a MIDI controller or the LAVA iPad app. Previous PixMob objects include balls, wristbands, pendants, and beads, and custom object creation is available as well. PixMob also offers “second life” customization: objects can be programmed to react to sounds, play an mp3 track, or communicate with the user’s personal computer after the show is over. Past clients include Microsoft, Arcade Fire, Eurovision, and Heineken.

2.3.2 Kasabian’s 2011 Tour

UK-based studio Nanika helped Kasabian bring audience members into their live shows by turning cameras on the crowd and displaying their faces on onstage screens...

2.3.3 Plastikman's SYNK

A smartphone application to accompany Plastikman's 2010/2011 world tour, SYNK allowed audience members to view the performance from the musician's perspective and even influence samples he played...

2.3.4 D'CuCKOO's MidiBall

D'CuCKOO, a band active in the 1990s, frequently incorporated technology into their live shows. Their MidiBall was a large, wireless beach ball that triggered sounds and visuals on stage when struck by audience members...

2.4 Designing for Audiences

Designing for large groups of people has only recently attracted notable interest in the field of human-computer interaction (HCI). As interactive systems become increasingly ubiquitous, HCI researchers are asking how the needs of multiple people in a public space differ from those of an independent user. The characteristics of live performance make it an especially useful venue for these investigations; thus, conveniently, much of the research done in this field focuses on concerts, theatre performances, and dance clubs.

2.4.1 Maynes-Aminzade, Pausch, and Seitz

In their 2002 paper, Maynes-Aminzade et al. describe three different computer vision systems that allow an audience to control an on-screen game; they also outline the lessons they learned about designing such systems. The first method tracks the audience as they lean to the left and right. The control mechanism was intuitive, but the system required frequent calibration. The second method tracked the shadow of a beach ball which acted as a cursor on the screen. This was also intuitive, but it only involved a few people in the audience at a time. The third method tracked multiple laser pointer dots on the screen, giving each audience member a cursor; this was a more chaotic system once the number of

dots got overwhelming. Lastly, the authors presented some guidelines for designing systems for interactive audience participation. They recommend focusing on creating a compelling activity rather than an impressive technology; they state that every audience member does not necessarily need to be sensed as long as they feel like they are contributing; and they suggest that the control mechanism should be obvious or audience members will quickly lose interest. The authors also note that making the activity emotionally engaging and emphasizing cooperation between players will increase the audience's enjoyment.

2.4.2 Ulyate and Bianciardi

In their paper, the authors describe their “Interactive Dance Club” – a venue that delivers audio and video feedback to inputs from multiple participants – and they present the “10 Commandments of Interactivity” that guided its creation. The goals of the project were to create coherent musical and visual feedback for individual and group interactions and to allow non-artistic people to feel artistic. Inputs included light sensors, infrared cameras, pressure-sensitive tiles, proximity sensors, and simple mechanical switches. By interacting with them, users could make notes sound out, manipulate projected video and computer graphics, modulate music loops, and control the position of cameras in the space.

This project’s “10 Commandments of Interactivity” contain the following points:

- Movement is encouraged and rewarded.
- Feedback from interactions is immediate, obvious, and meaningful in the context of the space.
- No instructions, expertise, or thinking is required.
- A more responsive system is better than a more aesthetically pleasing system.
- Modularity is key.

Lastly, the authors share the lessons that they learned while running the Interactive Dance Club. They observed that interactions involving full-body movements were most satisfying. The form of an object, they found, determined how users first attempted to interact with it. They emphasize the practicality of a system that is both distributed

and scalable. Designing the interactions required finding a balance between freedom and constraint. They found that, no matter how elegant the system, some users would still find a way to create unpleasant noise. Lastly, they observed that instant gratification is important; feedback that is too delayed or interactions that require too much concentration are ineffective.

2.4.3 Bongers

In his 1999 paper, Bongers provides a theoretical HCI framework for physical interaction between performers, audience members, and electronic systems in a musical performance. He defines three types of interaction – “performer-system”, “system-audience”, and “performer-system-audience.” Bongers models the interactions as control systems wherein actions are either a *control* or *feedback* process. Electronic sensors and actuators are discussed, followed by human senses and motor systems. Bongers states that a more convincing interaction is one that provides “multimodal” feedback – influencing more than one of the users’ senses. Lastly, a few prototypes of novel interaction systems are described. Especially notable is the “Interaction Chair”, which most easily fits in the performer-system-audience category. Here, the performer has the ability to send vibrations through each audience member’s seat back, while the chairs contain sensors that allow audience members to influence visuals projected behind the performer. Other projects like this one can benefit from Bongers’ theoretical framework; thinking in terms of control and feedback processes may provide new perspectives on a system’s design.

2.4.4 Barkhuus and Jorgensen

Barkhuus and Jorgensen’s paper investigated interactions between audiences and performers at a concert. The authors used observations from traditional rock and rap shows to inform the design of a simple ”interaction-facilitation technology” – a cheering meter. By tracking the applause patterns at several concerts, it was determined that the two most common reasons for cheering were to express anticipation and to reward the performers. This led to

the creation of a cheering meter, an instrument for measuring the volume of an audience – in this case, to determine the winner of a rap battle. Microphones captured samples of the crowd’s cheering, the signal was filtered, the peak volume was measured, and the rating on an arbitrary scale was displayed on large screens onstage.

The researchers reported no major issues while testing the system, and they express confidence that their technology helped to enhance the concert for the audience members. In their paper, they outline the main reasons for the cheering meter’s success. First, the authors state that the usability of the system is due to the fact that it is based on an already-present behaviour; they recommend “designing technology that fits the situation and which utilize present activities rather than aiming to employ the latest cutting edge technology” (p. 2929). Next, they suggest that an event should not rely on the success of the technology; the rap battle, for example, could have easily continued if the cheering meter malfunctioned. Lastly, the authors emphasized the importance of immediate visual and/or aural feedback; seeing direct consequences of their actions gives the audience confidence in using the system. This research focused on a very specific type of event using an almost-gimmicky system, but the design principles it yielded are valuable.

2.4.5 Tseng et al.

This paper described the motivation and creative process behind a Taiwanese interactive theatre experience that let audience members connect with a dance performance. The project was realized using projection mapping, a Kinect, a local area network, and a custom iPhone app. Audience members downloaded the app before the show and entered a code corresponding to their seat number to connect to the local network. During the first part of the performance, each user was given control over one “light dot” projected onto the stage. The dot could be moved by moving the iPhone; users could also point their phone’s camera at different light sources to influence the brightness of their dot. Later in the performance, audience members could use their phones to trigger sounds and projected images onstage. The dancer, tracked by the Kinect, interacted with the projections, improvising a dance

with the light.

The authors approached this project by asking, “How can the audience become an essential element in a performance?” (p. 561). They claim that, while new media has been incorporated into theatre for decades, mobile phones have not been used to their full potential. Feedback collected after the performance revealed overall positive reactions. Some users, however, were uncomfortable having their personal devices connected to an unfamiliar network. Another negative was that not every audience member owned an iPhone; one of these spectators, though, maintained that she enjoyed the show even while being excluded from the interaction.

2.4.6 Reeves, Sherwood, and Brown

This paper investigates the design of technology for crowds by observing and analyzing the behaviour of a group of football fans gathered at a pub. The authors note that most related work has focused on spectators at a performance or on exceptional circumstances like riots. This work instead looks at everyday crowd-based settings where there is no attention-grabbing “spectacle.” To accomplish this, the researchers video recorded a crowd gathered at a pub during a football match and examined the group’s behaviour for recurring themes. People were seen singing, jumping, and pumping their fists in the air in sync with each other. In general, these instances of collective participation were all visible or hearable from far away. Once a small group of people began the actions, they would quickly “snowball” and overtake the crowd. Researchers also noticed the importance of “shared objects;” an inflatable object bouncing between people, for example, connected individuals at a distance. It was also observed, of course, that not every person in the crowd cared to participate in these group activities.

After outlining these observations, the authors present a list of design lessons that they extrapolated. First, they suggest treating a crowd as a unit rather than a collection of individuals – for example, exploiting already-present crowd behaviours or allowing for only partial participation. The importance of “intra-crowd interaction” is also emphasized: allow

for shared objects and space-dependent interactions, and take advantage of snowballing by encouraging highly visible/audible actions. Additionally, one should allow for interaction with people on the fringes of the crowd but be aware of problems that could be caused by latency. Lastly, the researchers note that every crowd is different and that each design should reflect the nature of the environment.

2.4.7 Gates, Subramanian, and Gutwin

This paper examines the complex interactions between DJs and audience members in nightclubs from an HCI perspective. The authors gathered their information by observing behaviours at nightclubs, surveying DJs, as well as conducting lengthy interviews with them. Most DJs had similar preferences and performance styles. For example, all of the interviewees said they preferred venues where audience and DJ are mutually visible; this allows them to adjust their performance based on visual cues from the audience. Using quick glances, DJs can observe audience members' facial expressions and body language and the flux of people on to and off of the dance floor. Many DJs stated that they will often exaggerate their movement or speak into a microphone to energize the crowd. Small, direct interactions can also occur between DJs and audience members, such as exchanges of facial expressions or gestures. DJs use the information they glean from their audience to shape their performance. Most DJs will craft a playlist before performing based on the venue, event type, and expected audience; during the performance, however, the energy of the crowd ultimately guides how the tracks are mixed. In general, the authors found that, as long as there is sufficient visibility, DJs are extremely competent at adjusting their performance based on the audience. Interviewees saw little need for technology to aid their performances; one of the few wishes the DJs expressed was for a method to discover the musical preferences of a given audience.

Based on the information collected, the authors present some design recommendations for those wishing to bring interactive technologies to nightclubs. For example, they state that, considering how skillful DJs are at observing audiences, any technology meant to

gather information from the crowd must be more efficient than DJs themselves. Such technology, the authors suggest, would be most useful for gathering “invisible” information like musical preferences. They recommend against using biofeedback systems or systems where audiences have a direct influence on the performance; these methods do not help DJs do their job. The researchers state that gradual changes are more satisfying than immediate ones. Lastly, they emphasize the importance of respecting the DJ’s art; technologies should allow them to stay in control of the music and should not add to their already-demanding cognitive load.

2.4.8 Feldmeier, Paradiso

The authors present a scalable system for wirelessly tracking the movement of a large number of users, allowing a crowd of dancers to influence techno music and lighting in a club...

Chapter 3

Research Question

This chapter will provide an in-depth examination of my research question. Through referencing the existing research outlined in the previous section, I will justify the need for my work. I will then explain the steps I will be taking to address this question.

3.1 Research Question

* How might rock performances be made more participatory through the amplification of audience actions?

* Sub-questions:

- How do audience members want to participate? How do performers want their audience members to participate? How might a system be designed that enhances the concert experience for both parties?

- How can an audience best provide inputs for a system? How can the system best provide feedback to the audience?

* Provide my definitions for ‘participatory,’ ‘enhance,’ ‘feedback,’ etc...

* Justification:

- Music is participatory by nature, so it is worth examining how we might stop this characteristic from being suppressed in modern-day performance.

- The case studies in the previous section prove there is interest in creating new participatory experiences at live shows. Observing them from an academic perspective will offer insight for similar projects in the future. Furthermore, the live music industry continues to grow; it is worth investing how they might evolve.
- Most of the research done on crowd interaction does not feature an active performer as the center of attention. Designing an interactive system for a rock show is bound to present different challenges than a dance club, for instance.

3.2 Approach

* I will be performing qualitative research to address my research questions.

* Ethnography: Examining cultural phenomena within a group. Surveying modern music fans will provide me with a general sense of their feelings towards music, live performance, and technology. I will interview active musicians to understand how and why they interact with fans, on and off stage, and what they think of new technologies in a performance setting. These methods will allow me to gain a deeper understand the users and environments that are related to my work.

* User-centred design: The users' wants and needs drive the design. Prototypes will be tested with users. Observations and interviews with the participants will help answer research questions as well as validate or disprove any assumptions that have been made. Both audience and performer perspectives will be represented. This method will help establish design guidelines.

Chapter 4

Ethnography

One of my first goals was to get a sense of modern concertgoers' and performers' feelings about participatory performances and interactive technology. I sent out a brief online survey for music fans that helped me to understand how they generally responded to these topics. Interviews were also conducted with multiple musicians to shed light on their perspectives.

4.1 Audiences

An online survey was created in order to obtain a sample of modern music fans' opinions on interactive performances. The survey was completed by ninety-nine participants recruited via social media. The first few questions informed me of what type of concertgoer each participant was – asking their favourite genre, the size of the venues they frequent, and how often they attend live music performances. I also asked how often the participants communicate directly with musicians through their social media presences. Next, the survey focused on concert behaviours. Participants were asked in which actions they typically partake at live music performances; choices included applauding, headbanging, and holding up lighters. They were asked how they might like to interact with their favourite performer and what sort of message they would send them if they could. I asked for their thoughts on getting involved in performances, bringing new technologies into concert settings, and interacting with musicians using social media services. (For complete results, see Appendix

CHAPTER 4. ETHNOGRAPHY

X.)

The results were not shocking but certainly informative. Most participants favoured rock music or some variation (“indie,” “alternative”); the majority attended multiple concerts per year – some even on a weekly basis; and most usually went to shows at small- to medium-sized venues. The majority of participants claimed to communicate with artists through social media either sometimes or regularly, though a sizeable amount indicated they never do this. The most popular concert actions were applauding, singing along with the performer, clapping or stomping to the beat, dancing, jumping up and down, and chanting words or phrases along with the other audience members. When asked how they might want to interact with a performance, many said they would like to choose the songs that are played, while much fewer expressed interest in manipulating visuals and contributing to the music; around one quarter of participants stated they did not have interest in directly influencing a live music performance at all. Given the opportunity to communicate with their favourite performer, most participants responded with praise or appreciation (“Thank you,” “I love you!”). Other messages included song requests and suggestions like, “Don’t bury the vocals,” or “More rock, less talk!” The majority of participants indicated that they enjoy when performers ask them to participate in a performance – clapping or singing along or call and response, for example. Lastly, the majority also said they were excited by the idea of bringing new technologies into a live music setting.

Upon further analysis of the responses, some correlations were uncovered. There are clear relationships between show-going frequency, venue size, and interest in interaction and technology. Participants attending shows more frequently are more likely to visit smaller venues. This group also expressed the most interest in being involved in performances; they are more inclined to interact with their favourite artists via social media; and they are more welcoming to the idea of unfamiliar technology in a concert setting. The opposite, thus, can also be said: participants who go to fewer shows tend to go to larger venues, are more likely to refrain from participating in shows, are less likely to contact artists through social media, and are less interested in new technologies.

4.2 Performers

With a broad overview of audience attitudes, the next step was to speak directly with actual performers and discuss the same topics with them. Three musicians were recruited – Erik Grice, Blake Enemark, and Christian Hansen. These three were selected because I was familiar with their bands and felt that they represented three distinct performance styles within the rock genre. The subjects have different backgrounds as performers, experience playing in different parts of Canada, and for a range of audience sizes. They also have slightly different relationships with modern technology. While their opinions are representative of modern rock musicians, it should be kept in mind that these subjects are also music fans who enjoy watching others perform as well; thus, they are also sharing their perspective as concertgoers.

After briefly establishing their history as performers, I asked them each about what audience participation means to them. The musicians were shown video of some of my case study subjects (including Xylobands, Wham City Lights, and Kasabian’s 2011 tour), and I recorded their reactions and general thoughts on technology-enabled performances. Lastly, the artists were asked if and how they would want to incorporate similar participatory technologies into their own shows.

4.2.1 The Performers

Erik Grice grew up outside of Edmonton, Alberta. He performed musical theatre as an adolescent and started playing in bands in his teens. After acting as a vocalist and guitarist in previous bands, Erik now plays drums for Edmonton-based The Fight – an alternative rock band with soul undertones. The Fight’s typical audience size can range from 25 at road shows to 150 people at home shows. Venues are usually small clubs or halls. They have also played acoustic shows at cafes or similar venues. A typical Fight concert is energetic yet composed. Audience members can comfortably move to the music and may be welcomed to sing along with certain choruses.

Blake Enemark is originally from Victoria, British Columbia. He picked up guitar as a

CHAPTER 4. ETHNOGRAPHY

teenager and started playing covers in bands. Blake recorded and toured with alt-country band Forestry in 2010. Shortly after, he was recruited to join We Are The City, a Vancouver based progressive rock band who had just gained nation-wide recognition after winning the \$150 000 Peak Performance award. With this group, Blake experienced audience more sizeable and fanatic than he had experienced before, culminating in a performance for around two thousand people in Vancouver’s Stanley Park. Blake parted ways with We Are The City shortly thereafter, going on to tour with folk group Northcote, before starting his own project called Snoqualmie. Snoqualmie, described as “high-gain, sad-sack Canadiana,” marks a return to songwriting and more intimate shows for Blake.

Christian Hansen has a theatre background, a graduate of the University of Alberta’s acting program. He began playing in bands as a teenager. During his university degree, Christian rediscovered his desire to perform music and began playing acoustic shows. He eventually started performing with his now-wife Molly and began incorporating drum machines and prerecorded tracks into his work, which was becoming more like dance music. Christian Hansen & The Autistics were formed. When Molly could not make it to one show, Christian was inspired to put all of his energy into his performance to make up for it; this was a “lightbulb moment for him.” Christian Hansen & The Autistics soon gained notoriety around Edmonton for their high-energy shows, and their songs received a lot of radio play. Christian and Molly moved to Toronto in 2011, shortening their band name to Christian Hansen and now playing music described as new wave. While they are currently working their way into Toronto’s music scene, Christian Hansen typically draw around five hundred excited showgoers when they play in Alberta.

4.2.2 Audience Participation

The Fight encourage some forms of participation at their shows. Their lead singer can often walk out and physically touch audience members, looking them in the eye as he sings. They will invite the crowd to sing and/or clap along for suitable songs. Erik felt that this sort of participation typically makes for better shows: “An attentive and participating crowd of

CHAPTER 4. ETHNOGRAPHY

fifty people is always going to be better than two hundred people who are standing there with blank faces.? He explained that the ideal audience will match the energy that the band exudes. In addition to making the show more enjoyable, he said, this also makes musical flubs less significant to everyone present. Erik felt that it is the band’s job to keep the audience’s attention. They must make decisions based on the venue, the audience, the length of the set. Stage banter is usually only implemented to convey pertinent information to the crowd. Talking to audience members after the show has gotten the band extra shows, radio spots, places to stay for the night.

Blake is a self-described introvert. While he is certainly the leader of his current band, he expressed a preference for playing in the background. Despite being typically shy with audiences, Blake recognized the significance of even basic audience participation. Singing and clapping along makes you feel like a part of the show. He also expressed the impact this might have on performers; “It would be the most flattering thing in the world for me for someone to sing my song back to me,” he said. Blake noted, however, that different performers react to audience participation differently. A guitarist in his former band, for instance, would not allow the audience to clap along. Furthermore, “There’s a fine line,” Blake stated, “between drunken participation and intentional participation.” He acknowledged the prominence of alcohol in live music settings and the importance of alcohol sales at most venues. It is a part of the industry, he said, and it plays a role in how audiences behave.

4.2.3 Social Media

The Fight make use of popular social media channels. They use Facebook to advertise, organize contests and giveaways, and share information on their live dates. Twitter is used for communicating with fans and other artists. This has helped them open slots for touring bands. At shows, the band hands out cards with links to their social media pages. Erik believed there is a levelling out between artists and fans, and he likes this. He explained that some contemporaries try to maintain personas and seem “untouchable”: “It’s stupid to

have those kinds of pretences,” he said. He noted that, for larger bands, direct interaction with fans is more difficult, but overall the extra freedom is nice.

The internet presence of Blake’s current band is “not very good.” Blake himself recently closed his Facebook account for personal reasons. Despite this, he recognizes the importance it holds for artists: “It’s bridging gaps that have never been bridged before.”

4.2.4 Participatory Technologies

I showed the musicians these projects...

Erik responded negatively to the projects that relied on smartphones; he feels they would be mostly distracting, and he expressed concern about possible being responsible for people dropping and damaging their devices. “What can’t your phone do now?” he asked. Rather, he favoured the work that had other tangible elements, like the PixMob beach balls. Erik felt that every show should be unique. An attendee should be able to go home and say, “I was at that one” – a digital analogue to the classic concert tee with dates listed on the back. Some artists post photos and set lists from each of their shows, he explained, and even this makes a show feel personal for those who attended. If the set changes slightly each night, this amplifies the effect, as well as keeping things interesting for the performer. Erik felt that these sorts of technologies should allow people to opt out without affecting the others’ experience. However, he also expressed concern about giving power to all audience members. Something like a Twitter feed is surely edited. Bands that hand out percussion instruments like tambourines have to deal with participants with no rhythm. Erik provided an anecdote about a band that gave miniature harmonicas to audience members to be played during one part of one song; the crowd continued to play the instruments throughout the whole set and the other bands’ sets.

4.3 Analysis

A few general conclusions can be made from the questionnaire results that are particularly relevant to my research question. It is encouraging to confirm that most participants are not

CHAPTER 4. ETHNOGRAPHY

quietly standing still at live performances; they are cheering, moving, and singing along. A surprising find was that, given the chance to say anything to their favourite artist on stage, most participants would choose simple messages of praise or thanks – something ostensibly achieved already by applauding. Also intriguing was the relative lack of interest in influencing lights and visualizations. Instead, the majority of participants showed great interest in choosing the set list for the performance. Regardless, it is clear that most respondents have little to no reservations about being directly involved in a show and doing so with new technologies. Seemingly, this willingness to interact is more common in those who frequently attend performances at smaller venues. Perhaps, then, artists that play to smaller crowds and can offer more direct interactions both on and off stage have fan bases that are more willing to experiment with new interactions.

Chapter 5

Prototype #1

This chapter covers the development of my first prototype. I explain the design goals, the creation process, and the brief user testing that was carried out. The chapter closes with a discussion on the significance of the prototype.

5.1 Conception

The first prototype served as an initial experiment for investigating how technology might be used to give an audience new means of participating in a performance. My goal was to develop a simple system that featured a single user ‘performing’ – creating some sort of stimulating output. Multiple ‘audience members’ would then be given the ability to collectively contribute to this output in some way, illustrating a slight shift from presentational to participatory. Ultimately, testing the prototype with users would allow me to observe how both the performer and audience members responded to these adjustments to their roles. I also hoped to establish a hardware and software framework upon which future prototypes could be easily built.

While the focus of this thesis is on rock performances, it was decided that recruiting a rock band would not be necessary for this early, small-scale experiment. I felt that a VJ performance would be suitable. VJing is the real-time creation or manipulation of visuals, which are typically projected to accompany music. Thus, the performing user would be

controlling projected visuals, and the audience members would be able to manipulate some aspect of them. Having this collective output clearly displayed on one screen would provide the performer and audience members with clear feedback from their inputs and allow for straightforward observations of their interactions.

Some design concepts were inspired by theory introduced in Chapter 2. The system was modelled after the “core” and “elaboration” roles outlined by Turino (2008). The performer – the core role – would be responsible for keeping the performance on track and have the most influence on the visuals. On the other hand, audience members – elaboration roles – would have less responsibility along with a lesser influence. In explaining presentational and participatory performances, Turino also states that it is not uncommon for a performer to shift between the two forms throughout one performance. To reflect this, I chose to include a feature allowing the performer to effectively ‘mute’ input from the audience and take full control of the output.

5.2 Prototyping

The first step in realizing this initial prototype was deciding on the hardware and software that would be used. Wii video game controllers have an abundance of sensors: they contain eleven digital buttons, an infrared sensor, an accelerometer, and a gyroscope (in the newer Wii Remote Plus models), and all of this data can be sent wirelessly to a receiver via Bluetooth. In addition to these affordances, due to the console’s popularity, the Wii controller is also something that many people have already used before. With these considerations, I decided that the Wii controller was a suitable input device for my experiment. For my purposes, the easiest way to process the controllers’ data was using a combination of two software packages – OSCulator¹ and Max². OSCulator allows for communication between devices and audio or video software using the Open Sound Control (OSC) protocol³. Fortunately, this software is also specifically designed to communicate with the Wii controller. It

¹<http://www.osculator.net>

²<http://cycling74.com>

³<http://opensoundcontrol.org>




Figure 5.1: OSCulator software receiving data from one Wii controller

can display live data from each sensor as well as activate the controller's LEDs and rumble motor. The data can then be sent to Max, a visual programming environment that is especially useful for handling multimedia. Countless objects can be incorporated into a Max program (called a ‘patcher’) to manipulate numbers, audio signals, and video clips. Max is commonly used by musicians and video artists to create highly customized and interactive programs.

Syncing the Wii controller with OSCulator was simple, and I was immediately able to view movement and push-button data from my controller (see Figure 5.1). Next, I tested the limit of how many Wii controllers would be able to connect to my computer using the current setup. Since my thesis aims to give every member of an audience a new way to participate, this number would ideally be limitless. With Bluetooth technology, unfortunately, one master device (my computer) can only connect to a maximum of seven slave devices (Wii controllers). However, for the purposes of this prototype, I felt that seven controllers would be acceptable. A Max patcher was created to display push-button data from multiple Wii controllers. All seven were synced with no issues, and the program worked as expected (see Figure 5.2).

My next task was to create the VJ system. After experimenting with a multitude of video effects objects in Max, I created a basic program. The system is built around two




Figure 5.2: Testing simultaneous input from seven Wii controllers

short video loops that can be mixed together and modified. Users can crossfade between the two videos using the controller’s Left and Right buttons. The resulting image can be rotated by rotating the controller sideways. Pixelation can be increased or decreased by increasing or decreasing the controller’s incline. Finally, holding and releasing the A button enables and disables a motion blur effect. An important part of programming this patcher was mapping controller input to the effects controls. Values had to be carefully scaled and clipped in order for users’ movements to translate naturally to the effect they control. I also carefully selected the source video such that the effects of users’ actions would be clear; a black and white clip of one person dancing and a colour clip of multiple people dancing seemed to offer sufficient contrast (see Figure 5.3). The resultant patcher is pictured in Figure 5.4.

With the details of the performance in place, the next step was selecting which aspect would be controlled by the audience. It seemed most straightforward to give them control over the crossfader effect. This presents audience members with a simple binary decision – do you want to see more of the black and white video or the colour video? By pressing and holding the Left or Right buttons on their controllers, users can effectively vote on which dominates the screen. In this case, if more people are holding the Left button than the




Figure 5.3: Stills from the two clips used in the prototype




Figure 5.4: Wii controller VJ system

Right, the black and white video will gradually become more prominent than the coloured video. Thus, while the performer retains precise control over multiple combinable effects (rotation, pixelation, motion blur), the collective audience can progressively alter the tone of the visuals. This reflects Turino's (2008) core and elaboration roles, respectively.

The last feature of this VJ system reflects another of Turino's (2008) assertions – that performers often shift between presentational and participatory performance. In response to this, I provided the performing user with a mute function. By pressing the controller's B button, the performer can disable the audience members' controllers, moving control of




Figure 5.5: Prototype #1 Max patcher

the crossfader from the audience to the performer. The B button is essentially an on/off switch for audience participation.

The completed first prototype is illustrated in Figure 5.5, in the form of both a diagram and the final Max patcher.

5.3 Testing

Testing was conducted one time with a small group at a research colloquium. I observed user behaviour and received feedback from attendees. The participants were seven OCADU students. The experiment only lasted a few minutes. I explained the concept and controls. The performer had no problem using his controls to make interesting visual output. One participant led the group in first fading all the way to one video then all the way to the other. Nothing broke, and the group successfully made decisions and carried them collaboratively. The performer's mute button worked.

Context is important; experiments should be run at rock shows or in similar environments. Observers commented on the importance of feedback. They asked if this sort of system should be goal oriented; if not, would the users somehow turn it into a game anyways? They considered the task of representing every individual. Will every single audience

member be able to interact? What happens to those who are not included? They referenced ‘the wave’ – there’s a flow, a rhythm; the outcome is greater than the sum of its parts; participants know when it’s their turn to input.

5.4 Analysis

Chapter 6

Prototype #2

This chapter describes the chronology of this project's second prototype...

6.1 Conception

* This prototype's purpose was to explore possible input mechanisms.

* The past work outlined in Chapter 2 provided some guidance on how to begin:

- Researchers indicated the importance that inputs be based on already-present activities in the given environment (Barkhuus & Jorgensen, 2008). Furthermore, others noted increased satisfaction from full-body movement as input (Ulyate & Biancardi, 2001), and this goes well with the apparent subconscious ties between music and movement (Jourdain, 1997; Levitin, 2006). Thus, I created multiple input mechanisms based on some crowd behaviours – clapping, swaying arms, doing ‘the wave,’ holding up lighters, giving a thumbs up or thumbs down, and dancing.

- Researchers stressed the importance of immediate, obvious, and meaningful feedback (Ulyate & Biancardi, 2001). I incorporated straightforward visual feedback for each input mechanism.

* I was given the opportunity to install work at an exhibition – eLeo, an interactive show held at OCAD University. I modified my program to run on a loop such that users could engage with it without my facilitation.




Figure 6.1: Audience inputs




Figure 6.2: Audience inputs with seven users

6.2 Prototyping

I first created a Max patcher that reads various movement data from the controller and visualizes them as different motions that a typical concertgoer might perform. The motions are: giving a “thumbs up” or “thumbs down”, swaying arms from side to side, clapping, or doing “the wave,” as shown in Figure 6.1. Visual feedback is provided in the form of illuminated LED objects and moving sliders.

* I programmed the patcher to allow for seven users and created a presentation mode that provided visual feedback for everyone’s actions. Figure 6.2 shows the display for ‘the wave’ mode. The clapping input was divided into two modes – a ‘clap-o-meter’ that displays applause intensity and a mode that encourages users to clap in sync.

* I update the visuals and added an auto-play function (Figure 6.3). This automatically




Figure 6.3: Auto-play version for eLeo exhibit



Figure 6.4: The prototype on display at eLeo

flips through every round, playing each for a set amount of time.

* I added Lighters and Dance modes.

* I integrated video crossfade voting system within each mode, similar to Prototype # 1.

* The prototype was installed at the eLeo exhibit (Figure 6.4).

6.3 Testing

I watched users interacting with this prototype at the eLeo event. My prototype was set up in a room with a wall-sized projection. Here, my goal was to observe how users approached the technology and how multiple people performed the various inputs as a group...

6.4 Analysis

Chapter 7

Prototype #3

This section describes the chronology of this project's third prototype...

7.1 Conception

My final prototype came out of a collaboration with local musician Christian Hansen, mentioned in the previous chapter...

7.2 Prototyping

7.3 Testing

7.4 Analysis

Chapter 8

Conclusion

8.1 Discussion

8.2 Future Directions

8.3 Conclusion

References

- Aigner, W., Tomitsch, M., Stroe, M., & Rzepa, R. (2004). Be a judge! Wearable wireless motion sensors for audience participation. In *CHI '04 Extended Abstracts on Human Factors in Computing Systems* (pp. 1617–1621). New York, NY, USA: ACM.
- Auslander, P. (1999). *Liveness: Performance in a mediatized culture*. Routledge.
- Barkhuus, L., & Jørgensen, T. (2008). Engaging the crowd: Studies of audience-performer interaction. In *CHI '08 Extended Abstracts on Human Factors in Computing Systems* (pp. 2925–2930). New York, NY, USA: ACM.
- Baym, N. K. (2012). Fans or friends? Seeing social media audiences as musicians do. *Participations: Journal of Audience & Reception Studies*, 9(2), 186–316.
- Bongers, B. (1999). Exploring novel ways of interaction in musical performance. In *Proceedings of the 3rd Conference on Creativity & Cognition* (pp. 76–81). New York, NY, USA: ACM.
- Burns, G. (2006). Live on tape. Madonna: MTV Video Music Awards, Radio City Music Hall, New York, September 14, 1984. In I. Inglis (Ed.), *Performance and popular music: History place and time*. Ashgate Publishing, Limited.
- Davidson, J. W. (1997). The social in music performance. In D. Hargreaves & A. North (Eds.), *The social psychology of music*. Oxford University Press, Incorporated.
- Feldmeier, M., & Paradiso, J. A. (2007). An interactive music environment for large groups with giveaway wireless motion sensors. *Computer Music Journal*, 31(1), 50–67.
- Gates, C., Subramanian, S., & Gutwin, C. (2006). DJs' perspectives on interaction and awareness in nightclubs. In *Proceedings of the 6th Conference on Designing Interactive*

References

- Systems* (pp. 70–79). New York, NY, USA: ACM.
- Horn, D. (2000). Some thoughts on the work in popular music. In M. Talbot (Ed.), *The musical work: Reality or invention?* Liverpool University Press.
- Inglis, I. (2006). *Performance and popular music: History place and time*. Ashgate Publishing, Limited.
- Jourdain, R. (1997). *Music, the brain, and ecstasy: How music captures our imagination*. William Morrow and Company.
- Karpovich, A. I. (2007). Reframing fan videos. In J. Sexton (Ed.), *Music, sound and multimedia: From the live to the virtual*. Edinburgh University Press.
- Kelly, J. (2007). Pop music, multimedia and live performance. In J. Sexton (Ed.), *Music, sound and multimedia: From the live to the virtual*. Edinburgh University Press.
- Kershaw, B. (2001). Oh for unruly audiences! Or, patterns of participation in twentieth-century theatre. *Modern Drama*, 44(2), 133–154.
- Kooijman, J. (2006). Michael Jackson: Motown 25, Pasadena Civic Auditorium, March 25, 1983. In I. Inglis (Ed.), *Performance and popular music: History place and time*. Ashgate Publishing, Limited.
- Levitin, D. J. (2006). *This is your brain on music: The science of a human obsession*. Penguin.
- Marshall, L. (2006). Bob Dylan: Newport Folk Festival, July 25, 1965. In I. Inglis (Ed.), *Performance and popular music: History place and time*. Ashgate Publishing, Limited.
- Maynes-Aminzade, D., Pausch, R., & Seitz, S. (2002). Techniques for interactive audience participation. In *Proceedings of the 4th IEEE International Conference on Multimodal Interfaces* (pp. 15–20). Washington, DC, USA: IEEE Computer Society.
- Néda, Z., Ravasz, E., Brechet, Y., Vicsek, T., & Barabási, A. (2000). The sound of many hands clapping. *Nature*, 403(6772), 849–850.
- Reeves, S., Sherwood, S., & Brown, B. (2010). Designing for crowds. In *Proceedings of the 6th Nordic Conference on Human-Computer Interaction: Extending Boundaries* (pp.

References

- 393–402). New York, NY, USA: ACM.
- Sexton, J. (2007). *Music, sound and multimedia: From the live to the virtual*. Edinburgh University Press.
- Small, C. (1998). *Musicking: The meanings of performing and listening*. Wesleyan University Press.
- Tseng, Y.-C., Huang, Y.-C., Wu, K.-Y., & Chin, C.-P. (2012). Dinner of Luciérnaga: An interactive play with iPhone app in theater. In *Proceedings of the 20th ACM International Conference on Multimedia* (pp. 559–568). New York, NY, USA: ACM.
- Turino, T. (2008). *Music as social life: The politics of participation*. University of Chicago Press.
- Turner, E. (2011). *Communitas: The anthropology of collective joy*. Palgrave Macmillan.
- Ulyate, R., & Bianciardi, D. (2001). The interactive dance club: Avoiding chaos in a multi participant environment. In *Proceedings of the 2001 Conference on New Interfaces for Musical Expression* (pp. 1–3). Singapore, Singapore: National University of Singapore.
- Wikström, P. (2013). *The music industry: Music in the cloud* (2nd ed.). John Wiley & Sons.