

# Gun Series

Ryan Larson

7/30/2021

## Base Panel Construction - ZCTA-Week Level

### Hospital Data - ZCTA-Week level

```
hosp_zcta <- read_csv("Restricted Hospital Data/minnepop_1620_agg_zipfull_updated.csv") %>%  
  arrange(zipcode, year, weekofyr) %>%  
  select(-c(`_chk`, zippop_tag)) %>%  
  filter(!(year==2016 & weekofyr==53))
```

## ZCTAs and ACS 5-Year Estimates

```
#adding in 5-year ACS data  
census_api_key("ecda17575f4d914b502c70f2bae7a5f3d253792d")  
  
year <- lst(2016, 2017, 2018, 2019)  
  
acs <- map_dfr(  
  year,  
  ~ get_acs(geography = "zcta",  
            variables = c("B01001_001E", "B03003_003E",  
                          "B02001_003E", "B02001_002E",  
                          "B02001_004E", "B02001_008E",  
                          "B02001_005E", "B02001_006E",  
                          "B02001_007E", "B11001_003E",  
                          "B17001_002E", "B01002_001E",  
                          "B09010_002E", "B06009_005E",  
                          "B01001_002E", "B99233_005E"),  
            output = "wide",  
            survey = "acs5",  
            year = .x), .id = "year") %>%  
  rename(total_pop = B01001_001E,  
         white_pop = B02001_002E,  
         black_pop = B02001_003E,  
         na_pop = B02001_004E,  
         asian_pop = B02001_005E,  
         hpi_pop = B02001_006E,  
         other_pop = B02001_007E,
```

```

    biracial_pop = B02001_008E,
    hisp_pop = B03003_003E,
    ssi_snap = B09010_002E, #snap, ssi, public cash transfers
    med_age = B01002_001E,
    mar_fam = B11001_003E,
    povlevel = B17001_002E,
    bach_degree = B06009_005E,
    male = B01001_002E,
    nowork_12 = B99233_005E) %>%
select(-ends_with("M", ignore.case = F), -GEOID) %>%
mutate(zcta = str_sub(NAME, 6)) %>%
select(-NAME) %>%
select(zcta, everything()) %>%
mutate(year = as.numeric(year)) %>%
mutate_at(vars(-zcta, -year, -total_pop, -med_age), list(~(./total_pop)*100))

#LOCF imputation of 2020 until 2020 ACS release (12/9/2021)
acs_2020 <- acs %>%
  complete(zcta, year = 2016:2020) %>%
  group_by(zcta) %>%
  mutate_at(vars(-zcta, -year),
    funs(if(sum(!is.na(.))<1) {.} else{na_locf(., option = "locf")}))) %>%
  filter(year==2020)

acs_imp <- acs %>%
  rbind(acs_2020) %>%
  mutate(zcta = as.numeric(zcta))

#joining to hospital data
hosp_panel <- hosp_zcta %>%
  left_join(acs_imp, by = c("zipcode"="zcta", "year"))

#SF geometries - get all ZCTAs
zcta <- get_acs(geography = "zcta",
  variables = "B01001_001",
  output = "wide",
  year = 2019,
  geometry = T,
  survey = "acs5") %>%
  rename(zcta = GEOID,
    pop_2019 = B01001_001E) %>%
  select(-c(NAME, B01001_001M, pop_2019)) %>%
  mutate(zcta = as.numeric(zcta))

```

```
## |
```

```

#minneapolis shapefile (source: openminneapolis.gov)
mpls <- st_read("Data/mpls_city-shp/16cdbbfa-ad10-493c-afaf-52b61f2e76e42020329-1-180h9ap.whbo.shp") %>%
  st_set_crs(st_crs(zcta))

```

```

## Reading layer '16cdbbfa-ad10-493c-afaf-52b61f2e76e42020329-1-180h9ap.whbo' from data source 'C:\User
## using driver 'ESRI Shapefile'
## Simple feature collection with 1 feature and 4 fields

```

```

## Geometry type: POLYGON
## Dimension:      XY
## Bounding box:  xmin: -93.32911 ymin: 44.89059 xmax: -93.19433 ymax: 45.05125
## Geodetic CRS:  WGS 84

#zctas that intersect MPLS
zcta_intersect <- zcta %>%
  st_filter(mpls, .predicate = st_intersects) %>%
  mutate(zcta_area = as.numeric(st_area(.)),
         zcta_area_sqkm = zcta_area*.000001,
         zcta_area_sqmi = zcta_area_sqkm*.386102,
         intersection_area = as.numeric(st_area(st_intersection(., mpls))),
         perc_intersection = round(intersection_area/zcta_area*100,2)) %>%
  filter(perc_intersection >= 2)

#filter hospital panel
panel <- hosp_panel %>%
  filter(zipcode %in% zcta_intersect$zcta) %>%
  mutate(zcta = zipcode)

#creating date bookends
panel <- panel %>%
  group_by(zipcode, year) %>%
  mutate(begin_date = ISOweek2date(paste(year, paste0("W", sprintf("%02d", weekofyr)), 1, sep = "-")),
         end_date = begin_date+weeks(1)-days(1))

#number of unique MPLS ZCTAs
n_zcta <- length(unique(panel$zcta))

#vector of intersecting ZCTAs for filtering downstream
zcta_universe <- unique(panel$zcta)

```

## ZCTA-Week Level Police Data

```

#Minneapolis Police Department - Use of Force Dashboard
uof_spatial <- read_csv("Data/Police_Use_Of_Force.csv") %>%
  mutate(date=ymd_hms(ResponseDate),
         year=isoyear(date),
         week=isoweek(date)) %>%
  select(OBJECTID, year, week, X, Y, Race) %>%
  st_as_sf(coords = c("X", "Y"), crs = "NAD83", remove=F) %>%
  mutate(intersection = as.integer(st_intersects(geometry, zcta)),
         zcta = ifelse(is.na(intersection), NA, zcta$zcta[intersection])) %>%
  st_drop_geometry() %>%
  filter(!is.na(zcta) & year >= 2016 & year <= 2020 & zcta %in% zcta_universe) %>%
  group_by(year, week, zcta, Race, .drop=F) %>%
  tally(name = "use_of_force") %>%
  filter(!is.na(Race) & Race!="not recorded") %>%
  ungroup() %>%
  complete(year, week, zcta=zcta_universe, Race, fill = list(use_of_force = 0)) %>%
  arrange(year, week, zcta, Race) %>%
  mutate(race = str_to_lower(Race)) %>%

```

```

select(-Race) %>%
pivot_wider(names_from = race,
             values_from = use_of_force,
             values_fill = 0,
             names_glue = "{race}_{.value}") %>%
mutate(total_use_of_force = asian_use_of_force+black_use_of_force+`native american_use_of_force`+
`other / mixed race_use_of_force`+`pacific islander_use_of_force`+unknown_use_of_force+
white_use_of_force)

#MPD Stop Dashboard
stop_spatial <- read_csv("Data/Police_Stop_Data.csv") %>%
  mutate(date=ymd_hms(responseDate),
         year=isoyear(date),
         week=isoweek(date)) %>%
  select(OBJECTID, year, week, lat, long, race) %>%
  st_as_sf(coords = c("long", "lat"), crs = "NAD83", remove=F) %>%
  mutate(intersection = as.integer(st_intersects(geometry, zcta)),
         zcta = ifelse(is.na(intersection), NA, zcta$zcta[intersection])) %>%
  st_drop_geometry() %>%
  filter(!is.na(zcta) & year >= 2016 & year <= 2020 & zcta %in% zcta_universe) %>%
  group_by(year, week, zcta, race, .drop=F) %>%
  tally(name = "police_stops") %>%
  filter(!is.na(race) & race!="not recorded") %>%
  ungroup() %>%
  complete(year, week, zcta=zcta_universe, race, fill = list(police_stops = 0)) %>%
  mutate(race = str_to_lower(race)) %>%
  arrange(year, week, zcta, race) %>%
  pivot_wider(names_from = race,
             values_from = police_stops,
             values_fill = 0,
             names_glue = "{race}_{.value}") %>%
  mutate(total_police_stops = asian_police_stops+black_police_stops+
`east african_police_stops`+latino_police_stops+`native american_police_stops`+
other_police_stops+unknown_police_stops+white_police_stops)

#Officer Involved Shootings - MPD
ois_spatial <- read_csv("Data/Police_Officer_Involved_Shootings.csv") %>%
  mutate(date=ymd_hms(IncidentDate),
         year=isoyear(date),
         week=isoweek(date)) %>%
  select(OBJECTID, year, week, CenterLatitude, CenterLongitude, SubjectOfForceRace) %>%
  rename(race = SubjectOfForceRace,
         lat = CenterLatitude,
         long = CenterLongitude) %>%
  st_as_sf(coords = c("long", "lat"), crs = "NAD83", remove=F) %>%
  mutate(intersection = as.integer(st_intersects(geometry, zcta)),
         zcta = ifelse(is.na(intersection), NA, zcta$zcta[intersection])) %>%
  st_drop_geometry() %>%
  filter(!is.na(zcta) & year >= 2016 & year <= 2020 & zcta %in% zcta_universe) %>%
  group_by(year, week, zcta, race, .drop=F) %>%
  tally(name = "police_shootings") %>%
  filter(!is.na(race) & race!="not recorded") %>%
  ungroup() %>%

```

```

complete(year=2016:2021, week=1:53, zcta=zcta_universe, race, fill = list(police_shootings = 0)) %>%
mutate(race = str_to_lower(race)) %>%
arrange(year, week, zcta, race) %>%
pivot_wider(names_from = race,
             values_from = police_shootings,
             values_fill = 0,
             names_glue = "{race}_{.value}") %>%
mutate(total_police_shootings = asian_police_shootings+black_police_shootings+
       hispanic_police_shootings+other_police_shootings+
       unknown_police_shootings+white_police_shootings)

panel <- panel %>%
  left_join(uof_spatial, by = c("year", "weekofyr"="week", "zcta"="zcta")) %>%
  left_join(stop_spatial, by = c("year", "weekofyr"="week", "zcta"="zcta")) %>%
  left_join(ois_spatial, by = c("year", "weekofyr"="week", "zcta"="zcta"))

#creating period indicators for panel
panel <- panel %>%
  mutate(post_floyd = as.numeric(begin_date >= as.Date("2020-05-25")),
         post_floyd_3 = as.numeric(begin_date >= as.Date("2020-05-25")+months(3)),
         stay_at_home = as.numeric(begin_date >= as.Date("2020-03-28")) &
         state_of_emerg = as.numeric(begin_date >= as.Date("2020-03-13")),
         period = factor(case_when(
           post_floyd==0 & post_floyd_3==0 ~ "Pre-Killing",
           post_floyd>=1 & post_floyd_3==0 ~ "0-3 Months Post-Killing",
           post_floyd>=1 & post_floyd_3>=1 ~ "3+ Months Post-Killing",
           levels = c("Pre-Killing", "0-3 Months Post-Killing", "3+ Months Post-Killing")))) %>%
  group_by(zcta) %>%
  arrange(year, weekofyr) %>%
  mutate(t = row_number(),
         uof_lag = dplyr::lag(total_use_of_force, 1),
         stops_lag = dplyr::lag(total_police_stops, 1),
         shoot_lag = dplyr::lag(total_police_shootings, 1))

```

## Time Series Construction - Week Level

### Aggregate Hospital Panel to Week-Level

```

#panel to week-level, aggregating over ZCTAs
hosp_series <- panel %>%
  group_by(year, weekofyr) %>%
  summarize(assault_tot = sum(assault_tot, na.rm = T),
            unintention_tot = sum(unintent_tot, na.rm = T),
            suicide_tot = sum(suicide_tot, na.rm = T),
            undeter_tot = sum(undeter_tot, na.rm = T),
            legal_tot = sum(legal_tot, na.rm = T),
            combined_tot = sum(combined_tot, na.rm = T),
            total_pop = sum(total_pop, na.rm = T)) %>%
  mutate(assault_incid_c = (assault_tot/total_pop)*1000,
         unintention_incid_c = (unintent_tot/total_pop)*1000,

```

```

    suicide_incid_c = (suicide_tot/total_pop)*1000,
    undeter_incid_c = (undeter_tot/total_pop)*1000,
    legal_incid_c = (legal_tot/total_pop)*1000,
    combined_incid_c = (combined_tot/total_pop)*1000) %>%
ungroup() %>%
mutate(week_id = row_number())

```

## Police Data Week-Level

```

#Minneapolis Police Department - Use of Force Dashboard
uof <- read_csv("Data/Police_Use_Of_Force.csv") %>%
  mutate(date=ymd_hms(ResponseDate),
         year=isoyear(date),
         week=isoweek(date)) %>%
  group_by(year, week, .drop=F) %>%
  tally(name = "use_of_force") %>%
  arrange(year, week) %>%
  ungroup() %>%
  select(year, week, everything())

#merge onto series
series <- hosp_series %>%
  left_join(uof, by=c("year", "weekofyr"="week")) %>%
  mutate(use_of_force_rate = (use_of_force/total_pop)*1000)

#MPD Officer Involved Shootings
ois <- read_csv("Data/Police_Officer_Involved_Shootings.csv") %>%
  mutate(date=ymd_hms(IncidentDate),
         year=isoyear(date),
         week=isoweek(date)) %>%
  group_by(year, week, .drop=F) %>%
  tally(name = "off_inv_shooting") %>%
  arrange(year, week) %>%
  ungroup() %>%
  select(year, week, everything())

#merge onto series
series <- series %>%
  left_join(ois, by=c("year", "weekofyr"="week")) %>%
  mutate(off_inv_shooting = ifelse(is.na(off_inv_shooting), 0, off_inv_shooting),
         off_inv_shooting_rate = (off_inv_shooting/total_pop)*1000)

#Minneapolis Police Department - Police Stops Dashboard
stop <- read_csv("Data/Police_Stop_Data.csv") %>%
  mutate(date=ymd_hms(responseDate),
         year=isoyear(date),
         week=isoweek(date)) %>%
  group_by(year, week, .drop=F) %>%
  tally(name = "police_stops")

```

```

#merge onto series
series <- series %>%
  left_join(stop, by = c("year", "weekofyr"="week")) %>%
  mutate(police_stop_rate = (police_stops/total_pop)*1000)

#creating date variable
series <- series %>%
  mutate(begin_date = ISOweek2date(paste(year, paste0("W", sprintf("%02d", weekofyr)), 1, sep = "-")),
         end_date = begin_date+weeks(1)-days(1))

```

## Weather Data

```

# Minnesota DNR Daily Date
# https://www.dnr.state.mn.us/climate/historical/daily-data.html?sid=mspthr&sname=Minneapolis/St%20Paul
# Station Name: Minneapolis/St Paul Threaded Record - Station ID: mspthr

weather <- read_csv("Data/dnr_weather.csv") %>%
  mutate(year=isoyear(Date),
         week=isoweek(Date),
         precip_in = as.numeric(ifelse(`Precipitation (inches)`=="T", .001, `Precipitation (inches)`)),
         snow_in = as.numeric(ifelse(`Snow (inches)`=="T", .001, `Snow (inches)`)),
         tmax_f = `Maximum Temperature degrees (F)` ) %>%
  filter(year >= 2016 & year <= 2020) %>%
  select(year, week, precip_in, snow_in, tmax_f) %>%
  group_by(year, week) %>%
  summarize(precip_in = mean(precip_in, na.rm = T),
         snow_in = mean(snow_in, na.rm = T),
         tmax_f = mean(tmax_f, na.rm = T))

#join to series
series <- series %>% left_join(weather, by = c("year", "weekofyr"="week"))

```

## Sunset Data

```

#setting lat-lon for MPLS
mpls_lonlat <- geocode("Minneapolis, MN", output = "latlon", source="google")

#scrape sunset times for each begin date
#mutate to UTC-6 CST
#calculate hours of darkness before midnight
sun_series <- getSunlightTimes(date = seq(min(series$begin_date),
                                         max(series$begin_date),
                                         "days"),
                              lat = 44.97775,
                              lon = -93.26501,
                              keep = "sunset",
                              tz = "UTC") %>%
  mutate(sunset = sunset-hours(6),

```

```

midnight = as.POSIXlt(date+days(1), format = '%Y-%m-%d %H:%M:%S'),
dark = as.numeric(midnight-sunset),
year = year(date),
week = isoweek(date)) %>%
group_by(year, week) %>%
summarize(dark_before_12 = mean(dark, na.rm = T))

#joining to series
series <- series %>%
  left_join(sun_series, by = c("year", "weekofyr"="week"))

```

## School Data

```

#created manually from online MPLS Public School Calendars: https://mpls.k12.mn.us/calendars
school <- series %>%
  select(year, weekofyr, begin_date, end_date) %>%
  mutate(days_in_week = as.numeric((end_date-begin_date))+1,
         days_in_school = NA_integer_)

school[1,6] <- 5
school[2,6] <- 4
school[3,6] <- 3
school[4,6] <- 5
school[5,6] <- 5
school[6,6] <- 4
school[7,6] <- 4
school[8,6] <- 5
school[9,6] <- 5
school[10,6] <- 4
school[11,6] <- 4
school[12,6] <- 5
school[13,6] <- 0
school[14,6] <- 5
school[15,6] <- 5
school[16,6] <- 5
school[17,6] <- 5
school[18,6] <- 5
school[19,6] <- 5
school[20,6] <- 5
school[21,6] <- 5
school[22,6] <- 4
school[23,6] <- 2
school[24,6] <- 0
school[25,6] <- 0
school[26,6] <- 0
school[27,6] <- 0
school[28,6] <- 0
school[29,6] <- 0
school[30,6] <- 0
school[31,6] <- 0

```



```
school[32,6] <- 0
school[33,6] <- 0
school[34,6] <- 0
school[35,6] <- 5
school[36,6] <- 4
school[37,6] <- 5
school[38,6] <- 5
school[39,6] <- 5
school[40,6] <- 5
school[41,6] <- 5
school[42,6] <- 2
school[43,6] <- 5
school[44,6] <- 3
school[45,6] <- 5
school[46,6] <- 5
school[47,6] <- 2
school[48,6] <- 5
school[49,6] <- 5
school[50,6] <- 5
school[51,6] <- 0
school[52,6] <- 0
school[53,6] <- 4
school[54,6] <- 5
school[55,6] <- 4
school[56,6] <- 4
school[57,6] <- 4
school[58,6] <- 5
school[59,6] <- 4
school[60,6] <- 4
school[61,6] <- 5
school[62,6] <- 5
school[63,6] <- 5
school[64,6] <- 5
school[65,6] <- 3
school[66,6] <- 0
school[67,6] <- 5
school[68,6] <- 5
school[69,6] <- 5
school[70,6] <- 5
school[71,6] <- 5
school[72,6] <- 5
school[73,6] <- 5
school[74,6] <- 4
school[75,6] <- 5
school[76,6] <- 3
school[77,6] <- 0
school[78,6] <- 0
school[79,6] <- 0
school[80,6] <- 0
school[81,6] <- 0
school[82,6] <- 0
school[83,6] <- 0
school[84,6] <- 0
```

```
school[85,6] <- 0
school[86,6] <- 0
school[87,6] <- 5
school[88,6] <- 4
school[89,6] <- 5
school[90,6] <- 5
school[91,6] <- 5
school[92,6] <- 5
school[93,6] <- 5
school[94,6] <- 2
school[95,6] <- 5
school[96,6] <- 3
school[97,6] <- 5
school[98,6] <- 5
school[99,6] <- 2
school[100,6] <- 5
school[101,6] <- 5
school[102,6] <- 5
school[103,6] <- 5
school[104,6] <- 0
school[105,6] <- 0
school[106,6] <- 0
school[107,6] <- 5
school[108,6] <- 4
school[109,6] <- 3
school[110,6] <- 5
school[111,6] <- 5
school[112,6] <- 4
school[113,6] <- 4
school[114,6] <- 5
school[115,6] <- 5
school[116,6] <- 5
school[117,6] <- 5
school[118,6] <- 4
school[119,6] <- 0
school[120,6] <- 5
school[121,6] <- 5
school[122,6] <- 5
school[123,6] <- 5
school[124,6] <- 5
school[125,6] <- 5
school[126,6] <- 5
school[127,6] <- 4
school[128,6] <- 5
school[129,6] <- 0
school[130,6] <- 0
school[131,6] <- 0
school[132,6] <- 0
school[133,6] <- 0
school[134,6] <- 0
school[135,6] <- 0
school[136,6] <- 0
school[137,6] <- 0
```

```
school[138,6] <- 0
school[139,6] <- 0
school[140,6] <- 5
school[141,6] <- 4
school[142,6] <- 5
school[143,6] <- 5
school[144,6] <- 5
school[145,6] <- 5
school[146,6] <- 5
school[147,6] <- 2
school[148,6] <- 5
school[149,6] <- 3
school[150,6] <- 5
school[151,6] <- 5
school[152,6] <- 2
school[153,6] <- 5
school[154,6] <- 5
school[155,6] <- 5
school[156,6] <- 5
school[157,6] <- 0
school[158,6] <- 0
school[159,6] <- 5
school[160,6] <- 5
school[161,6] <- 2
school[162,6] <- 5
school[163,6] <- 5
school[164,6] <- 4
school[165,6] <- 4
school[166,6] <- 5
school[167,6] <- 5
school[168,6] <- 5
school[169,6] <- 5
school[170,6] <- 4
school[171,6] <- 0
school[172,6] <- 5
school[173,6] <- 5
school[174,6] <- 5
school[175,6] <- 5
school[176,6] <- 5
school[177,6] <- 5
school[178,6] <- 5
school[179,6] <- 4
school[180,6] <- 5
school[181,6] <- 0
school[182,6] <- 0
school[183,6] <- 0
school[184,6] <- 0
school[185,6] <- 0
school[186,6] <- 0
school[187,6] <- 0
school[188,6] <- 0
school[189,6] <- 0
school[190,6] <- 0
```

```
school[191,6] <- 0
school[192,6] <- 0
school[193,6] <- 4
school[194,6] <- 5
school[195,6] <- 5
school[196,6] <- 5
school[197,6] <- 5
school[198,6] <- 5
school[199,6] <- 2
school[200,6] <- 5
school[201,6] <- 4
school[202,6] <- 5
school[203,6] <- 5
school[204,6] <- 5
school[205,6] <- 2
school[206,6] <- 5
school[207,6] <- 5
school[208,6] <- 5
school[209,6] <- 0
school[210,6] <- 0
school[211,6] <- 5
school[212,6] <- 4
school[213,6] <- 4
school[214,6] <- 5
school[215,6] <- 5
school[216,6] <- 5
school[217,6] <- 3
school[218,6] <- 5
school[219,6] <- 5
school[220,6] <- 5
school[221,6] <- 5
school[222,6] <- 4
school[223,6] <- 0
school[224,6] <- 5
school[225,6] <- 5
school[226,6] <- 5
school[227,6] <- 5
school[228,6] <- 5
school[229,6] <- 5
school[230,6] <- 5
school[231,6] <- 4
school[232,6] <- 5
school[233,6] <- 0
school[234,6] <- 0
school[235,6] <- 0
school[236,6] <- 0
school[237,6] <- 0
school[238,6] <- 0
school[239,6] <- 0
school[240,6] <- 0
school[241,6] <- 0
school[242,6] <- 0
school[243,6] <- 0
```

```

school[244,6] <- 0
school[245,6] <- 4
school[246,6] <- 5
school[247,6] <- 5
school[248,6] <- 5
school[249,6] <- 5
school[250,6] <- 5
school[251,6] <- 3
school[252,6] <- 4
school[253,6] <- 5
school[254,6] <- 4
school[255,6] <- 5
school[256,6] <- 5
school[257,6] <- 2
school[258,6] <- 5
school[259,6] <- 5
school[260,6] <- 5
school[261,6] <- 0
school[262,6] <- 0

school <- school %>%
  mutate(school = days_in_school/days_in_week) %>%
  select(year, weekofyr, school)

series <- series %>% left_join(school, by = c("year", "weekofyr"))

```


## Time Series Vizualization

```

ggplot(series)+
  geom_line(aes(x=begin_date, y=assault_incid_c))+
  scale_x_date(date_labels = "%b-%Y", date_breaks = "6 months")+
  geom_vline(xintercept=series$begin_date[series$year==2020 & series$weekofyr==isoweek(date("2020-05-25"))],
             linetype="dotted", color="red", size=1)+
  geom_label(aes(x=series$begin_date[series$year==2020 & series$weekofyr==isoweek(date("2020-05-25"))],
                 y=0.050),
             label = "George Floyd", show.legend = FALSE)+
  labs(title = "Figure 1: Weekly Firearm Assault Injuries, 2016-2020",
        subtitle = "MHA Hospital Data",
        x = "Week",
        y = "Rate per 1,000 Residents")+
  theme_minimal()+
  theme(axis.text.x=element_text(angle=45, hjust=1))


```

Figure 1: Weekly Firearm Assault Injuries, 2016–2020  
MHA Hospital Data



```
ggplot(series)+
  geom_line(aes(x=begin_date, y=unintentional_incident_c))+
  scale_x_date(date_labels = "%b-%Y", date_breaks = "6 months")+
  geom_vline(xintercept=series$begin_date[series$year==2020 & series$weekofyr==isoweek(date("2020-05-25"))],
    linetype="dotted", color="red", size=1)+
  geom_label(aes(x=series$begin_date[series$year==2020 & series$weekofyr==isoweek(date("2020-05-25"))],
    y=0.050),
    label = "George Floyd", show.legend = FALSE)+
  labs(title = "Figure A1: Weekly Firearm Unintentional Injuries, 2016-2020",
    subtitle = "MHA Hospital Data",
    x = "Week",
    y = "Rate per 1,000 Residents")+
  theme_minimal()+
  theme(axis.text.x=element_text(angle=45, hjust=1))
```

Figure A1: Weekly Firearm Unintentional Injuries, 2016–2020  
MHA Hospital Data



## Time Series Analysis

```
series <- series %>%
  mutate(t = 1:length(assault_incident_c),
         post_floyd = as.factor(as.numeric(begin_date >= as.Date("2020-05-25"))),
         post_floyd_3 = as.factor(as.numeric(begin_date >= as.Date("2020-05-25")+months(3))),
         stay_at_home = as.factor(as.numeric(begin_date >= as.Date("2020-03-28") &
         state_of_emerg = as.factor(as.numeric(begin_date >= as.Date("2020-03-13"))),
         uof_lag=lag(use_of_force_rate,1),
         stops_lag = lag(police_stop_rate,1),
         shoot_lag = lag(off_inv_shooting_rate,1))


ts <- lm(assault_incident_c~t+state_of_emerg+stay_at_home+post_floyd+post_floyd_3+
        tmax_f+snow_in+precip_in+dark_before_12+school,
        data = series)

summary(ts)
```

```
##
## Call:
## lm(formula = assault_incident_c ~ t + state_of_emerg + stay_at_home +
##     post_floyd + post_floyd_3 + tmax_f + snow_in + precip_in +
##     dark_before_12 + school, data = series)
##
```

```
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.0153190 -0.0033359 -0.0003768  0.0023940  0.0248840
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   7.382e-03  4.046e-03   1.825   0.0693 .
## t             8.314e-06  5.146e-06   1.616   0.1074
## state_of_emerg1 -5.435e-03  2.926e-03  -1.858   0.0644 .
## stay_at_home1   4.592e-03  3.009e-03   1.526   0.1283
## post_floyd1     1.699e-02  2.992e-03   5.677 3.79e-08 ***
## post_floyd_31  -8.252e-03  1.857e-03  -4.443 1.33e-05 ***
## tmax_f          1.372e-05  2.747e-05   0.499   0.6179
## snow_in        -5.824e-04  8.786e-04  -0.663   0.5081
## precip_in       -6.880e-04  2.871e-03  -0.240   0.8108
## dark_before_12  -5.447e-04  4.705e-04  -1.158   0.2480
## school          4.658e-04  1.082e-03   0.431   0.6671
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.004764 on 250 degrees of freedom
## Multiple R-squared:  0.3509, Adjusted R-squared:  0.325
## F-statistic: 13.52 on 10 and 250 DF,  p-value: < 2.2e-16
```

```
acf2(resid(ts), max.lag = 7)
```






```
##      [,1] [,2] [,3] [,4] [,5] [,6] [,7]
## ACF   0.2 0.06 0.06 0.01 0.05 -0.08 -0.13
## PACF  0.2 0.01 0.05 -0.01 0.05 -0.10 -0.11
```

```
ts_ar1<- lm(assault_incid_c~t+state_of_emerg+stay_at_home+post_floyd+post_floyd_3+
            tmax_f+snow_in+precip_in+dark_before_12+school+
            dplyr::lag(assault_incid_c, 1), data = series)
summary(ts_ar1)
```

```
##
## Call:
## lm(formula = assault_incid_c ~ t + state_of_emerg + stay_at_home +
##     post_floyd + post_floyd_3 + tmax_f + snow_in + precip_in +
##     dark_before_12 + school + dplyr::lag(assault_incid_c, 1),
##     data = series)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.0137903 -0.0032412 -0.0000841  0.0024998  0.0252791
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    6.074e-03  4.024e-03   1.509 0.132471
## t              6.886e-06  5.153e-06   1.337 0.182608
## state_of_emerg1 -5.742e-03  2.893e-03  -1.984 0.048313 *
## stay_at_home1    5.313e-03  2.985e-03   1.780 0.076255 .
## post_floyd1      1.541e-02  3.009e-03   5.121 6.11e-07 ***
## post_floyd_31    -7.125e-03  1.878e-03  -3.794 0.000186 ***
## tmax_f           1.032e-05  2.718e-05   0.380 0.704524
## snow_in          -5.425e-04  8.683e-04  -0.625 0.532659
## precip_in        -2.749e-04  2.840e-03  -0.097 0.922964
## dark_before_12   -4.549e-04  4.662e-04  -0.976 0.330078
## school           5.606e-04  1.069e-03   0.524 0.600630
## dplyr::lag(assault_incid_c, 1) 1.743e-01  6.143e-02   2.838 0.004911 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.004707 on 248 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.3709, Adjusted R-squared:  0.343
## F-statistic: 13.29 on 11 and 248 DF, p-value: < 2.2e-16
```

```
acf2(resid(ts_ar1), max.lag = 7)
```




```
##      [,1] [,2] [,3] [,4] [,5] [,6] [,7]
## ACF  0.02 0.01 0.05  0 0.07 -0.07 -0.13
## PACF 0.02 0.01 0.05  0 0.07 -0.08 -0.13
```

```
ts_pol <- lm(assault_incid_c~t+state_of_emerg+stay_at_home+post_floyd+post_floyd_3+
             tmax_f+snow_in+precip_in+dark_before_12+school+
             uof_lag+stops_lag+shoot_lag,
             data = series)
summary(ts_pol)
```

```
##
## Call:
## lm(formula = assault_incid_c ~ t + state_of_emerg + stay_at_home +
##      post_floyd + post_floyd_3 + tmax_f + snow_in + precip_in +
##      dark_before_12 + school + uof_lag + stops_lag + shoot_lag,
##      data = series)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.0150383 -0.0031439 -0.0005773  0.0023294  0.0238783
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   1.209e-02  5.866e-03   2.061 0.040569 *
## t             -1.157e-05  9.887e-06  -1.170 0.243357
```

```
## state_of_emerg1 -5.048e-03  3.013e-03  -1.676  0.095363  .
## stay_at_home1   5.198e-03  3.083e-03   1.686  0.093359  .
## post_floyd1     1.583e-02  3.130e-03   5.057  9.52e-07  ***
## post_floyd_31   -7.502e-03  2.148e-03  -3.493  0.000585  ***
## tmax_f          3.200e-05  3.185e-05   1.005  0.316245
## snow_in         -8.813e-04  9.445e-04  -0.933  0.351868
## precip_in       2.070e-03  3.205e-03   0.646  0.519020
## dark_before_12  -4.689e-04  5.470e-04  -0.857  0.392337
## school          2.435e-04  1.242e-03   0.196  0.844840
## uof_lag         2.485e-03  7.500e-03   0.331  0.740676
## stops_lag       -1.846e-03  1.249e-03  -1.478  0.141037
## shoot_lag       -2.573e-01  2.099e-01  -1.226  0.221648
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.004857 on 203 degrees of freedom
## (44 observations deleted due to missingness)
## Multiple R-squared:  0.3826, Adjusted R-squared:  0.3431
## F-statistic: 9.677 on 13 and 203 DF,  p-value: 1.371e-15
```

```
acf2(resid(ts_pol), max.lag = 7)
```



```
##      [,1] [,2] [,3] [,4] [,5] [,6] [,7]
## ACF  0.13  0.01  0.03 -0.01  0.02 -0.12 -0.16
## PACF  0.13 -0.01  0.03 -0.02  0.02 -0.12 -0.13
```

```
ts_ar1_pol <- lm(assault_incid_c ~ t + state_of_emerg + stay_at_home + post_floyd + post_floyd_3 +
  tmax_f + snow_in + precip_in + dark_before_12 + school +
  uof_lag + stops_lag + shoot_lag +
  dplyr::lag(assault_incid_c, 1), data = series)
```

```
summary(ts_ar1_pol)
```

```
##
## Call:
## lm(formula = assault_incid_c ~ t + state_of_emerg + stay_at_home +
##     post_floyd + post_floyd_3 + tmax_f + snow_in + precip_in +
##     dark_before_12 + school + uof_lag + stops_lag + shoot_lag +
##     dplyr::lag(assault_incid_c, 1), data = series)
##
## Residuals:
```


	Min	1Q	Median	3Q	Max
	-0.0141977	-0.0031314	-0.0003472	0.0024388	0.0241791

```
##
## Coefficients:
```

	Estimate	Std. Error	t value	Pr(> t )
(Intercept)	1.088e-02	5.910e-03	1.841	0.06702 .
t	-1.006e-05	9.915e-06	-1.015	0.31128
state_of_emerg1	-5.281e-03	3.009e-03	-1.755	0.08078 .
stay_at_home1	5.545e-03	3.084e-03	1.798	0.07370 .
post_floyd1	1.509e-02	3.163e-03	4.770	3.52e-06 ***
post_floyd_31	-6.837e-03	2.191e-03	-3.120	0.00207 **
tmax_f	2.648e-05	3.200e-05	0.827	0.40894
snow_in	-8.463e-04	9.423e-04	-0.898	0.37020
precip_in	2.294e-03	3.200e-03	0.717	0.47434
dark_before_12	-4.325e-04	5.462e-04	-0.792	0.42940
school	3.022e-04	1.240e-03	0.244	0.80766
uof_lag	1.388e-03	7.518e-03	0.185	0.85376
stops_lag	-1.587e-03	1.259e-03	-1.260	0.20897
shoot_lag	-2.398e-01	2.097e-01	-1.144	0.25411
dplyr::lag(assault_incid_c, 1)	1.000e-01	6.930e-02	1.443	0.15054

```
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.004844 on 202 degrees of freedom
## (44 observations deleted due to missingness)
## Multiple R-squared:  0.3889, Adjusted R-squared:  0.3466
## F-statistic: 9.183 on 14 and 202 DF,  p-value: 1.714e-15
```

```
acf2(resid(ts_ar1_pol), max.lag = 7)
```



```
##      [,1] [,2] [,3] [,4] [,5] [,6] [,7]
## ACF  0.04 -0.01 0.03 -0.01 0.03 -0.11 -0.15
## PACF 0.04 -0.02 0.03 -0.02 0.04 -0.11 -0.15
```

```
ts_ar1_pol_unintent <- lm(unintent_incid_c~t+state_of_emerg+stay_at_home+post_floyd+post_floyd_3+
  tmax_f+snow_in+precip_in+dark_before_12+school+
  uof_lag+stops_lag+shoot_lag+
  dplyr::lag(assault_incid_c, 1), data = series)
```

## ZCTA-Week Level Analysis

```
#aggregate to zip-level over years
zip_level <- panel %>%
  group_by(zcta, period) %>%
  summarize(assault_tot = mean(assault_tot, na.rm = T),
    unintent_tot = mean(unintent_tot, na.rm = T),
    suicide_tot = mean(suicide_tot, na.rm = T),
    undeter_tot = mean(undeter_tot, na.rm = T),
    legal_tot = mean(legal_tot, na.rm = T),
    combined_tot = mean(combined_tot, na.rm = T),
    total_pop = mean(total_pop, na.rm = T)) %>%
  mutate(assault_incid_c = (assault_tot/total_pop)*1000,
```

```


    unintentional_incident_c = (unintentional_tot/total_pop)*1000,
    suicide_incident_c = (suicide_tot/total_pop)*1000,
    undetermined_incident_c = (undetermined_tot/total_pop)*1000,
    legal_incident_c = (legal_tot/total_pop)*1000,
    combined_incident_c = (combined_tot/total_pop)*1000) %>%
ungroup() %>%
left_join(zcta, by = "zcta")

#george floyd square
gfs <- geocode("George Floyd Square, Minneapolis", output = "latlon") %>%
  st_as_sf(coords = c("lon", "lat"), crs = "NAD83", remove=F) %>%
  mutate(name = "George Floyd Square")

ggplot() +
  geom_sf(data = zip_level, aes(geometry = geometry, fill = assault_incident_c)) +
  geom_sf(data = mpls, aes(geometry = geometry), color = "black", alpha = 0)+
  geom_sf(data = gfs, aes(geometry = geometry), color = "black")+
  geom_text_repel(data = gfs, aes(x=lon, y=lat, label = name),
    size = 2,
    fontface = "bold",
    nudge_x = 1, nudge_y = -1)+
  facet_wrap(~period)+
  scale_fill_distiller(palette = "Spectral")+
  labs(title = "Figure 2: Firearm Assault Injury Rates by ZCTA and Period",
    subtitle = "MHA Hospital Discharge Data",
    fill = "Incident Rate/1,000")+
  theme(axis.text.x = element_blank(),
    axis.text.y = element_blank(),
    axis.line = element_blank(),
    axis.ticks = element_blank(),
    panel.border = element_blank(),
    panel.grid = element_blank(),
    axis.title = element_blank(),
    panel.background = element_blank(),
    panel.grid.major = element_line(colour="transparent"),
    plot.subtitle = element_text(face="italic"),
    strip.background = element_rect(fill = "white",
    colour = "black"))

```


Figure 2: Firearm Assault Injury Rates by ZCTA and Period  
*MHA Hospital Discharge Data*



```
ggplot() +
  geom_sf(data = zip_level, aes(geometry = geometry, fill = unintentional_incid_c)) +
  geom_sf(data = mpl, aes(geometry = geometry), color = "black", alpha = 0) +
  geom_sf(data = gfs, aes(geometry = geometry), color = "black") +
  geom_text_repel(data = gfs, aes(x=lon, y=lat, label = name),
    size = 2,
    fontface = "bold",
    nudge_x = 1, nudge_y = -1) +
  facet_wrap(~period) +
  scale_fill_distiller(palette = "Spectral") +
  labs(title = "Figure A2: Firearm Unintentional Injury Rates by ZCTA and Period",
    subtitle = "MHA Hospital Discharge Data",
    fill = "Incident Rate/1,000") +
  theme(axis.text.x = element_blank(),
    axis.text.y = element_blank(),
    axis.line = element_blank(),
    axis.ticks = element_blank(),
    panel.border = element_blank(),
    panel.grid = element_blank(),
    axis.title = element_blank(),
    panel.background = element_blank(),
    panel.grid.major = element_line(colour="transparent"),
    plot.subtitle = element_text(face="italic"),
    strip.background = element_rect(fill = "white",
    colour = "black"))
```

Figure A2: Firearm Unintentional Injury Rates by ZCTA and Period

*MHA Hospital Discharge Data*



## Panel Analysis

```
##
## Call:
## lm(formula = assault_incident_c ~ t + state_of_emerg + stay_at_home +
##      post_floyd + post_floyd_3 + tmax_f + snow_in + precip_in +
##      dark_before_12 + school + as.factor(zcta), data = panel)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -4.513  -0.721  -0.281   0.039  263.997
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.572812   1.043851   0.549  0.58320
## t              0.002850   0.001259   2.263  0.02365 *
## state_of_emerg -0.755507   0.716025  -1.055  0.29141
## stay_at_home    0.338377   0.736505   0.459  0.64594
## post_floyd      1.217715   0.732349   1.663  0.09642 .
## post_floyd_3    -0.556566   0.454561  -1.224  0.22085
## tmax_f          0.003435   0.006722   0.511  0.60935
## snow_in         -0.103153   0.215025  -0.480  0.63144
## precip_in       -0.255997   0.702568  -0.364  0.71559
## dark_before_12  -0.093175   0.115134  -0.809  0.41839
## school          -0.224054   0.264737  -0.846  0.39741
```



```

## as.factor(zcta)55402  2.018846  0.478659  4.218 2.51e-05 ***
## as.factor(zcta)55403  0.017175  0.478659  0.036 0.97138
## as.factor(zcta)55404  0.773201  0.478659  1.615 0.10629
## as.factor(zcta)55405 -0.034397  0.478659 -0.072 0.94271
## as.factor(zcta)55406 -0.156014  0.478659 -0.326 0.74448
## as.factor(zcta)55407  0.058258  0.478659  0.122 0.90313
## as.factor(zcta)55408 -0.258652  0.478659 -0.540 0.58896
## as.factor(zcta)55409 -0.236436  0.478659 -0.494 0.62136
## as.factor(zcta)55410 -0.408970  0.478659 -0.854 0.39291
## as.factor(zcta)55411  2.925887  0.478659  6.113 1.04e-09 ***
## as.factor(zcta)55412  2.404515  0.478659  5.023 5.23e-07 ***
## as.factor(zcta)55413 -0.059222  0.478659 -0.124 0.90154
## as.factor(zcta)55414 -0.322758  0.478659 -0.674 0.50015
## as.factor(zcta)55415  1.241611  0.478659  2.594 0.00951 **
## as.factor(zcta)55416 -0.441445  0.478659 -0.922 0.35644
## as.factor(zcta)55417 -0.219008  0.478659 -0.458 0.64730
## as.factor(zcta)55418 -0.226440  0.478659 -0.473 0.63618
## as.factor(zcta)55419 -0.396449  0.478659 -0.828 0.40756
## as.factor(zcta)55430  0.344431  0.478659  0.720 0.47182
## as.factor(zcta)55454  0.008653  0.478659  0.018 0.98558
## as.factor(zcta)55455 -0.465239  0.478659 -0.972 0.33111
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 5.468 on 5710 degrees of freedom
## Multiple R-squared:  0.03366,    Adjusted R-squared:  0.02841
## F-statistic: 6.415 on 31 and 5710 DF,  p-value: < 2.2e-16



##
## Call:
## lm(formula = assault_incid_c ~ t + state_of_emerg + stay_at_home +
##      post_floyd + post_floyd_3 + tmax_f + snow_in + precip_in +
##      dark_before_12 + school + uof_lag + stops_lag + shoot_lag +
##      as.factor(zcta), data = panel)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -4.776  -0.752  -0.290   0.049  263.759
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.688540   1.050947   0.655  0.5124
## t              0.002707   0.001348   2.007  0.0448 *
## state_of_emerg -0.751194   0.719924  -1.043  0.2968
## stay_at_home    0.329243   0.738072   0.446  0.6556
## post_floyd      1.212237   0.735015   1.649  0.0991 .
## post_floyd_3    -0.433745   0.459694  -0.944  0.3454
## tmax_f          0.003895   0.006740   0.578  0.5634
## snow_in         -0.096856   0.215511  -0.449  0.6531
## precip_in       -0.235636   0.704051  -0.335  0.7379
## dark_before_12  -0.092120   0.115577  -0.797  0.4255
## school          -0.218687   0.265780  -0.823  0.4106
## uof_lag         -0.051334   0.026012  -1.973  0.0485 *
## stops_lag       0.001377   0.003667   0.376  0.7073

```

```

## shoot_lag          -0.294427    0.484315   -0.608    0.5433
## as.factor(zcta)55402  2.086772    0.482093    4.329 1.53e-05 ***
## as.factor(zcta)55403  0.040119    0.481611    0.083    0.9336
## as.factor(zcta)55404  0.719704    0.486865    1.478    0.1394
## as.factor(zcta)55405 -0.130710    0.482709   -0.271    0.7866
## as.factor(zcta)55406 -0.268396    0.483832   -0.555    0.5791
## as.factor(zcta)55407 -0.020832    0.486429   -0.043    0.9658
## as.factor(zcta)55408 -0.310747    0.502510   -0.618    0.5363
## as.factor(zcta)55409 -0.376813    0.489285   -0.770    0.4413
## as.factor(zcta)55410 -0.549597    0.492395   -1.116    0.2644
## as.factor(zcta)55411  2.972543    0.549419    5.410 6.55e-08 ***
## as.factor(zcta)55412  2.360603    0.485161    4.866 1.17e-06 ***
## as.factor(zcta)55413 -0.202489    0.485703   -0.417    0.6768
## as.factor(zcta)55414 -0.418256    0.483066   -0.866    0.3866
## as.factor(zcta)55415  1.146760    0.487878    2.351    0.0188 *
## as.factor(zcta)55416 -0.587500    0.493752   -1.190    0.2341
## as.factor(zcta)55417 -0.353324    0.489803   -0.721    0.4707
## as.factor(zcta)55418 -0.371058    0.488864   -0.759    0.4479
## as.factor(zcta)55419 -0.536917    0.485998   -1.105    0.2693
## as.factor(zcta)55430  0.216777    0.491371    0.441    0.6591
## as.factor(zcta)55454 -0.115444    0.489129   -0.236    0.8134
## as.factor(zcta)55455 -0.605851    0.495029   -1.224    0.2211
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 5.478 on 5685 degrees of freedom
## (22 observations deleted due to missingness)
## Multiple R-squared:  0.0343, Adjusted R-squared:  0.02852
## F-statistic: 5.939 on 34 and 5685 DF, p-value: < 2.2e-16

```



```
##      [,1] [,2] [,3] [,4] [,5] [,6] [,7] [,8] [,9] [,10] [,11] [,12] [,13]
## ACF      0      0 0.01      0 -0.01      0      0      0 0.01 -0.01 -0.01 -0.01      0
## PACF      0      0 0.01      0 -0.01      0      0      0 0.01 -0.01 -0.01 -0.01      0
##      [,14] [,15] [,16] [,17] [,18] [,19] [,20] [,21] [,22] [,23] [,24] [,25]
## ACF      0      0 -0.01      0 0.01 0.01      0      0 0.01 0.01      0      0
## PACF      0      0 -0.01      0 0.01 0.01      0      0 0.01 0.01      0      0
##      [,26] [,27] [,28] [,29] [,30] [,31] [,32] [,33] [,34] [,35] [,36] [,37]
## ACF      0 -0.01 0.02      0      0 -0.01      0      0 0.01 0.02      0      0
## PACF      0 -0.01 0.02      0      0 -0.01      0      0 0.01 0.02      0      0
##      [,38] [,39] [,40] [,41] [,42] [,43] [,44] [,45] [,46] [,47] [,48] [,49]
## ACF      0      0 -0.01 0.00      0      0      0 0.02      0      0      0      0
## PACF      0      0 -0.01 -0.01      0      0      0 0.02      0      0      0      0
##      [,50] [,51] [,52] [,53] [,54] [,55] [,56] [,57] [,58] [,59] [,60] [,61]
## ACF 0.01      0      0 0.02 0.00 0.02      0 0.01      0      0 0.01      0
## PACF 0.01      0      0 0.02 -0.01 0.02      0 0.01      0      0 0.01      0
##      [,62] [,63] [,64] [,65] [,66] [,67] [,68] [,69] [,70] [,71] [,72] [,73]
## ACF      0 0.01      0      0      0 0.01 0.01      0      0      0 -0.01      0
## PACF      0 0.01      0      0      0 0.01 0.01      0      0      0 -0.01      0
##      [,74] [,75] [,76] [,77] [,78] [,79] [,80] [,81] [,82] [,83] [,84] [,85]
## ACF      0 0.02      0      0 0.01 -0.01      0 0.01 -0.01      0      0 -0.01
## PACF      0 0.02      0      0 0.01 -0.01      0 0.00 -0.01      0      0 -0.01
##      [,86]
## ACF      0
## PACF      0
```

```
##
```

```
## Call:
## lm(formula = assault_incid_c ~ t + state_of_emerg + stay_at_home +
##      post_floyd + post_floyd_3 + tmax_f + snow_in + precip_in +
##      dark_before_12 + school + as.factor(zcta) + post_floyd:as.factor(zcta) +
##      post_floyd_3:as.factor(zcta), data = panel)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -10.801  -0.672  -0.292   0.016  263.574
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      7.134e-01  1.050e+00   0.680  0.49678
## t                2.850e-03  1.258e-03   2.267  0.02345 *
## state_of_emerg   -7.555e-01  7.150e-01  -1.057  0.29074
## stay_at_home      3.384e-01  7.355e-01   0.460  0.64548
## post_floyd       -4.758e-01  1.641e+00  -0.290  0.77182
## post_floyd_3      4.158e-01  1.955e+00   0.213  0.83152
## tmax_f           3.435e-03  6.713e-03   0.512  0.60886
## snow_in          -1.032e-01  2.147e-01  -0.480  0.63097
## precip_in        -2.560e-01  7.016e-01  -0.365  0.71522
## dark_before_12   -9.317e-02  1.150e-01  -0.810  0.41775
## school           -2.241e-01  2.644e-01  -0.847  0.39675
## as.factor(zcta)55402  2.301e+00  5.103e-01   4.509 6.64e-06 ***
## as.factor(zcta)55403  -1.105e-01  5.103e-01  -0.217  0.82856
## as.factor(zcta)55404   4.278e-01  5.103e-01   0.838  0.40192
## as.factor(zcta)55405  -2.036e-01  5.103e-01  -0.399  0.68999
## as.factor(zcta)55406  -2.168e-01  5.103e-01  -0.425  0.67090
## as.factor(zcta)55407  -6.147e-02  5.103e-01  -0.120  0.90412
## as.factor(zcta)55408  -3.636e-01  5.103e-01  -0.713  0.47617
## as.factor(zcta)55409  -2.695e-01  5.103e-01  -0.528  0.59747
## as.factor(zcta)55410  -4.661e-01  5.103e-01  -0.913  0.36106
## as.factor(zcta)55411   2.256e+00  5.103e-01   4.422 9.97e-06 ***
## as.factor(zcta)55412   1.964e+00  5.103e-01   3.849  0.00012 ***
## as.factor(zcta)55413  -1.900e-01  5.103e-01  -0.372  0.70969
## as.factor(zcta)55414  -4.043e-01  5.103e-01  -0.792  0.42821
## as.factor(zcta)55415   8.710e-01  5.103e-01   1.707  0.08792 .
## as.factor(zcta)55416  -5.031e-01  5.103e-01  -0.986  0.32420
## as.factor(zcta)55417  -3.153e-01  5.103e-01  -0.618  0.53669
## as.factor(zcta)55418  -3.157e-01  5.103e-01  -0.619  0.53615
## as.factor(zcta)55419  -4.831e-01  5.103e-01  -0.947  0.34386
## as.factor(zcta)55430   1.214e-01  5.103e-01   0.238  0.81196
## as.factor(zcta)55454  -3.370e-02  5.103e-01  -0.066  0.94735
## as.factor(zcta)55455  -5.303e-01  5.103e-01  -1.039  0.29881
## post_floyd:as.factor(zcta)55402 -2.301e+00  2.126e+00  -1.082  0.27917
## post_floyd:as.factor(zcta)55403   9.617e-01  2.126e+00   0.452  0.65105
## post_floyd:as.factor(zcta)55404   4.076e+00  2.126e+00   1.917  0.05528 .
## post_floyd:as.factor(zcta)55405   2.444e+00  2.126e+00   1.149  0.25041
## post_floyd:as.factor(zcta)55406   6.425e-01  2.126e+00   0.302  0.76251
## post_floyd:as.factor(zcta)55407   1.107e+00  2.126e+00   0.521  0.60251
## post_floyd:as.factor(zcta)55408   8.138e-01  2.126e+00   0.383  0.70189
## post_floyd:as.factor(zcta)55409   2.695e-01  2.126e+00   0.127  0.89914
## post_floyd:as.factor(zcta)55410   4.661e-01  2.126e+00   0.219  0.82647
## post_floyd:as.factor(zcta)55411   8.509e+00  2.126e+00   4.003 6.35e-05 ***
```

```

## post_floyd:as.factor(zcta)55412 4.383e+00 2.126e+00 2.062 0.03928 *
## post_floyd:as.factor(zcta)55413 1.192e+00 2.126e+00 0.561 0.57514
## post_floyd:as.factor(zcta)55414 1.001e+00 2.126e+00 0.471 0.63784
## post_floyd:as.factor(zcta)55415 5.063e+00 2.126e+00 2.381 0.01728 *
## post_floyd:as.factor(zcta)55416 5.031e-01 2.126e+00 0.237 0.81293
## post_floyd:as.factor(zcta)55417 1.390e+00 2.126e+00 0.654 0.51336
## post_floyd:as.factor(zcta)55418 7.871e-01 2.126e+00 0.370 0.71122
## post_floyd:as.factor(zcta)55419 9.939e-01 2.126e+00 0.467 0.64016
## post_floyd:as.factor(zcta)55430 3.680e+00 2.126e+00 1.731 0.08349 .
## post_floyd:as.factor(zcta)55454 7.463e-01 2.126e+00 0.351 0.72559
## post_floyd:as.factor(zcta)55455 5.303e-01 2.126e+00 0.249 0.80305
## post_floyd_3:as.factor(zcta)55402 1.803e-14 2.752e+00 0.000 1.00000
## post_floyd_3:as.factor(zcta)55403 1.419e-01 2.752e+00 0.052 0.95889
## post_floyd_3:as.factor(zcta)55404 -2.237e+00 2.752e+00 -0.813 0.41629
## post_floyd_3:as.factor(zcta)55405 -1.892e+00 2.752e+00 -0.687 0.49182
## post_floyd_3:as.factor(zcta)55406 -2.601e-01 2.752e+00 -0.095 0.92470
## post_floyd_3:as.factor(zcta)55407 -2.324e-01 2.752e+00 -0.084 0.93270
## post_floyd_3:as.factor(zcta)55408 7.504e-02 2.752e+00 0.027 0.97825
## post_floyd_3:as.factor(zcta)55409 1.902e-14 2.752e+00 0.000 1.00000
## post_floyd_3:as.factor(zcta)55410 2.439e-14 2.752e+00 0.000 1.00000
## post_floyd_3:as.factor(zcta)55411 -5.421e+00 2.752e+00 -1.970 0.04889 *
## post_floyd_3:as.factor(zcta)55412 -1.411e+00 2.752e+00 -0.513 0.60825
## post_floyd_3:as.factor(zcta)55413 -2.226e-01 2.752e+00 -0.081 0.93553
## post_floyd_3:as.factor(zcta)55414 -5.965e-01 2.752e+00 -0.217 0.82840
## post_floyd_3:as.factor(zcta)55415 -3.626e+00 2.752e+00 -1.318 0.18764
## post_floyd_3:as.factor(zcta)55416 3.546e-14 2.752e+00 0.000 1.00000
## post_floyd_3:as.factor(zcta)55417 -1.074e+00 2.752e+00 -0.390 0.69623
## post_floyd_3:as.factor(zcta)55418 -1.048e-01 2.752e+00 -0.038 0.96964
## post_floyd_3:as.factor(zcta)55419 -5.108e-01 2.752e+00 -0.186 0.85274
## post_floyd_3:as.factor(zcta)55430 -3.309e+00 2.752e+00 -1.202 0.22924
## post_floyd_3:as.factor(zcta)55454 -7.126e-01 2.752e+00 -0.259 0.79569
## post_floyd_3:as.factor(zcta)55455 4.193e-14 2.752e+00 0.000 1.00000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 5.46 on 5668 degrees of freedom
## Multiple R-squared:  0.04341,    Adjusted R-squared:  0.03109
## F-statistic: 3.524 on 73 and 5668 DF,  p-value: < 2.2e-16

## Warning: package 'lme4' was built under R version 4.1.3

## Warning: package 'Matrix' was built under R version 4.1.3

## Linear mixed model fit by REML. t-tests use Satterthwaite's method [
## lmerModLmerTest]
## Formula: assault_incid_c ~ t + state_of_emerg + stay_at_home + post_floyd +
##         post_floyd_3 + tmax_f + snow_in + precip_in + dark_before_12 +
##         school + uof_lag + stops_lag + shoot_lag + (1 | zcta)
## Data: panel
##
## REML criterion at convergence: 35762.1
##
## Scaled residuals:

```

```

##      Min      1Q Median      3Q      Max
## -0.791 -0.142 -0.062 -0.001 48.201
##
## Random effects:
##   Groups   Name                Variance Std.Dev.
##   zcta      (Intercept)    0.8264  0.909
##   Residual                    30.0102  5.478
## Number of obs: 5720, groups:  zcta, 22
##
## Fixed effects:
##              Estimate Std. Error        df t value Pr(>|t|)
## (Intercept)    8.158e-01  1.014e+00  3.927e+03   0.805   0.4211
## t              2.352e-03  1.339e-03  5.582e+03   1.756   0.0791 .
## state_of_emerg1 -6.989e-01  7.196e-01  5.692e+03  -0.971   0.3315
## stay_at_home1   3.140e-01  7.381e-01  5.684e+03   0.425   0.6705
## post_floyd1     1.252e+00  7.349e-01  5.688e+03   1.704   0.0885 .
## post_floyd_31  -4.691e-01  4.596e-01  5.689e+03  -1.021   0.3075
## tmax_f          3.744e-03  6.741e-03  5.684e+03   0.555   0.5786
## snow_in        -9.448e-02  2.155e-01  5.684e+03  -0.438   0.6611
## precip_in      -2.269e-01  7.041e-01  5.684e+03  -0.322   0.7472
## dark_before_12 -8.665e-02  1.156e-01  5.688e+03  -0.750   0.4534
## school         -2.354e-01  2.657e-01  5.689e+03  -0.886   0.3758
## uof_lag        -3.476e-02  2.552e-02  4.439e+03  -1.362   0.1733
## stops_lag       4.321e-03  3.419e-03  1.020e+03   1.264   0.2066
## shoot_lag      -2.484e-01  4.841e-01  5.693e+03  -0.513   0.6078
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

## Linear mixed model fit by REML. t-tests use Satterthwaite's method [
## lmerModLmerTest]
## Formula: unintentional_incid_c ~ t + state_of_emerg + stay_at_home + post_floyd +
##          post_floyd_3 + tmax_f + snow_in + precip_in + dark_before_12 +
##          school + uof_lag + stops_lag + shoot_lag + (1 | zcta)
## Data: panel
##
## REML criterion at convergence: 37591.5
##
## Scaled residuals:
##      Min      1Q Median      3Q      Max
## -0.738 -0.122 -0.056 -0.003 58.652
##
## Random effects:
##   Groups   Name                Variance Std.Dev.
##   zcta      (Intercept)    0.6252  0.7907
##   Residual                    41.4288  6.4365
## Number of obs: 5720, groups:  zcta, 22
##
## Fixed effects:
##              Estimate Std. Error        df t value Pr(>|t|)
## (Intercept)   -9.985e-01  1.181e+00  4.908e+03  -0.845   0.39796
## t              1.391e-03  1.567e-03  5.416e+03   0.887   0.37494
## state_of_emerg1 3.186e-01  8.453e-01  5.695e+03   0.377   0.70627
## stay_at_home1  -7.133e-01  8.672e-01  5.685e+03  -0.823   0.41081
## post_floyd1     1.650e+00  8.633e-01  5.690e+03   1.911   0.05605 .

```

```

## post_floyd_31  -1.757e+00  5.399e-01  5.691e+03  -3.254  0.00114 **
## tmax_f         1.191e-02  7.920e-03  5.684e+03   1.504  0.13255
## snow_in        -1.798e-02  2.532e-01  5.684e+03  -0.071  0.94339
## precip_in       5.508e-01  8.273e-01  5.684e+03   0.666  0.50552
## dark_before_12  9.609e-02  1.358e-01  5.689e+03   0.708  0.47910
## school          2.773e-01  3.122e-01  5.692e+03   0.888  0.37433
## uof_lag         -4.140e-03  2.967e-02  3.386e+03  -0.140  0.88904
## stops_lag        4.394e-03  3.861e-03  5.009e+02   1.138  0.25564
## shoot_lag       -4.081e-02  5.686e-01  5.697e+03  -0.072  0.94279
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

## Linear mixed model fit by REML. t-tests use Satterthwaite's method [
## lmerModLmerTest]
## Formula: assault_incid_c ~ t + state_of_emerg + stay_at_home + post_floyd +
##          post_floyd_3 + tmax_f + snow_in + precip_in + dark_before_12 +
##          school + uof_lag + stops_lag + shoot_lag + black_pop + post_floyd:black_pop +
##          (1 | zcta)
## Data: panel
##
## REML criterion at convergence: 35746.4
##
## Scaled residuals:
##      Min       1Q   Median       3Q      Max
## -1.175 -0.140 -0.064 -0.002 48.310
##
## Random effects:
##   Groups   Name              Variance Std.Dev.
##   zcta     (Intercept)    0.43      0.6557
##   Residual                    29.93    5.4705
## Number of obs: 5720, groups:  zcta, 22
##
## Fixed effects:
##              Estimate Std. Error      df t value Pr(>|t|)
## (Intercept)   2.805e-01  1.020e+00  2.873e+03   0.275   0.7834
## t              2.244e-03  1.333e-03  5.464e+03   1.684   0.0922
## state_of_emerg1 -6.891e-01  7.185e-01  5.693e+03  -0.959   0.3375
## stay_at_home1   3.132e-01  7.370e-01  5.684e+03   0.425   0.6709
## post_floyd1     -2.252e-02  7.848e-01  5.685e+03  -0.029   0.9771
## post_floyd_31   -4.714e-01  4.589e-01  5.690e+03  -1.027   0.3044
## tmax_f          3.757e-03  6.731e-03  5.683e+03   0.558   0.5768
## snow_in         -9.577e-02  2.152e-01  5.683e+03  -0.445   0.6563
## precip_in       -2.250e-01  7.031e-01  5.683e+03  -0.320   0.7489
## dark_before_12  -8.531e-02  1.154e-01  5.688e+03  -0.739   0.4597
## school          -2.369e-01  2.653e-01  5.690e+03  -0.893   0.3720
## uof_lag         -3.340e-02  2.528e-02  3.602e+03  -1.321   0.1866
## stops_lag        4.580e-03  3.340e-03  6.188e+02   1.372   0.1707
## shoot_lag       -2.130e-01  4.834e-01  5.695e+03  -0.441   0.6595
## black_pop        2.924e-02  1.126e-02  2.266e+01   2.596   0.0163 *
## post_floyd1:black_pop 7.005e-02  1.536e-02  5.691e+03  4.561 5.21e-06 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

## Linear mixed model fit by REML. t-tests use Satterthwaite's method [

```

```

## lmerModLmerTest]
## Formula: unintent_incid_c ~ t + state_of_emerg + stay_at_home + post_floyd +
##      post_floyd_3 + tmax_f + snow_in + precip_in + dark_before_12 +
##      school + uof_lag + stops_lag + shoot_lag + black_pop + post_floyd:black_pop +
##      (1 | zcta)
## Data: panel
##
## REML criterion at convergence: 37583.7
##
## Scaled residuals:
##      Min       1Q   Median       3Q      Max
## -0.977 -0.133 -0.055  0.000  58.758
##
## Random effects:
##      Groups   Name      Variance Std.Dev.
##      zcta      (Intercept) 0.2812  0.5303
##      Residual              41.3750  6.4323
## Number of obs: 5720, groups: zcta, 22
##
## Fixed effects:
##              Estimate Std. Error      df t value Pr(>|t|)
## (Intercept)   -1.613e+00  1.185e+00  4.297e+03  -1.361  0.17349
## t              1.462e-03  1.560e-03  5.262e+03   0.937  0.34871
## state_of_emerg1  3.031e-01  8.446e-01  5.696e+03   0.359  0.71973
## stay_at_home1  -7.056e-01  8.666e-01  5.685e+03  -0.814  0.41557
## post_floyd1     7.136e-01  9.227e-01  5.686e+03   0.773  0.43933
## post_floyd_31  -1.757e+00  5.395e-01  5.694e+03  -3.257  0.00113 **
## tmax_f          1.195e-02  7.915e-03  5.685e+03   1.510  0.13103
## snow_in         -2.181e-02  2.531e-01  5.685e+03  -0.086  0.93133
## precip_in       5.472e-01  8.267e-01  5.684e+03   0.662  0.50805
## dark_before_12  9.493e-02  1.357e-01  5.690e+03   0.700  0.48409
## school          2.829e-01  3.119e-01  5.692e+03   0.907  0.36444
## uof_lag         -4.529e-03  2.927e-02  2.425e+03  -0.155  0.87703
## stops_lag       3.060e-03  3.717e-03  3.073e+02   0.823  0.41106
## shoot_lag      -3.288e-02  5.682e-01  5.699e+03  -0.058  0.95386
## black_pop       3.566e-02  1.042e-02  2.435e+01   3.423  0.00220 **
## post_floyd1:black_pop 5.051e-02  1.806e-02  5.694e+03   2.797  0.00517 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```



Figure 3: Post-Killing X Percent Black Interaction Plot





Figure A3: Post-Killing X Percent Black Interaction Plot



```
class(re_base) <- "lmerMod"
class(re_int) <- "lmerMod"

stargazer(ts_ar1_pol, re_base, re_int,
  title = "Interrupted Time Series Models of Firearm Assault Injuries",
  covariate.labels = c("T", "COVID - State of Emergency", "COVID - Stay at Home",
    "Post-Killing", "Post-Killing 3 Months",
    "MPD Use of Force t-1", "MPD Stops t-1",
    "MPD Officer Involved Shootings t-1",
    "AR(1)",
    "Percent Black",
    "Post-Killing X Percent Black"),
  header = F,
  dep.var.caption = "Firearm Assault Injuries",
  dep.var.labels = "Rate per 1,000",
  model.names = FALSE,
  column.labels = c("AR(1) TSR", "RE HLM", "RE HLM +Int."),
  model.numbers = TRUE,
  single.row = F,
  align = T,
  omit = c("tmax_f", "snow_in", "precip_in", "dark_before_12", "school"),
  omit.stat = c("adj.rsq"),
  star.cutoffs = c(.05, .01, .001), star.char = c("?", "**", "***"),
  add.lines = list(c("SD(ZCTA)", "", .826, .642),
    c("SD(Residual)", "", 30.010, 5.461)),
  notes.label = "Models include controls ,for seasonality.")
```

```

class(re_base_unintent) <- "lmerMod"
class(re_int_unintent) <- "lmerMod"

stargazer(ts_ar1_pol_unintent, re_base_unintent, re_int_unintent,
  title = "Interrupted Time Series Models of Firearm Unintentional Injuries",
  covariate.labels = c("T", "COVID - State of Emergency", "COVID - Stay at Home",
    "Post-Killing", "Post-Killing 3 Months",
    "MPD Use of Force t-1", "MPD Stops t-1",
    "MPD Officer Involved Shootings t-1",
    "AR(1)",
    "Percent Black",
    "Post-Killing X Percent Black"),
  header = F,
  dep.var.caption = "Firearm Unintentional Injuries",
  dep.var.labels = "Rate per 1,000",
  model.names = FALSE,
  column.labels = c("AR(1) TSR", "RE HLM", "RE HLM +Int."),
  model.numbers = TRUE,
  single.row = F,
  align = T,
  omit = c("tmax_f", "snow_in", "precip_in", "dark_before_12", "school"),
  omit.stat = c("adj.rsq"),
  star.cutoffs = c(.05, .01, .001), star.char = c("?", "**", "***"),
  add.lines = list(c("SD(ZCTA)", "", .826, .642),
    c("SD(Residual)", "", 30.010, 5.461)),
  notes.label = "Models include controls ,for seasonality.")

```

*#maps of post\_floyd and post\_floyd\_3 coefficients by zip - colored divergently*

```

coef <- broom::tidy(fe_int_model$coefficients) %>%
  filter(str_detect(names, "post_floyd")) %>%
  mutate(period = ifelse(str_detect(names, "post_floyd_3"), "3+ Months Post-Killing", "0-3 Months Post-"),
    main_effect = ifelse(period=="3+ Months Post-Killing", round(0.3399083,2), round(-0.5604477,2)),
    zcta = as.numeric(str_sub(names, -5)),
    zcta = as.numeric(ifelse(is.na(zcta), "55401", zcta)),
    interaction_effect = ifelse(zcta=="55401", 0, round(x,2)),
    coef = main_effect+interaction_effect) %>%
  select(zcta, period, coef, main_effect, interaction_effect) %>%
  arrange(zcta, period)

```

```

## Warning: 'tidy.numeric' is deprecated.
## See help("Deprecated")

```

```

## Warning in mask$eval_all_mutate(quo): NAs introduced by coercion

```

*#creating period rows in other spatial layers*

```

coef_zip_level <- zip_level %>%
  filter(period!="Pre-Killing") %>%
  left_join(coef, by = c("zcta", "period"))
coef_gfs <- gfs

```

Table 1: Interrupted Time Series Models of Firearm Assault Injuries

	Firearm Assault Injuries		
	Rate per 1,000		
	AR(1) TSR	RE HLM	RE HLM +Int.
	(1)	(2)	(3)
T	-0.00001 (0.00001)	0.002 (0.001)	0.002 (0.001)
COVID - State of Emergency	-0.005 (0.003)	-0.699 (0.720)	-0.689 (0.718)
COVID - Stay at Home	0.006 (0.003)	0.314 (0.738)	0.313 (0.737)
Post-Killing	0.015*** (0.003)	1.252 (0.735)	-0.023 (0.785)
Post-Killing 3 Months	-0.007** (0.002)	-0.469 (0.460)	-0.471 (0.459)
MPD Use of Force t-1	0.001 (0.008)	-0.035 (0.026)	-0.033 (0.025)
MPD Stops t-1	-0.002 (0.001)	0.004 (0.003)	0.005 (0.003)
MPD Officer Involved Shootings t-1	-0.240 (0.210)	-0.248 (0.484)	-0.213 (0.483)
AR(1)	0.100 (0.069)		
Percent Black			0.029** (0.011)
Post-Killing X Percent Black			0.070*** (0.015)
Constant	0.011 (0.006)	0.816 (1.014)	0.280 (1.020)
SD(ZCTA)		0.826	0.642
SD(Residual)		30.01	5.461
Observations	217	5,720	5,720
R <sup>2</sup>	0.389		
Log Likelihood		-17,881.070	-17,873.220
Akaike Inf. Crit.		35,794.140	35,782.440
Bayesian Inf. Crit.		35,900.560	35,902.170
Residual Std. Error	0.005 (df = 202)		
F Statistic	9.183*** (df = 14; 202)		

Models include controls ,for seasonality.

\*p&lt;0.05; \*\*p&lt;0.01; \*\*\*p&lt;0.001

Table 2: Interrupted Time Series Models of Firearm Unintentional Injuries

	Firearm Unintentional Injuries		
	AR(1) TSR	Rate per 1,000	
		RE HLM	RE HLM +Int.
	(1)	(2)	(3)
T	-0.00001 (0.00001)	0.001 (0.002)	0.001 (0.002)
COVID - State of Emergency	-0.002 (0.003)	0.319 (0.845)	0.303 (0.845)
COVID - Stay at Home	0.002 (0.003)	-0.713 (0.867)	-0.706 (0.867)
Post-Killing	0.012*** (0.003)	1.650 (0.863)	0.714 (0.923)
Post-Killing 3 Months	-0.006** (0.002)	-1.757** (0.540)	-1.757** (0.539)
MPD Use of Force t-1	-0.0002 (0.007)	-0.004 (0.030)	-0.005 (0.029)
MPD Stops t-1	-0.002 (0.001)	0.004 (0.004)	0.003 (0.004)
MPD Officer Involved Shootings t-1	0.213 (0.198)	-0.041 (0.569)	-0.033 (0.568)
AR(1)	-0.005 (0.065)		
Percent Black			0.036*** (0.010)
Post-Killing X Percent Black			0.051** (0.018)
Constant	0.004 (0.006)	-0.998 (1.181)	-1.613 (1.185)
SD(ZCTA)		0.826	0.642
SD(Residual)		30.01	5.461
Observations	217	5,720	5,720
R <sup>2</sup>	0.406		
Log Likelihood		-18,795.730	-18,791.830
Akaike Inf. Crit.		37,623.460	37,619.670
Bayesian Inf. Crit.		37,729.890	37,739.400
Residual Std. Error	0.005 (df = 202)		
F Statistic	9.850*** (df = 14; 202)		

Models include controls ,for seasonality.

\*p&lt;0.05; \*\*p&lt;0.01; \*\*\*p&lt;0.001


```

coef_gfs[2,] <- gfs[1,]
coef_gfs$period <- c("3+ Months Post-Killing", "0-3 Months Post-Killing")
coef_mpls <- mpls
coef_mpls[2,] <- mpls[1,]
coef_mpls$period <- c("3+ Months Post-Killing", "0-3 Months Post-Killing")

ggplot() +
  geom_sf(data = coef_zip_level, aes(geometry = geometry, fill = coef)) +
  geom_sf(data = mpls, aes(geometry = geometry), color = "black", alpha = 0)+
  geom_sf(data = coef_gfs, aes(geometry = geometry), color = "black")+
  geom_text_repel(data = gfs, aes(x=lon, y=lat, label = name),
    size = 2,
    fontface = "bold",
    nudge_x = 1, nudge_y = -1)+
  scale_fill_gradient2(trans="reverse")+
  facet_wrap(~period)+
  labs(title = "Figure 3: Treatment Effects by ZCTA",
    fill = "Coef.")+
  theme(axis.text = element_blank(),
    axis.line = element_blank(),
    axis.ticks = element_blank(),
    panel.border = element_blank(),
    panel.grid = element_blank(),
    axis.title = element_blank(),
    panel.background = element_blank(),
    panel.grid.major = element_line(colour="transparent"),
    plot.subtitle = element_text(face="italic"),
    strip.background = element_rect(fill = "white",
      colour = "black"))+
  guides(fill = guide_colorbar(reverse = TRUE))

```

Figure 3: Treatment Effects by ZCTA



## MPD Murders: Figures 4 and 5

```
#pre-pims
mpd_2016 <- read_csv("Data/Police_Incidents_2016.csv")
mpd_2017 <- read_csv("Data/Police_Incidents_2017.csv")
mpd_2018a <- read_csv("Data/Police_Incidents_2018.csv")

#pims
mpd_2018b <- read_csv("Data/Police_Incidents_2018_PIMS.csv")
mpd_2019 <- read_csv("Data/Police_Incidents_2019.csv")
mpd_2020 <- read_csv("Data/Police_Incidents_2020.csv")
mpd_2021 <- read_csv("Data/Police_Incidents_2021.csv")

pre_pims_base <- mpd_2016 %>%
  rbind(mpd_2017) %>%
  rbind(mpd_2018a) %>%
  rename(reportedDate = ReportedDate,
         centerLong = Long,
         centerLat = Lat) %>%
  select(FID, centerLong, centerLat, Offense, reportedDate) %>%
  rename(OBJECTID = FID,
         X = centerLong,
         Y = centerLat,
```

```

      offense = Offense)

post_pims_base <- mpd_2018b %>%
  rbind(mpd_2019) %>%
  rbind(mpd_2020) %>%
  rbind(mpd_2021) %>%
  select(OBJECTID, X, Y, offense, reportedDate)

mpd <- pre_pims_base %>%
  rbind(post_pims_base)

mpd_series <- mpd %>%
  mutate(date=ymd_hms(reportedDate),
         year=isoyear(date),
         week=isoweek(date)) %>%
  st_as_sf(coords = c("X", "Y"), crs = "NAD83", remove=F) %>%
  mutate(intersection = as.integer(st_intersects(geometry, zcta)),
         zcta = ifelse(is.na(intersection), NA, zcta$zcta[intersection])) %>%
  st_drop_geometry() %>%
  filter(offense=="MURDR" & zcta %in% zcta_universe) %>%
  group_by(year, week, .drop=F) %>%
  tally(name = "murder") %>%
  arrange(year, week) %>%
  filter(year <= 2021 & year >= 2016) %>%
  ungroup() %>%
  complete(year, week = 1:52, fill = list(murder = 0))

mpls_pops_year <- series %>%
  group_by(year) %>%
  summarize(total_pop = mean(total_pop, na.rm = T)) %>%
  add_row(year = 2021, total_pop = 603465)

mpd_series <- mpd_series %>%
  left_join(mpls_pops_year, by = "year") %>%
  mutate(murder_rate = (murder/total_pop)*1000,
         begin_date = ISOweek2date(paste(year, paste0("W", sprintf("%02d", week))), 1, sep = "-"),
         end_date = begin_date+weeks(1)-days(1))


ggplot(mpd_series)+
  geom_line(aes(x=begin_date, y=murder_rate))+
  scale_x_date(date_labels = "%b-%Y", date_breaks = "6 months")+
  geom_vline(xintercept=mpd_series$begin_date[mpd_series$year==2020 & mpd_series$week==isoweek(date("2020-05-01"))],
            linetype="dotted", color="red", size=1)+
  geom_label(aes(x=mpd_series$begin_date[mpd_series$year==2020 & mpd_series$week==isoweek(date("2020-05-01"))],
                y=0.0150),
            label = "George Floyd", show.legend = FALSE)+
  scale_y_continuous(limits = c(0, .015))+
  labs(title = "Figure 4: Weekly Murder Rate, 2016-2021",
       subtitle = "MPD Data",
       x = "Week",
       y = "Rate per 1,000 Residents")+
  theme_minimal()+

```



```
theme(axis.text.x=element_text(angle=45, hjust=1))
```

Figure 4: Weekly Murder Rate, 2016–2021  
MPD Data




```
mpd_series <- mpd_series %>%
  mutate(csma = forecast::ma(murder_rate, order=5, centre=TRUE),
         tsma = TTR::SMA(murder_rate, n=5))

ggplot(mpd_series)+
  geom_line(aes(x=begin_date, y=murder_rate))+
  scale_x_date(date_labels = "%b-%Y", date_breaks = "6 months")+
  geom_vline(xintercept=mpd_series$begin_date[mpd_series$year==2020 & mpd_series$week==isoweek(date("2020-05-01"))],
             linetype="dotted", color="red", size=1)+
  geom_label(aes(x=mpd_series$begin_date[mpd_series$year==2020 & mpd_series$week==isoweek(date("2020-05-01"))],
                y=0.0150),
            label = "George Floyd", show.legend = FALSE)+
  scale_y_continuous(limits = c(0,.015))+
  labs(title = "Figure 4: Weekly Murder Rate, 2016–2021",
       subtitle = "MPD Data",
       x = "Week",
       y = "Rate per 1,000 Residents",
       color = NULL)+
  theme_minimal()+
  theme(axis.text.x=element_text(angle=45, hjust=1)) +
  geom_line(aes(x=begin_date, y=csma, color = "CSMA(5)"))+
  #geom_line(aes(x=begin_date, y=tsma, color = "TSM(5)"))+
  #geom_ma(aes(x = begin_date, y = murder_rate, color = "MA4"), ma_fun = SMA, n = 4)
```

```
scale_color_manual(values = c("blue", "green"))
```

Figure 4: Weekly Murder Rate, 2016–2021  
MPD Data



```
mpd_zip <- panel %>%
  select(zcta, year, weekofyr, total_pop) %>%
  ungroup() %>%
  complete(zcta, year = 2016:2021, weekofyr = 1:52) %>%
  arrange(zcta, year, weekofyr) %>%
  mutate(total_pop = ifelse(is.na(total_pop), na_locf(total_pop), total_pop)) %>%
  group_by(zcta) %>%
  summarize(total_pop = mean(total_pop, na.rm = T))

mpd_zip <- mpd %>%
  mutate(date=ymd_hms(reportedDate),
         year=isoyear(date),
         week=isoweek(date)) %>%
  st_as_sf(coords = c("X", "Y"), crs = "NAD83", remove=F) %>%
  mutate(intersection = as.integer(st_intersects(geometry, zcta)),
         zcta = ifelse(is.na(intersection), NA, zcta$zcta[intersection])) %>%
  st_drop_geometry() %>%
  filter(offense=="MURDR" & zcta %in% zcta_universe) %>%
  group_by(year, week, zcta, .drop=F) %>%
  tally(name = "murder") %>%
  arrange(zcta, year, week) %>%
  ungroup() %>%
```

```

complete(year, week=1:52, zcta=zcta_universe, fill = list(murder = 0)) %>%
filter(year <= 2021 & year >= 2016) %>%
mutate(begin_date = ISOweek2date(paste(year, paste0("W", sprintf("%02d", week)), 1, sep = "-")),
       end_date = begin_date+weeks(1)-days(1),
       post_floyd = as.numeric(begin_date >= as.Date("2020-05-25")),
       post_floyd_3 = as.numeric(begin_date >= as.Date("2020-05-25")+months(3)),
       period = factor(case_when(
         post_floyd==0 & post_floyd_3==0 ~ "Pre-Killing",
         post_floyd>=1 & post_floyd_3==0 ~ "0-3 Months Post-Killing",
         post_floyd>=1 & post_floyd_3>=1 ~ "3+ Months Post-Killing",
         levels = c("Pre-Killing", "0-3 Months Post-Killing", "3+ Months Post-Killing")))) %>%
left_join(mpls_pops_zcta, by = "zcta") %>%
group_by(period, zcta, .drop=F) %>%
summarize(murder = mean(murder, na.rm = T),
          total_pop = mean(total_pop, na.rm = T)) %>%
left_join(zcta, by = "zcta") %>%
mutate(murder_rate = (murder/total_pop)*1000)

```

## 'summarise()' has grouped output by 'period'. You can override using the  
## '.groups' argument.

```

ggplot() +
  geom_sf(data = mpd_zip, aes(geometry = geometry, fill = murder_rate)) +
  geom_sf(data = mpls, aes(geometry = geometry), color = "black", alpha = 0)+
  geom_sf(data = gfs, aes(geometry = geometry), color = "black")+
  geom_text_repel(data = gfs, aes(x=lon, y=lat, label = name),
                 size = 2,
                 fontface = "bold",
                 nudge_x = 1, nudge_y = -1)+
  facet_wrap(~period)+
  scale_fill_distiller(palette = "Spectral")+
  labs(title = "Figure 5: Murder Rates by ZCTA and Period",
       subtitle = "MPD Data",
       fill = "Murder Rate/1,000")+
  theme(axis.text.x = element_blank(),
        axis.text.y = element_blank(),
        axis.line = element_blank(),
        axis.ticks = element_blank(),
        panel.border = element_blank(),
        panel.grid = element_blank(),
        axis.title = element_blank(),
        panel.background = element_blank(),
        panel.grid.major = element_line(colour="transparent"),
        plot.subtitle = element_text(face="italic"),
        strip.background = element_rect(fill = "white",
                                         colour = "black"))

```

Figure 5: Murder Rates by ZCTA and Period

MPD Data

