

Java Strings

[< Previous](#)[Next >](#)

Java Strings

Strings are used for storing text.

A **String** variable contains a collection of characters surrounded by double quotes:

Example

Create a variable of type **String** and assign it a value:

```
String greeting = "Hello";
```

[Try it Yourself »](#)

String Length

A String in Java is actually an object, which contain methods that can perform certain operations on strings. For example, the length of a string can be found with the **length()** method:

Example

```
String txt = "ABCDEFGHJKLMNOPQRSTUVWXYZ";  
System.out.println("The length of the txt string is: " + txt.length());
```

Try it Yourself »

More String Methods

There are many string methods available, for example `toUpperCase()` and `toLowerCase()` :

Example

```
String txt = "Hello World";  
System.out.println(txt.toUpperCase()); // Outputs "HELLO WORLD"  
System.out.println(txt.toLowerCase()); // Outputs "hello world"
```

Try it Yourself »

Finding a Character in a String

The `indexOf()` method returns the **index** (the position) of the first occurrence of a specified text in a string (including whitespace):

Example

```
String txt = "Please locate where 'locate' occurs!";  
System.out.println(txt.indexOf("locate")); // Outputs 7
```

[Try it Yourself »](#)

Java counts positions from zero.

0 is the first position in a string, 1 is the second, 2 is the third ...

Complete String Reference

For a complete reference of String methods, go to our [Java String Methods Reference](#).

The reference contains descriptions and examples of all string methods.

Test Yourself With Exercises

Exercise:

Fill in the missing part to create a `greeting` variable of type `String` and assign it the value `Hello` .

```
greeting =      ;
```

[Submit Answer »](#)

[Start the Exercise](#)

[◀ Previous](#)


[Next ▶](#)

ADVERTISEMENT



NEW

We just launched
W3Schools videos



Explore now

COLOR PICKER



Get certified
by completing
a Java
course today!



Get started

CODE GAME




Play Game

ADVERTISEMENT

ADVERTISEMENT

ADVERTISEMENT



Report Error

Spaces

Pro

Buy Certificate

Top Tutorials

[HTML Tutorial](#)

[CSS Tutorial](#)

[JavaScript Tutorial](#)

- How To Tutorial
- SQL Tutorial
- Python Tutorial
- W3.CSS Tutorial
- Bootstrap Tutorial
- PHP Tutorial
- Java Tutorial
- C++ Tutorial
- jQuery Tutorial

Top References

- HTML Reference
- CSS Reference
- JavaScript Reference
- SQL Reference
- Python Reference
- W3.CSS Reference
- Bootstrap Reference
- PHP Reference
- HTML Colors
- Java Reference
- Angular Reference
- jQuery Reference

Top Examples

- HTML Examples
- CSS Examples
- JavaScript Examples
- How To Examples
- SQL Examples
- Python Examples
- W3.CSS Examples
- Bootstrap Examples
- PHP Examples
- Java Examples
- XML Examples
- jQuery Examples

Get Certified

- HTML Certificate
- CSS Certificate
- JavaScript Certificate
- Front End Certificate
- SQL Certificate
- Python Certificate
- PHP Certificate
- jQuery Certificate
- Java Certificate
- C++ Certificate
- C# Certificate
- XML Certificate

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

