

Department of Computer Science and Engineering Midterm Examination Summer 2023 CSE 321: Operating Systems

Duration: 1 Hour 15 Minutes **Total Marks:** 25

Answer the following questions. Figures in the right margin indicate marks.

- a) Define the term "interrupt" in the context of operating systems.
 Mention one advantages and one disadvantage of a multiprocessor system.
 - **b)** A process from its creation till its completion will go through various states. To enter different states, the process requires the decision of different types of scheduler. **State** the name of different schedulers for different process states with justification.
 - c) What is the purpose of dual mode operation? Which of the following [1+1] instructions should be privileged?
 - i. Access I/O device ii. Set value of timer iii. Read the date in the calendar.iv. Clear memory v. Switch from user to kernel mode vi. Turn off interrupts.
 - d) Find the output of the following code snippet. Your output should [3] exactly match with the original output.

```
int main() {
   pid_t child_pid;
    int global_a = 68, b = 10;
    char message[] = "Hello, from the ";
    printf("Parent process started\n");
    child pid = fork();
    if (child_pid == -1) {
        printf("Fork Failed\n");
    } else if (child pid > 0) {
        wait(NULL);
        b *= 38;
        printf("Multiplication: %d * %d = %d\n", global_a,
b, global_a);
        printf("Division: %d / %d = %d\n", b, global a, b);
    } else {
        global_a += 98;
        printf("%sAddition: %d + %d = %d\n", message,
global_a, b, global_a);
        printf("%sSubtraction: %d - %d = %d\n", message, b,
global_a, b);
    return 0;
```

}

2. CO2

Processes	Arrival Time	Burst Time	Priority
P1	0	4	2
P2	6	4	1
P3	7	6	6
P4	7	1	3
P5	8	7	4
P6	19	7	5

- a) Draw a Gantt chart and illustrate the execution of the process using the [3+2] Round Robin scheduling algorithm (time quantum = 5 units). Calculate the average waiting and turnaround time.
- b) Apply Preemptive Priority scheduling algorithm. Draw the Gantt chart [2+2] and Calculate the average waiting and turnaround time.
- c) Compare the results and identify the most suitable scheduling [1] algorithm in this scenario.

3. a) Explain task parallelism with an example. [1.5]CO3

b) You are developing a lightweight, user-level threading library for a resource-constrained embedded system. The embedded system has limited processing power and memory, and it does not provide native support for multithreading at the kernel level. The primary goal is to allow concurrent execution of multiple tasks while minimizing the overhead of managing threads.

Based on the scenario, **which** multi-threading model would you recommend for implementation? **Provide** necessary justification.

c) A system has processes to execute of which 32% is serial. If the number of cores is decreased from 8 to 2, Explain the change in the performance.