### Accessibility (a11y)

- Content is available to as many people as possible
- Disabilities are common
- Disabilities are more than just blindness
  - But blind people are people too

If humanity and compassion don't motivate you

- Legal requirements
- Technical benefits

## Why arry?

- Programmer are lazy
  - it's one of the 3 Virtues of a Programmer
- a cce ssi bil it y
- a (eleven letters) y
- a11y

Hint: if you put this on your resume, have both forms

Ex: "Exposure to web accessibility(a11y) options"

## Warning

- a11y is essential
- It's also hard
  - Most lessons ignore it
  - Easy to be wrong with good intentions
  - Dedication to do well, not afterthought
- Even my govt job wanted to do bare minimum
  - I restrict myself to intro
  - Hopefully solid material

#### Why You Should Care About a11y

- Caring for people is Good
- Web is ever-more necessary
  - For much of my career that wasn't true
- Legal requirements will hopefully increase
- Demand for a11y-aware devs will increase
  - There's a massive shortage of them

#### How are we accessible?

- It's an entire field of work
  - We are only covering the intro/basics
- Make HTML inform tools like screen readers
- Provide alternatives for visuals
- Do not rely solely on visual context
- Allow for physical limitations

## **Informing tools**

- Using Semantic HTML
  - Semantics provide automatic behaviors
  - Avoid misleading semantics
- Adding ARIA attributes
  - COMPLEX!
  - Bad ARIA is worse than No ARIA
  - More shortly

#### Alternatives for visuals

- Image alt attributes
  - Have them
  - With meaningful text
  - If it is visually interesting, describe it!
    - Even if it isn't mechanically relevant
    - Example: don't say "logo" or "picture"
  - But use alt="" for when basically pointless
    - Images in background instead?
  - Don't say "picture of..."
    - just describe contents

#### Vision isn't a Binary!

- Obey users default text size
  - Use rem units for text, not px
  - Have most text at 1rem
- Have text that is large enough
  - Don't shrink font-size below ~12px (0.75rem)
- Have sufficient line-height and whitespace
  - You should often raise the default of 1.2
  - padding between borders and text
- Have enough contrast
  - Text vs background

## Don't rely on visuals alone

- Don't use colors/icons alone to signal info!
  - Have text as well
  - Example: an On/Off slider: say "On" or "Off"
    - In addition to any visual effect
    - o Don't assume your visuals make sense!

## **Don't Rely on Visual Context**

- Controls/labels that are visually linked
  - Easy mistake to make
- Making a graph accessible?
  - Possible!
  - Before you can research
    - ...you have to even consider it!

#### Allow for physical limitations

- Allow for keyboard OR mouse
- Minimum size for touch controls
  - At least 24px x 24px
  - 54px x 54px better
- Don't put info needed under their hand (mobile)
- Think before requiring hold/drag/precision
  - Fine motor control isn't even common
    - That's why we call it "fine"
    - Don't require fine motor control

# Web Content Accessibility Guidelines (WCAG)

- https://www.w3.org/TR/WCAG22/
- WCAG by the WAI at W3C (!)
- A set of guidelines for accessible web content
  - Used by vendors of tools
  - Used by webdevs that care
- 3 levels (A, AA, AAA)
  - A = "must" (absolute minimum, not praise)
  - AA = "should" ("usually good enough")
  - AAA = "may" ("actually working at it")

#### How to use WCAG

Rules for 4 areas (POUR):

- Perceivable
- Operable
- Understandable
- Robust

Worth it to read through once

• Notably: vague

Semantic HTML covers most of A and AA

• Not everyone is semantic!

## **Tooling!**

Various tools exist to help!

- Tools to test your site
- Tools to act as the user
- Tools to try to do it for you
  - I've heard only bad things

Don't neglect human review!

• Esp. humans that actually know

### Why not to rely on validation tools alone!

- Guidelines are vague and subjective
- No tool can test for that
- Tools only recognize clear violations
  - and some might be actually correct
- Human review is needed to find subtle bugs
  - and to verify if reported bugs are real

### Why to use validation tools anyway

- Most of us won't know the actual experience
- Good to supplement human review
- Can teach good habits
  - Fix the same issue a few times
  - You start writing it correct the first time

#### Why to avoid accessibility overlays

- A few companies make these
- Ads/sponsored links in a11y search results
- They offer to make your site accessible
  - Without you changing the site
- These are my personal understanding, not NEU...
  - EVERY a11y expert and disabled user I follow
    - HATES accessibility overlays/edge
  - These tools have lost or settled court cases
    - But haven't won any cases
- Learn to do it right instead

## **Example of a validation tool**

- aXe, WAVE, etc
- Install WAVE Browser Extension

#### Example of a screen reader

- (Demonstrate VoiceOver)
- Using a screen reader is good confirmation of UX
  - But involves more work to learn on your part
  - Headsets a must in an office :)
- Demonstrates importance of
  - Semantic landmarks
  - Semantic headings
  - Field labels
  - Image alt text
  - Link/button text

### Minimum a11y

- Use Semantic HTML
  - Seriously, not casually
- Provide alt text
- Avoid "Click here" or "Read More"
- Have enough color contrast

### Minimum a11y test

(inspired by @geekgalgroks on Twitter)

https://a11y.jenn.dev/posts/bare-bones-cheatsheet/

- Can you tab through all controls?
- Can you operate all controls with enter/spacebar?
- Do you pass a color contrast test?
- Confirm alt tags
  - what you tell someone not looking at it

# Accessible Rich Internet Applications (ARIA)

- W3C WAI ARIA, for those keeping score
- "Rich" means JS-driven HTML
- HTML attributes to give more meaning
- Semantic elements auto fulfil many of these
- Can be quite complex
- Minimize the need with semantic HTML!

#### No ARIA is better than Bad ARIA

- ARIA overrides default semantic HTML behavior
  - AND overrides assumptions tools make
    - Because of apps w/o a11y effort
  - When the ARIA is bad, it's a *trusted* bad
  - ARIA assumes behavior, doesn't provide it
- Avoid bad ARIA by minimizing the need for ARIA
  - tired of hearing this yet?
  - and minimize the use of ARIA
  - and understand the use ARIA
  - and verify with screen readers
    - Screen Readers just one assistive tech

#### **ARIA Roles**

A "role" gives purpose to an element

- a "button" is a role
- a "heading" is a role

Many semantic HTML elements are roles

- but some people use different elements
- also some roles with no matching element (yet)
  - such as "tab panel" and "tab"

#### **ARIA Landmarks**

- Define the foundational structure
  - main
  - navigation
  - region
  - search
  - etc
- You want some, but not too many
  - "noisy"
  - You want to make the page easy to navigate

#### **ARIA States**

- States imply changeable states of elements
  - think "checked" or "selected"
  - but also "open", "expanded", etc
- Offer more description than HTML alone
  - and that's when you want a little ARIA

#### **ARIA Properties**

Data about an element not expected to change

such as "label" or "labelled by"

#### Common use case:

- cards of many articles
- each with intro text and "Read More"
- visually we can see the article title
  - and know "Read more" what?
- ARIA can let us give screen readers more to read

#### How to ARIA!

- First, do you need to?
- Second, check the Practices document
  - https://www.w3.org/TR/wai-aria-practices/
  - Look to see how the ARIA attributes are used
- Third, if you aren't confident, don't use ARIA
  - I've seen criticism of practices doc
    - https://adrianroselli.com/2019/02/uncannya11y.html#APG

## **Basic ARIA properties (attributes)**

See MDN for details, as well as many other properties

- aria-label
- aria-labelledby
- aria-hidden
- aria-current
- aria-selected
- aria-expanded
- aria-required
- aria-invalid
- aria-errormessage
- aria-sort

#### **ARIA labelling properties**

- aria-label
  - Use when accessible label text not available
  - Use when accessible label text lacks context
    - Ex: "Read More" has only visual context
- aria-labelledby
  - id of element with label text for this element
- aria-hidden
  - "true" for elements that should only be visual
  - Not needed for hidden elements
  - Not needed for display: none; or visibility: hidden;

#### **ARIA** state properties

- aria-current
  - "page" on breadcrumb current page links
  - "true" on current element in list
- aria-selected
  - "true" on current tab in tablist role
- aria-expanded
  - "true" on control for expanded item
  - "false" on control for expandable item

#### **ARIA** and form errors

- aria-required
  - "true" on required fields
  - Not needed when required attribute
  - Don't use if <label> says "Required" in text
- aria-invalid
  - "true" when field has an error
  - Only set after submission attempt
  - Don't use for HTML-based validation
  - Set aria-errormessage when true
- aria-errormessage
  - id of element with error message text

## **ARIA Sorting properties**

- aria-sort
  - "ascending" or "descending"
  - Only on single column heading that is sorted

#### **ARIA Notes**

- This is a lot!
- And incomplete!
- Start small
  - Verify with MDN
  - Verify with tools like screen reader
- Hard to see pay off, but benefits are real
  - Focus on actually being "accessible"
    - Users aren't blocked or confused
  - Often get improvements before perfection

#### **Summary - A11y**

Accessibility is about making content usable

- Semantic HTML does a lot of work
- Small details can make a big impact
- If it is frustrating for you to fix
  - Consider what it is like for users!

#### **Summary - A11y Tools**

- Validation tools (Wave/aXe) are great
  - But cannot be a pass/fail
- Accessibility Overlays exist
  - Have a bad reputation
- Screen readers are hard to learn
  - But are "real" experiences

#### **Summary - ARIA**

- ARIA are **attributes** added to elements
  - Provide additional context
  - Used by tools to modify experience
- No ARIA is better than Bad ARIA!
- ARIA doesn't create behavior, it informs tools
- Take it slow
  - Minimize use
  - Confirm in tools