

## Chapter 3

### Problems

$$23. \quad a. \quad \frac{6 \cdot 5 \cdot 4}{6 \cdot 6 \cdot 6} = \frac{5}{9}$$

$$b. \quad \frac{1}{3!} = \frac{1}{6}$$

$$c. \quad \frac{5}{9} \cdot \frac{1}{6} = \frac{5}{54}$$

$$24. \quad P(w | w \text{ transferred})P\{w \text{ tr.}\} + P(w | R \text{ tr.})P\{R \text{ tr.}\} = \frac{2}{3} \cdot \frac{1}{3} + \frac{1}{3} \cdot \frac{2}{3} = \frac{4}{9}.$$

$$P\{w \text{ transferred} | w\} = \frac{P\{w | w \text{ tr.}\}P\{w \text{ tr.}\}}{P\{w\}} = \frac{\frac{2}{3} \cdot \frac{1}{3}}{\frac{4}{9}} = 1/2.$$

35. (a) Let G denote the event “Gloria used the key last,” D denote “Dominic used the key last,” and M denote “key was misplaced”. Then,


$$P(M) = P(M|G)P(G) + P(M|D)P(D) = 0.3 \times \frac{2}{3} + 0.45 \times \frac{1}{3} = .35$$

Thus, the probability of the key being put in its proper place is .65.

$$(b) \quad P(G|M) = \frac{P(M|G)P(G)}{P(M)} = \frac{0.3 \times \frac{2}{3}}{0.35} = .5714$$

$$40. \quad P\{\text{tails} | w\} = \frac{\frac{3}{15} \cdot \frac{1}{2}}{\frac{3}{15} \cdot \frac{1}{2} + \frac{5}{12} \cdot \frac{1}{2}} = \frac{36}{36 + 75} = \frac{36}{111}.$$

$$45. \quad P\{2 \text{ headed} | \text{heads}\} = \frac{\frac{1}{3}(1)}{\frac{1}{3}(1) + \frac{1}{3} \cdot \frac{1}{2} + \frac{1}{3} \cdot \frac{3}{4}} = \frac{4}{4 + 2 + 3} = \frac{4}{9}.$$



W: 獄卒說 B 會被釋放

L: A 被處死

$$P(L|W) = \frac{P(L \cap W)}{P(W)} = \frac{\frac{1}{3} \times \frac{1}{2}}{\frac{1}{3} \times \frac{1}{2} + \frac{1}{3} \times 0 + \frac{1}{3} \times 1} = \frac{1}{3} = P(L)$$

因此 W 無意義

⇒ 獄卒有說 (B 釋不釋放) 跟沒說一樣 #

$$49. \quad P\{\text{all white}\} = \frac{1}{6} \left[ \frac{5}{15} + \frac{5}{15} \frac{4}{14} + \frac{5}{15} \frac{4}{14} \frac{3}{13} + \frac{5}{15} \frac{4}{14} \frac{3}{13} \frac{2}{12} + \frac{5}{15} \frac{4}{14} \frac{3}{13} \frac{2}{12} \frac{1}{11} \right]$$

$$P\{3 \mid \text{all white}\} = \frac{\frac{1}{6} \frac{5}{15} \frac{4}{14} \frac{3}{13}}{P\{\text{all white}\}}$$

54. Let  $L_i$  be the event that  $A$  is in position  $i$ ,  $i = 1, 2, 3, 4$ , and let  $A$  be the event that  $A$  wins the tournament. Then

$$P(A) = \frac{1}{4} (P(A|L_1) + P(A|L_2) + P(A|L_3) + P(A|L_4)) = \frac{1}{4} (p^3 + p^3 + p^2 + p).$$

57. (a) Let  $T$  be the event that one of the teams wins the first 3 games. Then, with  $A$  being the event that team  $A$  wins the first 3 games, we have

$$P(A|T) = \frac{P(AT)}{P(T)} = \frac{P(A)}{P(T)} = \frac{p^3}{p^3 + (1-p)^3}$$

(b) Letting  $W$  be the event that a team wins the first 3 games and also wins the series, we have

$$\begin{aligned} P(W|T) &= \frac{P(WT)}{P(T)} \\ &= \frac{P(W)}{P(T)} \\ &= \frac{p^3(1-(1-p)^4) + (1-p)^3(1-p^4)}{p^3 + (1-p)^3} \end{aligned}$$

where the preceding used that  $W$  occurs if either  $A$  wins the first 3 games and then does not lose 4 games in a row or if player  $B$  wins the first 3 games and then does not lose 4 games in a row.

$$60. \quad P\{\text{Boy}, F\} = \frac{4}{16+x} \quad P\{\text{Boy}\} = \frac{10}{16+x} \quad P\{F\} = \frac{10}{16+x}$$

$$\text{so independence} \Rightarrow 4 = \frac{10 \cdot 10}{16+x} \Rightarrow 4x = 36 \text{ or } x = 9.$$

A direct check now shows that 9 sophomore girls (which the above shows is necessary) is also sufficient for independence of sex and class.

$$62. \quad (a) \quad 2p(1-p)$$

$$(b) \quad \binom{3}{2} p^2 (1-p)$$

(c)  $P\{\text{up on first} \mid \text{up 1 after 3}\}$

$$= P\{\text{up first, up 1 after 3}\} / [3p^2(1-p)]$$

$$= p2p(1-p) / [3p^2(1-p)] = 2/3.$$

67. (a)  $P\{\text{both hit} \mid \text{at least one hit}\} = \frac{P\{\text{both hit}\}}{P\{\text{at least one hit}\}}$

$$= p_1 p_2 / (1 - q_1 q_2)$$

(b)  $P\{\text{Barb hit} \mid \text{at least one hit}\} = p_1 / (1 - q_1 q_2)$

$Q_i = 1 - p_i$ , and we have assumed that the outcomes of the shots are independent.

70. (a)  $[1 - (1 - P_1 P_2)(1 - P_3 P_4)]P_5 = (P_1 P_2 + P_3 P_4 - P_1 P_2 P_3 P_4)P_5$

(b) Let  $E_1 = \{1 \text{ and } 4 \text{ close}\}$ ,  $E_2 = \{1, 3, 5 \text{ all close}\}$

$E_3 = \{2, 5 \text{ close}\}$ ,  $E_4 = \{2, 3, 4 \text{ close}\}$ . The desired probability is

$$\begin{aligned} P(E_1 \cup E_2 \cup E_3 \cup E_4) &= P(E_1) + P(E_2) + P(E_3) + P(E_4) - P(E_1 E_2) - P(E_1 E_3) - P(E_1 E_4) \\ &\quad - P(E_2 E_3) - P(E_2 E_4) + P(E_3 E_4) + P(E_1 E_2 E_3) + P(E_1 E_2 E_4) \\ &\quad + P(E_1 E_3 E_4) + P(E_2 E_3 E_4) + P(E_1 E_2 E_3 E_4) \\ &= P_1 P_4 + P_1 P_3 P_5 + P_2 P_5 + P_2 P_3 P_4 - P_1 P_3 P_4 P_5 - P_1 P_2 P_4 P_5 - P_1 P_2 P_3 P_4 \\ &\quad - P_1 P_2 P_3 P_5 - P_2 P_3 P_4 P_5 + 2P_1 P_2 P_3 P_4 P_5 + 3P_1 P_2 P_3 P_4 P_5. \end{aligned}$$

71. (a)  $P_1 P_2 Q_3 Q_4 + P_1 P_3 Q_2 Q_4 + P_1 P_4 Q_2 Q_3 + P_2 P_3 Q_1 Q_4 + P_2 P_4 Q_1 Q_3 + P_3 P_4 Q_1 Q_2 + P_1 P_2 P_3 Q_4$   
 $+ P_1 P_2 P_4 Q_3 + P_1 P_3 P_4 Q_2 + P_2 P_3 P_4 Q_1 + P_1 P_2 P_3 P_4$ , where  $Q_i = 1 - P_i$ .

(c)  $\sum_{i=k}^n \binom{n}{i} p^i (1-p)^{n-i}$

77. Let  $P_A$  be the probability that  $A$  wins when  $A$  rolls first, and let  $P_B$  be the probability that  $B$  wins when  $B$  rolls first. Using that the sum of the dice is 9 with probability  $1/9$ , we obtain upon conditioning on whether  $A$  rolls a 9 that

$$P_A = \frac{1}{9} + \frac{8}{9}(1 - P_B)$$

Similarly,

$$P_B = \frac{5}{36} + \frac{31}{36}(1 - P_A)$$

Solving these equations gives that  $P_A = 9/19$  (and that  $P_B = 45/76$ .)

81. (a) Because there will be 4 games if each player wins one of the first two games and then one of them wins the next two,  $P(4 \text{ games}) = 2p(1-p)[p^2 + (1-p)^2]$ .

(b) Let  $A$  be the event that  $A$  wins. Conditioning on the outcome of the first two games gives

$$\begin{aligned} P(A) &= P(A \mid a, a)p^2 + P(A \mid a, b)p(1-p) + P(A \mid b, a)(1-p)p + P(A \mid b, b)(1-p)^2 \\ &= p^2 + P(A)2p(1-p) \end{aligned}$$

where the notation  $a, b$  means, for instance, that  $A$  wins the first and  $B$  wins the second game. The final equation used that  $P(A \mid a, b) = P(A \mid b, a) = P(A)$ . Solving, gives

$$P(A) = \frac{p^2}{1-2p(1-p)}$$

## Self-Test Problems and Exercises

9.

9. 令  $A$  表植物仍活著之事件令  $W$  為植物被澆水之事件。

$$\begin{aligned} \text{(a)} \quad P(A) &= P(A | W)P(W) + P(A | W^c)P(W^c) \\ &= (.85)(.9) + (.2)(.1) = .785 \end{aligned}$$

$$\begin{aligned} \text{(b)} \quad P(W^c | A^c) &= \frac{P(A^c | W^c)P(W^c)}{P(A^c)} \\ &= \frac{(.8)(.1)}{.215} = \frac{16}{43} \end{aligned}$$

12.

12. 令  $L_i$  為 Maria 喜歡第  $i$  本書之事件， $i = 1, 2$ 。則

$$P(L_2 | L_1^c) = \frac{P(L_1^c L_2)}{P(L_1^c)} = \frac{P(L_1^c L_2)}{.4}$$

利用  $L_2$  為互斥事件  $L_1$  和  $L_2$  和  $L_1^c L_2$  之聯集，我們可得

$$.5 = P(L_2) = P(L_1 L_2) + P(L_1^c L_2) = .4 + P(L_1^c L_2)$$

所以

$$P(L_2 | L_1^c) = \frac{.1}{.4} = .25$$