7/3/25, 12:40 PM Numpy Part-1

Numpy Crash Course

```
In [1]: import numpy as np
 In [3]: import sys
         sys.version
 Out[3]: '3.12.7 | packaged by Anaconda, Inc. | (main, Oct 4 2024, 13:17:27) [MSC v.1929 6
         4 bit (AMD64)]'
 In [4]: import numpy as np
 In [5]: np.__version__
 Out[5]: '1.26.4'
 In [6]: #create list
         my_list = [0,1,2,3,4,5]
         my_list
Out[6]: [0, 1, 2, 3, 4, 5]
 In [7]: type(my_list)
Out[7]: list
 In [8]: arr = np.array(my_list)
Out[8]: array([0, 1, 2, 3, 4, 5])
 In [9]: type(arr)
Out[9]: numpy.ndarray
In [10]: print(type(arr))
         print(type(my_list))
        <class 'numpy.ndarray'>
        <class 'list'>
In [12]: np.arange(10)
Out[12]: array([0, 1, 2, 3, 4, 5, 6, 7, 8, 9])
In [13]: np.arange(10,20)
Out[13]: array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19])
In [15]: np.arange(10,50,5)
```

7/3/25, 12:40 PM Numpy Part-1

```
Out[15]: array([10, 15, 20, 25, 30, 35, 40, 45])
In [16]: np.arange(10,30,3)
Out[16]: array([10, 13, 16, 19, 22, 25, 28])
In [17]: np.arange(10,30,30, 3)
       TypeError
                                               Traceback (most recent call last)
       Cell In[17], line 1
       ----> 1 np.arange(10,30,30, 3)
       TypeError: Cannot interpret '3' as a data type
In [20]: np.arange(20,8)
Out[20]: array([], dtype=int32)
In [21]: np.arange(8,20)
Out[21]: array([ 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19])
In [22]: np.arange(-20,8) # 1st argument must be smaller than 2nd argument
Out[22]: array([-20, -19, -18, -17, -16, -15, -14, -13, -12, -11, -10, -9, -8,
                 -7, -6, -5, -4, -3, -2, -1, 0, 1, 2, 3, 4, 5,
                 6, 7])
In [23]: n = np.arange(-20.8)
Out[23]: array([-20, -19, -18, -17, -16, -15, -14, -13, -12, -11, -10, -9, -8,
                 -7, -6, -5, -4, -3, -2, -1, 0, 1, 2, 3, 4,
                     71)
In [27]: np.zeros(3)
Out[27]: array([0., 0., 0.])
In [26]: np.zeros(3, dtype=int)
Out[26]: array([0, 0, 0])
In [28]: z = np.zeros(5)
In [29]: z
Out[29]: array([0., 0., 0., 0., 0.])
In [31]: np.zeros((2,2))
```

7/3/25, 12:40 PM Numpy Part-1

```
Out[31]: array([[0., 0.],
                [0., 0.]])
In [32]: np.zeros((3,3), dtype = int)
Out[32]: array([[0, 0, 0],
                [0, 0, 0],
                [0, 0, 0]])
In [39]: nd1 = np.zeros((5,9), dtype = int)
In [42]: nd1
Out[42]: array([[0, 0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0, 0]]
In [35]: np.ones(3)
Out[35]: array([1., 1., 1.])
In [36]: np.ones(3, dtype=int)
Out[36]: array([1, 1, 1])
In [37]: np.ones((10,10), dtype=int)
Out[37]: array([[1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1],
                [1, 1, 1, 1, 1, 1, 1, 1, 1, 1]
In [41]: nd1
Out[41]: array([[0, 0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0, 0],
                [0, 0, 0, 0, 0, 0, 0, 0, 0]]
 In [ ]:
```