


## **Average AQI Lahore 143**



25.09.2025 (12:00AM- 11:00PM) 24 Hours Report




- 1. AQI calculations were performed using PM2.5 data (PEQs value: 35 μg/m³).
- 2. The data was gathered from three sources: EPA(3), Vendors Enviropak (8), and SP&IU (30).
- 3. The vendor-shared data might contain anomalies, which may be rectified before the final report. Therefore, the authenticity of data lies with vendors.



### AQI Report of Districts of Punjab (Lahore Excluded)



#### 25.09.2025 (12:00AM- 11:00PM) 24 Hours Report



- 1. AQI calculations were performed using PM2.5 data (PEQs value:  $35 \mu g/m^3$ ).
- 2. The data was gathered from three sources: EPA(3), Vendors Enviropak (8), and SP&IU (30). The vendor-shared data might contain anomalies, which may be rectified before the final report. Therefore, the authenticity of data lies with vendors.



# Daily AQI Ranking of Districts in Punjab



#### 25.09.2025 (12:00AM-11:00PM)

AQI limits of EPA, Punjab							
00-50	51-100	101-150	151-200	201-300	301-400	401-500	
Good	Satisfactory	Moderate	Unhealthy for sensitive group	Unhealthy	Very Unhealthy	Hazardous	

Rank	Districts	AQI
1	Gujranwala	158
2	Rahim Yar Khan	152
3	Gujrat	145
4	Lahore	143
5	Khanewal	143
6	Kasur	136
7	Muzaffargarh Muzaffargarh	127
8	Narowal Brustar Consist Labore Labore	126
9	Sialkot	121
10	Faisalabad	117
11	Sargodha	113
12	Chakwal	110
13	Hafizabad	109
14	Rawalpindi	103
15	DG Khan	96
16	Multan	93
17	Bahawalpur	59

- 1. AQI calculations were performed using PM2.5 data (PEQs value:  $35 \mu g/m^3$ ).
- 2. The data was gathered from three sources: EPA(3), Vendors Enviropak (8), and SP&IU (30).
- 3. The vendor-shared data might contain anomalies, which may be rectified before the final report. Therefore, the authenticity of data lies with vendors.