

# Cucumber Report

Jul 12, 2024, 7:28:14 PM

Start : Jul 12, 7:27:58.919 PM

End : Jul 12, 7:28:12.566 PM

Duration : 13.647 s

Features

Scenarios

Steps

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 2  
FAILED - 0  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Title of your feature</u>	13.647 s	1	1	0	0	2	2	0	0

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@abc	1	1	0	0	1	1	0	0
@VerifyloginwithInvalidCredentials	1	1	0	0	1	1	0	0
@tag	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	1	1	0	0	13.647 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	<u>running abc tag</u>	2	2	0	0	13.631 s

## Title of your feature

PASSED	DURATION - 13.647 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 7:27:58.919 PM // 7:28:12.566 PM /					

## running abc tag

PASSED		DURATION - 13.631 s			Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 7:27:58.935 PM // 7:28:12.566 PM /						
Title of your feature						
@abc @VerifyloginwithInvalidCredentials @tag						

#	Step / Hook Details	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.005 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.739 s
	image		
			
2	And some other precondition	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	image		
	