

2.3 1 Consider the following permutations in S_7

$$\sigma = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ 3 & 2 & 5 & 4 & 6 & 1 & 7 \end{pmatrix} \quad \tau = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ 2 & 1 & 5 & 7 & 4 & 6 & 3 \end{pmatrix}$$

Compute the following products:

b $\tau\sigma$

Ans

$$\begin{aligned} \tau\sigma &= \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ 3 & 2 & 5 & 4 & 6 & 1 & 7 \end{pmatrix} \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ 2 & 1 & 5 & 7 & 4 & 6 & 3 \end{pmatrix} \\ &= \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ 2 & 3 & 6 & 7 & 4 & 1 & 5 \end{pmatrix} \end{aligned}$$

□

f $\tau^{-1}\sigma\tau$

Ans

$$\tau^{-1} = \begin{pmatrix} 2 & 1 & 5 & 7 & 4 & 6 & 3 \\ 1 & 2 & 3 & 4 & 5 & 6 & 7 \end{pmatrix}$$

$$= \begin{pmatrix} 2 & 3 & 6 & 7 & 4 & 1 & 5 \\ 1 & 7 & 6 & 4 & 5 & 2 & 3 \end{pmatrix}$$

$$\tau^{-1}\sigma = \begin{pmatrix} 2 & 3 & 6 & 7 & 4 & 1 & 5 \\ 1 & 7 & 6 & 4 & 5 & 2 & 3 \end{pmatrix} \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ 3 & 2 & 5 & 4 & 6 & 1 & 7 \end{pmatrix}$$

$$= \begin{pmatrix} 2 & 3 & 6 & 7 & 4 & 1 & 5 \\ 3 & 7 & 1 & 4 & 6 & 2 & 5 \end{pmatrix}$$

$$\tau^{-1}\sigma\tau = \begin{pmatrix} 2 & 3 & 6 & 7 & 4 & 1 & 5 \\ 3 & 7 & 1 & 4 & 6 & 2 & 5 \end{pmatrix} \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ 3 & 2 & 5 & 4 & 6 & 1 & 7 \end{pmatrix}$$

$$= \begin{pmatrix} 2 & 3 & 6 & 7 & 4 & 1 & 5 \\ 5 & 7 & 3 & 4 & 1 & 2 & 6 \end{pmatrix}$$

□

3 Write $\begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 \\ 3 & 4 & 10 & 5 & 7 & 8 & 2 & 6 & 9 & 1 \end{pmatrix}$ as a product of disjoint cycles and as a product of transpositions. Construct its associated diagram, find its inverse, and find its order.

Ans The product of disjoint cycles:

$$\{(1, 3, 10)(2, 4, 5, 7)(6, 8)\}$$


The product of transpositions:

$$\{(1, 3, 10)(2, 4, 5, 7)(6, 8)\} = \{(1, 3)(3, 10)(2, 4)(4, 5)(5, 7)(6, 8)\}$$

Reconstructing the permutation based on the product of transpositions:

$$\begin{aligned}\sigma &= \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 \\ 3 & 4 & 10 & 5 & 7 & 8 & 2 & 6 & 9 & 1 \end{pmatrix} \\ &= \begin{pmatrix} 1 & 3 & 10 & 2 & 4 & 5 & 7 & 6 & 8 & 9 \\ 3 & 10 & 1 & 4 & 5 & 7 & 2 & 8 & 6 & 9 \end{pmatrix}\end{aligned}$$

Constructing the associated diagrams



The inverse of the permutation:

$$\begin{aligned}\sigma^{-1} &= \begin{pmatrix} 3 & 4 & 10 & 5 & 7 & 8 & 2 & 6 & 9 & 1 \\ 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 \end{pmatrix} \\ &= \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 \\ 10 & 7 & 1 & 2 & 4 & 8 & 5 & 6 & 9 & 3 \end{pmatrix}\end{aligned}$$

Since

$$\begin{aligned}o(\sigma) &= lcm(\text{length}(\text{cycles})) \\ &= lcm(\{2, 4, 3\}) \\ &= 12\end{aligned}$$

□

- 5 Let $3 \leq m \leq n$. Calculate $\sigma\tau^{-1}$ for the cycles $\sigma = (1, 2, \dots, m-1)$ and $\tau = (1, 2, \dots, m-1, m)$ in S_n .

Ans

□

- 11 Prove that in S_n , with $n \geq 3$, any even permutation is a product of cycles of length three.

Hint: $(a, b)(b, c) = (a, b, c)$ and $(a, b)(c, d) = (a, b, c)(b, c, d)$.

Ans

□

- 15 For $\alpha, \beta \in S_n$, let $\alpha \sim \beta$ if there exists $\sigma \in S_n$ such that $\sigma\alpha\sigma^{-1} = \beta$. Show that \sim is an equivalence relation on S_n .

Ans

□

- 16 View S_3 as a subset of S_5 , in the obvious way. For $\sigma, \tau \in S_5$, define $\sigma \sim \tau$ if $\sigma\tau^{-1} \in S_3$.

a Show that \sim is an equivalence relation on S_5 .

Ans

□

b Find the equivalence class of $(4, 5)$.

Ans

□

c Find the equivalence class of $(1, 2, 3, 4, 5)$.

Ans

□

d Determine the total number of equivalence classes.

Ans

□