



Name : **MASTER. SHARVIN**
 Age/Gender : **1YEARS2MONTHS/MALE**
 Sample Type : **WB EDTA**
 Ref By : **C/O.SRADDHA HOSPITAL**
 TypedBy : **Noor Amin Ansari**

Bill Number : **M4745**
 Bill Date : **12-Aug-2024 02:43 PM**
 Sample Collection : **12-Aug-2024 04:03 PM**
 Sample Received : **12-Aug-2024 04:07 PM**
 Reporting Date : **12-Aug-2024 05:08 PM**

COMPLETE BLOOD PICTURE (CBP)

INVESTIGATION	RESULT	UNITS	NORMAL RANGE
HAEMOGRAM			
HAEMOGLOBIN (Method: Cell Counter)	9.0	gm/dL	13 - 18
RBC Count (Method: Cell Counter)	4.9	Millions/Cumm	3.8 - 4.8
WBC Count (Method: Cell Counter)	18,900	Cells/Cumm	4,000 - 11,000
RDW	18.0	%	11.0 - 16.0
DIFFERENTIAL COUNT			
NEUTROPHILS (Method: Cell Counter)	20	%	40 - 75
LYMPHOCYTES (Method: Cell Counter)	71	%	20 - 40
EOSINOPHILS (Method: Cell Counter)	02	%	01 - 06
MONOCYTES (Method: Cell Counter)	07	%	02 - 10
BASOPHILS (Method: Cell Counter)	00	%	00 - 00
PCV (Haematocrit) (Method: Cell Counter)	29	%	35 - 45
MCV (Method: Cell Counter)	67	FL	83 - 101
MCH (Method: Cell Counter)	21	PG	27 - 32
MCHC (Method: Cell Counter)	32	%	32 - 35
PLATELET COUNT (Method: Cell Counter)	4.89	Lakhs/Cumm	1.5 - 4.5
PERIPHERAL SMEAR			
RBCs	MICROCYTIC HYPOCHROMIC & ANISOCYTOSIS		
WBCs	LEUCOCYTOSIS WITH LYMPHOCYTOSIS		



Name : **MASTER. SHARVIN**
Age/Gender : **1YEARS2MONTHS/MALE**
Sample Type : **WB EDTA**
Reff By : **C/O.SRADDHA HOSPITAL**
TypedBy : Noor Amin Ansari

Bill Number : **M4745**
Bill Date : 12-Aug-2024 02:43 PM
Sample Collection : 12-Aug-2024 04:03 PM
Sample Received : 12-Aug-2024 04:07 PM
Reporting Date : 12-Aug-2024 05:08 PM

PLATELETS

THROMBOCYTOSIS

Sugessted Clinical Correlation If necesarry Kindly Discuss.

-----End of the Report-----



Authorized Signatory



LAB INCHARGE



Name : MASTER. SHARVIN
Age/Gender : 1YEARS2MONTHS/MALE
Sample Type : SERUM
Reff By : C/O.SRADDHA HOSPITAL
TypedBy : Noor Amin Ansari

Bill Number : M4745
Bill Date : 12-Aug-2024 02:43 PM
Sample Collection : 12-Aug-2024 04:03 PM
Sample Received : 12-Aug-2024 04:07 PM
Reporting Date : 12-Aug-2024 05:08 PM

C - REACTIVE PROTEINS (CRP)

INVESTIGATION	RESULT	UNITS	NORMAL RANGE
C – REACTIVE PROTEINS (Method: Immunoturbidimetry)	3.27	mg/L	0.0 - 6.0
INTERPRETAION	NEGATIVE		

Note :

- 1.The CRP test is a sensitive indicator of inflammatory processes.
- 2.The determination of the CRP level can be used in therapy control
- 3.As with all the diagnostic methods, the final diagnosis should not be based on the result of a single test, but on a correlation of test results with other clinical findings.
- 4.The strength of agglutination is not indicative of the CRP concentration in the samples tested.

Please Correlate With Clinical Findings If Necessary Discuss

-----End of the Report-----

Authorized Signatory



LAB INCHARGE