

Experiment No 5


To install, First download Terraform Client Utility for windows from terraforms official
website https://developer.hashicorp.com/terraform/install then select the operating
system on which you want to download.




2. Extract the file from downloads. Then click on terraform Application.




3. Then search for Edit the system environment variables.




4. Then click on Environment Variables and then click on PATH.



5. Then add the path of where you have stored the Terraform. Then click on ok.



6. Then search for windows powershell and open it as an administrator.



Name: sadneya sadanand samant

7. Then type terraform which will give information about commands ie. main commands and all other commands.

```
× + ~
Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows
PS C:\Users\student.VESIT505-08> terraform
Usage: terraform [global options] <subcommand> [args]
The available commands for execution are listed below.
The primary workflow commands are given first, followed by
less common or more advanced commands.
Main commands:
                Prepare your working directory for other commands
 init
 validate
                Check whether the configuration is valid
 plan
                Show changes required by the current configuration
 apply
                Create or update infrastructure
                Destroy previously-created infrastructure
 destrov
All other commands:
  console Try Terraform expressions at an interactive command prompt
  fmt
                Reformat your configuration in the standard style
 force-unlock Release a stuck lock on the current workspace
 get Install or upgrade remote Terraform modules
graph Generate a Graphviz graph of the steps in an operation
import Associate existing infrastructure with a Terraform reso
login Obtain and save credentials for a remote host
logout Remove locally-stored credentials for a remote host
metadata Metadata related commands
Show output values from your root module
 get
               Associate existing infrastructure with a Terraform resource
                Show output values from your root module
 providers
                Show the providers required for this configuration
 refresh
                Update the state to match remote systems
  show
                Show the current state or a saved plan
  state
                Advanced state management
                Mark a resource instance as not fully functional
  taint
   untaint
                       Remove the 'tainted' state from a resource instance
   version
                        Show the current Terraform version
   workspace
                       Workspace management
Global options (use these before the subcommand, if any):
                       Switch to a different working directory before executing the
   -chdir=DIR
                        given subcommand.
                       Show this help output, or the help for a specified subcommand.
   -help
                       An alias for the "version" subcommand.
   -version
PS C:\Users\student.VESIT505-08>
```